

ARREST DRY

Systemic turf fungicide containing Arrest 75W in a ready to apply mixture.

Controls pink snow mold (*Fusarium nivale*), grey snow mold (*Typhula spp.*) and low temperature basidiomycetes on golf greens, tees and fairways, bowling greens, turf farms, fine turf areas and lawns.

COMMERCIAL

GUARANTEE:

Carbathiin..... 1.26%
Oxycarboxin..... 0.31%
Thiram..... 3.15%

REGISTRATION NO. 27117
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

MADE IN CANADA

Net Contents: 25 kg

CHEMTURA CANADA CO./CIE

25 Erb St.
Elmira, ON N3B 3A3

24 Hour Emergency Phone:
(519) 744-3060

GENERAL INFORMATION:

Arrest Dry contains two systemic fungicides (Vitavax and Plantvax) plus a contact fungicide (Thiram). Arrest Dry is a versatile and easy to use fungicide for the control of pink snow mold (*Fusarium nivale*), grey snow mold (*Typhula spp.*) and low temperature basidiomycetes on golf greens, tees and fairways, bowling greens, turf farms, parks, fine turf areas and lawns.

Arrest Dry is absorbed by the turf (through root system and leaves) to provide complete systemic protection throughout the disease development period. The combination of systemic and contact activity makes Arrest Dry an excellent preventative and curative fungicide.

Arrest Dry is applied in the late fall before snow cover. Under normal conditions one application of Arrest Dry at recommended rates should provide excellent control. Heavy precipitation immediately following application or prolonged mid-winter thaws may reduce the effectiveness of Arrest Dry. In either situation a second application may be desirable to obtain complete control.

DIRECTIONS FOR USE:

Apply Arrest Dry at a rate of 5 kg of product per 100m². One 25 kg bag will cover 500m².

Uniform application with a mechanical spreader is essential for complete control. Arrest Dry is applied in the late fall before snow cover. Under normal conditions one application of Arrest Dry at recommended rates should provide excellent control. Heavy precipitation immediately following application or prolonged mid-winter thaws may reduce the effectiveness of Arrest Dry. In either situation a second application may be desirable to obtain complete control.

PRECAUTIONS:

1. KEEP OUT OF REACH OF CHILDREN
2. Do not take internally.
3. Avoid breathing dust and contact with eyes and skin. Wear coveralls over regular work clothing, chemical-resistant gloves, protective eyewear and dust mask when handling, mixing, loading, cleanup and repair. Applicators should wear long-sleeved shirt, long pants and chemical resistant gloves.
4. Work clothing should be washed with detergent and hot water. Wash work clothing separately from other laundry.
5. Because of possible unpleasant side effects, alcoholic beverages should be avoided for 24 hours before or after working with Arrest Dry.
6. Do not contaminate feed and foodstuffs.
7. Do not contaminate ponds, lakes and streams with product or with wash-waters when cleaning applicator equipment.
8. Apply only to areas specified on this label.

FIRST AID:

IF SWALLOWED, Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Note to Physicians: There is no specific antidote. If swallowed induce vomiting with SYRUP of IPECAC or INTUBATE the stomach. Alcohol intake within 24 hours of contact with Thiram may cause flushing, sweating, headaches and nausea. If reaction with alcohol occurs, treat as disulfiram-alcohol reaction.

STORAGE AND DISPOSAL:**STORAGE:**

Store product in original container away from food or feed. Keep container closed and store in a dry place

DISPOSAL:

1. Triple or pressure rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.