

2018-2082

2019-01-15

**KNOCK DOWN
FLYING INSECT KILLER I**

PRESSURIZED SPRAY

DOMESTIC

INDOOR USE

KILLS: Flies, Mosquitoes, Wasps, and Hornets.

ACTIVE INGREDIENT:

d-Phenothrin 0.15%

Tetramethrin 0.25%

REGISTRATION NO. 24825 PEST CONTROL PRODUCTS ACT

NET CONTENTS _____ GRAMS

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OR CHILDREN

CAUTION

EXPLOSIVE

KUUS INC. Value added Family products™.

450 TAPSCOTT RD UNIT 5-6A

Toronto, ON M1B 1Y4

1-800-267-0455

Proudly made in Canada

www.knockdownbugs.com, www.mosquitoshield.com

Manufacturers of Mosquito Shield Insect Repellents

DIRECTIONS: Close doors and windows. Shake well before using. Spray upwards in sweeping motion to all parts of the room. Spray 5 to 10 seconds for average room. Direct mist into areas where insects are present. Vacate for at least 15 minutes immediately after spraying and aerate before re-entering. Do not use tetramethrin in food handling, storage or preparation areas while food is present. Use only for spot or crack and crevice applications. Residential areas are defined as any use site where the general public, including children, could be exposed during or after application. For structural uses, in residential sites, this includes homes, schools, restaurants, public buildings or any other areas where the general public including children may potentially be exposed. Non-residential areas include, but are not limited to: industrial/commercial indoor sites (for example, laboratories, warehouses, food granaries); modes of transport in areas where passengers are not present (for example, buses, railcars, trailers); and animal housing (for example, livestock housing and poultry, pet kennels).

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat or store at temperatures over 50°C. Do not spray near open flame or spark. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Remove or cover fish tanks before using. Avoid contamination of foodstuffs. Remove or cover all exposed food and cooking utensils before spraying. Remove animals for a minimum of 1 hour when spraying room. Following treatment, ventilate all rooms, do not access for a minimum of 15 minutes and do not re-enter before ventilation is complete. Avoid contact with treated surfaces until dry. After treatment, wash all surfaces that may contact food and rinse thoroughly with potable water. Wash hands after spraying. Do not contaminate any body of water.

FIRST AID: For contact on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms. Toxic to bees. Do not spray bees.

DISPOSAL: When container is empty, press valve to release all remaining pressure, then dispose in household garbage. Do not puncture or incinerate