

28-FEB-2007

**LATER'S™  
Bugban-C  
Ant Killer  
Dust**

Ready-to-use insecticide.  
For use outdoors

DOMESTIC

REG. NO. 27068 P.C.P. ACT

GUARANTEE: Carbaryl 5%

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

500 g, 1 kg

Spectrum Brands IP Inc.,  
P.O. Box 21001,  
Brantford, ON N3R 7W9  
1-800-268-2806

Ants are scavengers. They may be black, brown or red. They could be winged or wingless. They have narrow waists and their antennae are elbowed. In their search for food they will enter homes or climb trees to collect "honeydew" secreted by Aphids and Scale Insects.

1 m = approx. 1 long pace  
25 m<sup>2</sup> = 5 m x 5 m

**DIRECTIONS FOR USE:** Later's Ant Killer Dust is ready-to-use. Apply at a rate of 500 g per 25 m<sup>2</sup>.

**LAWNS & TURF:** Mow the lawn before application. Do not water lawn for 2 days after treatment. Repeat in 2 - 3 weeks if necessary.

**Controls:** Ants, Chinch Bugs, Climbing Cutworms, Earwigs, Fall Armyworms, Fleas, Leafhoppers, Millipedes, Sod Webworms (lawn moths).

**As a SPOT Treatment For ANT HILLS:** Apply powder over and around each individual anthill.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Avoid inhalation and skin contact. Wash hands after use and before eating, drinking and smoking. Avoid contamination of feed and food.

**ENVIRONMENTAL HAZARDS:** This product is highly toxic to bees. Do not use where bees are foraging.

**FIRST AID:** **If swallowed,** INDUCE VOMITING. To do so give 2 glasses of warm water to drink and insert finger or blunt object into mouth and touch back of victim's throat. Contact a doctor or poison control centre IMMEDIATELY. Never give anything by mouth to an unconscious person. **If in eyes,** flush with water for 15 minutes and get medical attention. **If on skin,** wash with soap and water. **If inhaled,** seek medical attention at a hospital. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Carbaryl is a moderate reversible cholinesterase inhibitor. Symptoms of poisoning: headache, nausea, vomiting, blurring of vision. Atropine is antidotal.

**STORAGE:** Keep product in original container. Store in a cool, dry place away from food.

**DISPOSAL:** Do not reuse empty container. Wrap container and discard in household garbage.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.