

**BIOGUARD®
POWER CHLOR™**

REMEDY

compound action chlorinating granules
Controls Bacteria and Algae in Pool Water

Test and Add*

* Please refer to directions for use.

Compound Action Formulation

- Sanitizes – kills bacteria
- Clarifies – clears water
- Algicide – kills algae

Easy Skimmer Application

GUARANTEE:

Available chlorine present as Trichloro-s-triazinetriene 65%

DOMESTIC

DANGER

POISON

CORROSIVE TO SKIN AND EYES

REG. NO. 27257 P.C.P. ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS 10 kg

KIK HOLDCO COMPANY INC.

33 MacIntosh Blvd.

Concord ON L4K 4L5

1-888-640-7946

BioGuard® Power Chlor™ is specially formulated granules that are designed to meet the rigorous demands of discerning pool owners. This patented formulation, when applied according to label directions, kills bacteria and unsightly algae.

DIRECTIONS FOR USE:

Maintain recommended daily levels as determined by a testing kit:

Free available chlorine: 1.0-3.0 ppm

Total Alkalinity: 100-120 ppm

pH: 7.4-7.6

Calcium Hardness 200-300 ppm

For outdoor pools, chlorine residuals can be protected from destruction by the sun's rays by adding 300 grams of **BioGuard® Stabilizer 100** (cyanuric acid) per 10,000 L of pool water to yield the required initial concentration of 30 ppm.

Application Method: Warning. Do not apply this product directly to pool water. Apply slowly through skimmer. Direct contact with pool surfaces may cause bleaching of vinyl, paint or fiberglass. Do not pre-dissolve this product before applying through skimmer. Do not mix this product with any other product or chemicals. Always run pump for 2 – 4 hours after application.

INITIAL STARTUP: Use this method if you are opening your pool in the spring, the pool has not been maintained for several weeks, or if the pool is freshly filled. Brush all pool surfaces with pump operating. Following the above **Application Method**, add 120 grams Power Chlor per 10,000 litres of pool water. After two hours, test chlorine level (residual). Repeat dosage until you obtain a chlorine level of 1–3 ppm.

ROUTINE CHLORINATION: Following the above **Application Method**, add 15-30 grams Power Chlor per 10,000 litres of pool water every day, every other day or as often as needed to maintain a chlorine level between 1–3 ppm. Operate the pump a minimum of 10 hours per day for best results. **NOTE:** Hot weather, heavy pool usage and rain may require higher usage rates to maintain proper chlorine residuals. Use a test kit regularly.

Periodic superchlorination of pool water is recommended. Follow label directions of superchlorinating product being employed.

BioGuard® Power Chlor™ contains stabilizer which can accumulate in pool water. Keep stabilizer level within the range of 30-100 ppm by dilution with fresh water.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Dangerous gas formed when mixed with acid. Do not mix with any other chemicals. Strong oxidizing agent. May cause fire or explosion if contaminated. Corrosive - Causes eye damage and severe skin burns. Do not get on skin, clothing or in eyes. Do not inhale dust. POTENTIAL SKIN SENSITIZER. It is recommended to wear rubber gloves when handling this product. Harmful or fatal if swallowed. Keep container closed and store in a cool, dry location.

FIRST AID: If splashed in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If splashed on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.