

2018-3520
2019-02-18
2019-4943
2019-10-10

SLUGGO® SLUG AND SNAIL BAIT FOR GARDENS

Granular

SLUG AND SNAIL BAIT

DOMESTIC

READY TO USE

CONTROLS: Slugs and Snails

EASY TO USE

ACTIVE INGREDIENT: Iron (present as ferric phosphate) 0.28%
Warning contains the allergen wheat

KEEP OUT OF REACH OF CHILDREN AND PETS

READ THE LABEL BEFORE USING

REG. NO. 26102 P.C.P. ACT

NET CONTENTS 2 Kg

W. Neudorff GmbH KG, An der Mühle 3,
31860 Emmerthal, Germany

Canadian Agent: Neudorff North America
PO Box 178
Brentwood Bay, B.C., V8M 1R3
250-652-5888

2018-3520
2019-02-18

Neudorff's SLUGGO[®] is a unique product containing ferric phosphate, which is a compound commonly found in soils, in a specially formulated bait. Any uneaten bait will degrade and become part of the soil in your garden. It will not harm pets, birds or wildlife.

After ingesting this bait (even in small amounts) slugs and snails cease feeding, which provides immediate protection to plants. Affected slugs and snails die within three to six days. Dead slugs and snails may not be visible as they often crawl away to secluded places to die. Plant protection will be observed in the dramatic decrease in plant damage.

DIRECTIONS FOR USE:

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Scatter the bait granules on the soil around or near the plants to be protected. Apply bait evenly at approximately 5 grams per square meter. Reapply as the bait is consumed or every two weeks where snails and slugs continue to be a problem. Do not place in piles. If the ground is dry, wet it before applying bait. The soil should be moist but with little or no standing water. Do not apply to foliage or other plant parts.

Evening is the best time to apply the bait, as slugs and snails travel and feed mostly by night or early morning. This bait is ideal for protecting vegetable and flower gardens, ornamental shrubs, berry plants and fruit. Circling the garden plot or plants/shrubs/ trees with bait effectively creates a barrier to slugs and snails. All likely areas of infestation should be treated, especially around the perimeter of garden plots because these pests travel into plant areas from daytime refuges. They favor damp, shady places around plants.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN AND PETS. May cause eye irritation. Avoid contact with eyes. Wash hands after handling.

Avoid direct application to ponds, streams and lakes.

FIRST AID:

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE: To prevent contamination, store this product away from food or feed.

DISPOSAL:

2018-3520
2019-02-18

DO NOT reuse the empty containers. Dispose in household garbage.

Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.