08-FEB-2008 2007-8992

CUTTER[®] INSECT REPELLENT MOSQUITO WIPES

REPELS TICKS

DOMESTIC

REG. NO. 27107 P.C.P. ACT

GUARANTEE: DEET plus related active toluamides (ortho & para isomers) 8.9%

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

96 g (20 towelettes 15.24 x 17.78 cm)

United Industries Corp. P.O. Box 142642 St. Louis, MO U.S.A. 63114-0842 **DIRECTIONS FOR USE:** Cutter[®] Insect Repellent Mosquito Wipes repel mosquitoes, black flies, stable flies, biting midges, deer flies, ticks, chiggers. Apply sparingly not under clothing and only when necessary. Reapply after 3 hours if necessary.

Lift flap on lid. Remove the lid from the container by lifting upwards. Pull up the centre towelette and thread the corner of the towelette through the corner of the lid. Do not push finger through lid opening. Replace lid on container. Towelettes should be pulled at an angle to dispense one at a time. Unfold towelette and wipe evenly over exposed skin. The lid should be tightly closed on container between uses to keep the towelettes from drying out. Avoid contact with eyes and mouth. Wash hands after application. After returning indoors, wash treated skin with soap and water. Will not damage nylon, cotton or wool. Avoid contact with plastic, watch crystals and synthetic fabrics such as acetate, rayon and dynel etc. May damage leather, furniture finishes, plastics and painted surfaces.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT USE ON INFANTS UNDER SIX MONTHS OF AGE. AVOID CONTACT WITH EYES AND MOUTH. Do not apply over cuts and wounds or to sunburned skin. Do not apply more than 3 times per day to children 2-12 years of age. In children (6 months to 2 years), do not apply more than once a day. Not for daily use. Avoid application to children's hands. Supervise application on children. Flammable – Keep container away from open flame or sparks.

FIRST AID: In rare cases, may cause a skin reaction. If irritation or other adverse effects develop, wash with soap and water immediately. If irritation persists, contact a physician. **If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Dispose of empty container in household garbage.

Questions or comments? Call 1-800-767-9927 or visit our website at www.spectrumbrands.com

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.