

Safer's DEFENDER Garden Fungicide Concentrate  
SUSPENSION  
Controls Black Spot, Powdery Mildew, Rust

NET CONTENTS: 250 mL - 1 L

GUARANTEE: Sulphur...12.0%  
Contains 1-(3-CHLOROALLYL)-3,5,7-TRIAZA-1-AZONIAADAMANTANE CHLORIDE (CIS ISOMER) at 0.1% as a preservative

REG. NO. 19691 P.C.P. ACT

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

DOMESTIC

Woodstream Canada Corporation, Unit 1, 25 Bramtree Court, Brampton ON L6S 6G2  
Tel: (800) 800-1819

DIRECTIONS FOR USE: Spray plants to thorough wetting.  
POWDERY MILDEW: on roses, chrysanthemums, grapes, strawberries, currants, gooseberries, beans, and dahlias. Concord grapes and other sulphur shy varieties of plants may be sensitive to this product. Spray at first sign of disease and repeat at 10-14 day intervals.  
BLACK SPOT: on roses. Spray every 7-10 days to ensure thorough coverage of new foliage and stems.  
RUST: on currants, gooseberries, beans and ornamentals. Spray at first sign of disease and repeat at 10-14 day intervals as necessary.

PREHARVEST INTERVAL: Apply up to 1 day before harvest for all crops except wine grapes, which require a 21 day interval.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. To avoid damage to plants, do not apply when humidity is high or temperature is 32 degrees Celsius or higher. Do not apply Safer's DEFENDER Garden Fungicide concentrate to plants within 30 days of an oil treatment. Avoid contamination of food and feed. Do not heat or store at high temperatures. Do not apply on Boston Fern.

**DISPOSAL:** Do not reuse empty container. Wrap empty container and discard in household garbage.

**DIRECTIONS FOR MIXING:** SHAKE CONTENTS OF CONTAINER WELL. Adding water first, mix 35 mL of concentrate to 1 litre of water [1.5 ounces (3 tablespoons) to 1 imp. Quart]. Always stir while adding concentrate to water and until solution is completely mixed.

**FIRST AID:** If on skin or clothing, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to aquatic habitats (such as lakes, sloughs, ponds, coulees, prairie potholes, creeks, marshes, streams, reservoirs, and wetlands), and estuarine/marine habitats. Do not contaminate water by cleaning of equipment or disposal of wastes.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.