

15-OCT-2009
2009-2664

FOXXX®

BROM-A-GARD BROMINE TABLETS

CONTROLS BACTERIA AND ALGAE
IN SWIMMING POOL WATER.

DOMESTIC

GUARANTEE:

Available Bromine present as 1-Bromo-3-Chloro-5,5-Dimethyl
Hydantoin and related hydantoins.....64%

Available Chlorine present as 1-Bromo-3-Chloro-5,5-Dimethyl
Hydantoin and related hydantoins.....28%

REGISTRATION NO. 26432
PEST CONTROL PRODUCTS ACT

WARNING

POISON CORROSIVE

IRRITANT,

DANGEROUS GAS FORMED WHEN MIXED WITH ACID

READ THE LABEL BEFORE USING

DANGER CORROSIVE TO EYES

KEEP OUT OF REACH OF CHILDREN

Packaged by
C L Marketing Inc.
2770 - 24th Avenue NE
Calgary, Alberta T1Y 6V7

NET CONTENTS: 2 kg

TABEX BROMINE TABLETS

Foxxx® BROM_A_GARD Tablets, when used as directed, are effective as a
swimming pool water sanitizer and disinfectant.

WARNING: Direct tablet contact may cause bleaching of vinyl or painted pool surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other pool sanitizers to avoid the probability of an explosion.

DIRECTIONS FOR USE: The filtration system should be in proper working order; the pH adjusted to between 7.2 and 7.8; the total alkalinity maintained at 100 to 150 ppm and the calcium hardness maintained at 150 to 300 ppm. A bromine residual of 1.0 to 2.0 ppm must first be established in the pH adjusted pool. If this is accomplished with a granular hypochlorite product, follow use directions on that product label. If the residual is established with FOXXX® BROM-A-GARD TABLETS in a brominator, use the brominator at the highest feed rate following the manufacturer's instructions. When the bromine residual reaches 1.0 to 2.0 ppm, adjust the feeder accordingly. To maintain a bromine residual, adjust the brominator feed rate to assure a constant treatment level of 1.0 to 3.0 ppm in residential pools and 3.0 to 5.0 ppm in larger, heavily used pools (normally 30 g to 180 g of this product per 10,000 litres daily). Each BROM-A-GARD TABLET weighs approximately 20 g. Actual use rates vary depending on organic load and environmental conditions. The regular use of a good test kit will determine if further adjustments are needed. Do not swim in the water if the residual is above 5.0 ppm. Periodic superchlorination of pool water is recommended. Follow label instructions of superchlorination product being employed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Poisonous if swallowed. Do not breathe dust. Irritating to nose and throat. Do not get in eyes or on skin, may result in severe chemical burns. Wear goggles or face shield and rubber gloves when handling. Corrosive. Wash hands thoroughly after handling. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, hazardous gases, and possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. If necessary, flood with large volumes of water.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge where it will drain into lakes, streams, ponds or public waters.

STORAGE: Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area, away from heat, open flame, sunlight and other chemicals. Do not reuse container.

DISPOSAL: For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. In case of eye contact, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. In case of contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.