

2016-2329
2016-05-16

PRO[®]
PROFESSIONAL DDVP-20 ULTRA-LOW VOLUME INSECTICIDE

FOR THE CONTROL OF LISTED INSECTS IN FOOD PROCESSING PLANTS,
TOBACCO WAREHOUSES AND FOR OUTDOOR MOSQUITO CONTROL.

COMMERCIAL

REGISTRATION NO. 19680 PEST CONTROL PRODUCTS ACT

GUARANTEE: DICHLORVOS 20%

DANGER



POISON

READ LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 20 L

PREMIER TECH BRIGHTON LTD.
1, avenue Premier
Rivière-du-Loup, QC G5R 6C1
1-844-475-1262

For the control of listed insects in Food Processing plants, Tobacco warehouses and for outdoor mosquito control. DO NOT APPLY WITH HANDHELD FOGGER.

DIRECTIONS FOR USE: PRO[®] Professional DDVP-20 Ultra-Low Volume Insecticide concentrate is an oil concentrate which can be diluted with base oil or used undiluted in ULV applicators. For ½% solution, mix 25 mL of product with one litre base oil (1 part to 39 parts). For 1% solution, mix 50 mL of product with one litre base oil (1 part to 19 parts). For 5% fogging solution, mix 1 part of product with 3 parts base oil.

INDOOR APPLICATIONS: Turn off pilot lights, close all doors, windows and ventilators, lock or barricade all entrances and post warning signs. Evacuate occupants. Remove unprotected food and cover food-handling equipment before applying PRO[®] Professional DDVP-20 Ultra-Low Volume Insecticide concentrate. Late afternoon application is preferable because the building can be closed all night. Workers may re-enter building next day after ventilating. For use in fogging machines use a 5% fogging solution.

FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATRES AND WAREHOUSES: For control of exposed stages of confused flour beetle, cocoa bean moth, fruit flies, flour beetle, gnats, rice weevil, wasps. Ultra-low volume applicators: Apply 60 - 150 mL of PRO[®] Professional DDVP-20 Ultra-Low Volume Insecticide concentrate per 1000 cu. metres. Fogging: Apply 300 - 700 mL of 5% fogging solution per 1000 cu. metres. Repeat application as often as necessary to maintain control, but not more often than once a week. In food processing plants, apply during shutdown periods only. Remove or cover all food, packaging materials, utensils, and food processing equipment before treatment. After spraying wash all surfaces that may contact food and rinse with potable water before reuse.

TOBACCO WAREHOUSES: For control of cigarette beetle and tobacco moth. Ultra-low volume applicators: Apply 150 - 300 mL of PRO[®] Professional DDVP-20 Ultra-Low Volume Insecticide concentrate to each 1000 cu. metres of space. Fogging: Apply 700 mL - 1.4 litres of 5% fogging solution to each 1000 cu. metres of space. Make applications as often as necessary to maintain control.

OUTDOOR MOSQUITO CONTROL: Fog bushes and heavy foliage when air currents are minimal or calm. Ultra-low volume applicators: Use PRO[®] Professional DDVP-20 Ultra-Low Volume[™] Insecticide concentrate undiluted in machines designed to disperse ultralow volume. Apply close to ground at the rate of 250 - 600 mL per hectare. Fogging: Prepare a 1% fogging solution and apply in early morning or late evening when air currents are at a minimum. Use a dry fog for best results. DO NOT APPLY BY AIRCRAFT.

SURFACE SPRAY: SHEDS, STABLES, LIVESTOCK BARN, LOAFING SHEDS, PIG PENS, OUTDOOR AREAS: For the control of flies, gnats, mosquitoes. Prepare ½% spray as outlined above and apply as a coarse wet spray at the rate of 5 litres of spray per 100 sq. metres. Remove animals and close all windows and doors. Thoroughly ventilate building before returning animals. Do not contaminate food, feed or water.

POULTRY HOUSES: To control flies, gnats, mosquitoes. Prepare a ½% spray. Apply to window sills and outside of penned enclosures at the rate of 5 litres spray per 100 sq. metres. Remove animals before spraying. Do not contaminate food, feed or water.

LATRINES, LOADING DOCKS, PARKING AREAS, REFUSE AREAS: To control flies, gnats, mosquitoes, fleas, ants and sowbugs. Prepare a ½% spray and apply at the rate of 5 litres spray per 100 sq. metres.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Highly toxic to crabs, fish, and shrimps. Harmful to wildlife if allowed to contaminate lakes and streams. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning of equipment. Do not contaminate food-handling equipment. Do not get on skin or in eyes. Do not breathe fumes. Wear natural rubber gloves and coveralls when handling. Wear a mask or respirator offering protection against Dichlorvos insecticide. Destroy used gloves. Wash contaminated clothing before re-use. Keep in original container. Do not store near, nor contaminate litter, feed or foodstuffs. Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock or water used for domestic purposes. Keep product away from flame or heat. Do not use in milk rooms or milk processing rooms. Do not use in areas where bee-keeping equipment or supplies are stored. Wash after using and before eating, drinking or smoking.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains a cholinesterase inhibitor. Symptoms of poisoning include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivations, sweating, nausea, vomiting, diarrhea and abdominal cramps. If there are signs of parasympathetic stimulation, atropine sulphate should be injected at 10minute intervals, in doses of 1 to 2 milligrams until complete atropinisation has occurred. Morphine contraindicated. Clear chest by postural drainage. Since this product contains a petroleum distillate, care is needed to prevent aspiration into the lungs.

DISPOSAL: Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the

manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

PRO® Agrium Inc. / Lic. Premier Tech Brighton Ltd.