DAZZLE

MINI CHLORINATING TABLETS FOR HOT TUBS

STABILIZED CHLORINATING TABLETS

CONTROLS BACTERIA AND ALGAE in Spa Waters **DOMESTIC**

REG. NO.29327 P.C.P. ACT

GUARANTEE: AVAILABLE CHLORINE (present as Trichloro-s-triazinetrione) 90%



XX g per tablet

Net Content

{Format}

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

BACKYARD BRANDS INC, 830 BROCK ROAD UNIT 3, PICKERING, ONTARIO L1W 1Z8 CANADA 1-866-875-0012

DIRECTIONS FOR USE

Weight per tablet: XXg

WARNING:

Direct tablet contact may cause bleaching of spa surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other spa sanitizers to avoid the probability of an explosion.

1. Maintain recommended daily levels as determined by testing kit.

3.0 – 5.0 ppm Free available chlorine: 7.2 - 7.8pH:

- Total alkalinity: 125 150 ppm
 Calcium hardness: 150 200 ppm

 2. Superchlorinate a fr eshly filled spa by adding 20 g of MINI CHLORINATING TABLETS FOR HOT TUBS per 1,000 L of sp a water. Maintain water circulation for at lea st 1 hour before entering the spa (always measure your free available chlorine level before using the spa to make sure it falls within the recommended levels). Repeat superchlorination procedure after each use period.
- 3. If using an autom atic chlorinator, fill the c hamber with MINI CHLORINATING TABLETS FOR HOT TUBS tablets and ad just flow rate, according to manufacturer's rec ommendations to maintain proper chl orine residu al. Adding ta blets to the spaski mmer basket is an alternative chlorine feed method.
- 4. Maintain proper chlorine resid ual b y a dding 10 g of MINI CH LORINATING T ABLETS FOR HOT T UBS per 1,0 00 L of s pa water, d aily o r a s needed
- 5. Persistent foa m form ation, tur bid, or malo dorous water are ind icators of inad equate sanitiz er le vels. To correct s uch c onditions, sup erchlorinate spa water by adding 30 g of MINI CHLORINATING TABLETS FOR H OT TUBS per 1,000 L of spa water. Maintain circulation at le ast 1 hour and wait four hours before using (always measure your free available chlorine level before using the spa to make sure it falls within the recommended
- 6. Note on S uperchlorination: MINI CH LORINATING T ABLETS FOR HOT T UBS contains sta bilizer (c yanuric acid) which will acc umulate in spa water. Use of MINI CHLORINATING TABLETS FOR HOT TUBS for superchlorination will raise stabilizer level at a faster rate. Keep stabilizer level within 30-100 ppm range by dilution with fresh water. Superchlorination with MINI CHLORINATING TABLETS FOR HOT TUBS will also lower total alkalinity. Make sure that the total alkalinity stays within recommended levels.

7. NOTE: Maximum spa water usage temperature is 40°C. Bathers should not stay more than 15 minutes in spa water at 40°C. For proper sanitation, spa must be completely drained periodically. The number of days between COMPLETE SPA DRAINAGE is equal to the volume of s pa water in litres, divided by 10 times the maximum number of daily spa users. Refill spa with water and repeat DIRECTIONS FOR USE.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Strong oxidizing agent. May cause fire or explosion if contaminated. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. It is recommended to wear rubber gloves when han dling this product. Avoid contact with skin and eyes. Harmful if swallowed. Keep container closed and store in a cool, dry location.

Do not reuse empty container. Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill and for clean-up of spills.

If in eyes: Hold eye open and r inse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the f irst 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

29-95245 17/02/09

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.