

2021-2646  
2021-07-30

# WOLMAN® AG CN

WOOD PRESERVATIVE- COMMERCIAL  
SOLUTION

## REGISTRATION NO. 30003 PEST CONTROL PRODUCTS ACT

FOR USE ONLY AS A WOOD PRESERVATIVE IN THE TREATMENT OF NON-INDUSTRIAL WOOD PRODUCTS SUCH AS DECKS, PATIOS, FENCING, PLAY STRUCTURES, BOARDWALKS, PICNIC TABLES, RESIDENTIAL FENCING, DOCKS, WALKWAYS, AND OTHER ABOVE GROUND EXTERIOR WOOD USES

### DANGER



**POISON**



**CORROSIVE TO EYES AND SKIN**

### READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

#### ACTIVE INGREDIENT:

Didecyldimethyl ammonium (present as carbonate and bicarbonate salts)...	9.68%
Tebuconazole .....	5.00%
Propiconazole. ....	2.43%

Net Contents: IBC Totes: 975 Liters, Bulk Tanker: 16,317 Liters

ARCH WOOD PROTECTION CANADA CORP.

PO Box 60086

Oakville, Ontario L6L 6R4, 905-826-9648

In case of emergency call 1-800-424-9300 [CCN864796]

## **FIRST AID**

### **IF SWALLOWED:**

- Call a poison control centre or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control centre or doctor.
- Do not give anything by mouth to an unconscious person.

### **IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control centre or doctor for treatment advice.

### **IF ON SKIN OR CLOTHING:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control centre or doctor for treatment advice.

### **IF INHALED:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

For Medical Emergencies: Call the Arch Chemicals Emergency Action Network (ACEAN) at 423-780-2970

## **PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN**

Corrosive to eyes and skin. DO NOT get in eyes or on skin. May be fatal if inhaled. DO NOT inhale/breathe spray or mist. Wear a respirator with a NIOSH/MSHA/BHSE approved organic-vapour-removing cartridge with a pre-filter approved for pesticides or a NIOSH/MSHA/BHSE approved canister approved for pesticide full-face protection, chemical resistant coveralls over long sleeved shirt and long pants, chemical resistant gloves, socks and chemical resistant footwear when handling concentrate or dilute solution, opening treatment cylinder doors and during cleaning, maintenance and repair. Wear chemical resistant coveralls over long sleeved shirt and long pants, goggles or face shield and chemical resistant gloves when handling freshly treated wood and/or this product. Wash thoroughly with soap and water after handling and before eating, drinking, smoking and using the toilet. Remove contaminated clothing and wash before reuse. DO NOT WEAR contaminated clothing. Wear long pants, a long sleeve shirt, shoes and socks and chemical-resistant gloves during mixing/loading, application, clean-up and repair activities.

## **TOXICOLOGICAL INFORMATION:**

Overexposure to this product may result in systemic effects including: kidney and liver damage, central nervous system depression, cyanosis, skin sores, convulsions, and collapse or coma.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

**DIRECTIONS FOR USE:**

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Dip tanks and drip aprons must be roofed, paved and drained to prevent dilution and loss of treatment solution.

Store treated lumber on a roofed drip pad until dripping has ceased. Slope lumber on the drip pad to expedite drainage and to ensure that no puddles remain on the surface of the wood. All drippage from treated wood should be captured and recycled in the plant process. Manage drippage and other related wastes to prevent release in the environment.

DO NOT expose treated lumber to rains immediately after treatment. DO NOT float treated lumber in lakes, rivers, streams, or oceans.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

For further information on storage, handling and disposal of treated wood, contact the manufacturer of this product or the provincial regulatory agency.

**USE LIMITATIONS:**

For use as a wood preservative in the treatment of non-industrial wood products for above ground in the following categories:

Residential construction such as decks, patios, fencing, play structures, siding, plywood, sill plate, and/or Recreational applications such as walkways, boardwalks, landscaping, docks, gazebos, and/or General Construction and commercial applications such as dimensional lumber, structural timbers, posts, decking, and/or Agriculture and Horticulture applications such as fencing, framing. Do not use to treat wood used in critical infrastructures including bridges, pilings, etc.

Wolman® AG CN Wood Preservative is a tebuconazole, propiconazole, and carboquat wood preservative for use only in vacuum pressure impregnation of wood products, utilizing water solutions having concentrations ranging from 0.1% to 1.0% by weight. The target retention range for Wolman AG CN is 0.50 to 0.70 kg/m<sup>3</sup>. The plant must ensure the treated wood is drip-free before removing from a protected area to ensure the stabilization in the wood and reduce environmental incidents.

Processes used to apply Wolman® AG CN shall leave no visible surface deposits on the wood, as defined by AWWA Standard U1-07. Visible surface deposits mean a surface residue or crystallization on the treated wood. Small isolated or infrequent spots of chemical on otherwise clean wood shall be allowed.

## **DISPOSAL:**

### **For recyclable container for commercial use**

**DO NOT** reuse this container for any other purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Dispose of the rinsings in accordance with provincial requirements.
2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, or in the case of a spill or spill clean-up, contact the manufacturer or the provincial regulatory agency.

### **For returnable containers commercial use**

**DO NOT** reuse this container for any other purpose. This empty container may be returned to the point of purchase (distributor/dealer) for disposal.

For information on disposal of unused, unwanted product, or in the case of a spill or spill clean-up, contact the manufacturer or provincial regulatory agency.

## **DECONTAMINATION:**

- Contain spilled material.
- Do not allow oxidizable or other incompatible materials to come into contact with spilled materials.
- **DO NOT FLUSH INTO SURFACE WATERS.**

## **ENVIRONMENTAL HAZARDS:**

**DO NOT BURN WOOD TREATED WITH WOLMAN® AG CN WOOD PRESERVATIVE -**

This product is toxic to aquatic organisms and non-target terrestrial plants.

## **STORAGE:**

Once the pressure treated wood has ceased dripping, it may be moved from the drip pad to the storage yard. Practices such as water diversion, paper wrap, cover, sheds, etc., should be considered as a means of reducing contamination of storm water run-off.

To prevent contamination store this product away from food or feed. Keep product in tightly closed container when not in use. Do not drop, roll or skid drum. Keep upright. Always replace cover. Store in a cool (< 25°C), dry, well-ventilated area away from heat or open flame.