

PRECAUTIONS

- KEEP OUT OF REACH OF CHILDREN**
DANGER! CORROSIVE! CONTAINS METHANOL FLAMMABLE AND CORROSIVE
- **CAN BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.**
 - **CAUSES EYE AND SKIN BURNS**
-
- **Use only in well ventilated areas.**
 - **Keep away from heat, sparks and open flame.**
 - **Wear goggles or face shield, chemical-resistant gloves, long pants, a long-sleeve shirt, and shoes and socks when handling.**
 - **Wash thoroughly with soap and water after handling.**
 - **Avoid contamination of food.**

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION:
CONTAINS METHANOL AND ACETIC ACID. There is no specific antidote. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion, may be needed.

X610

(Solution in Methanol)
For Use as an Oilfield Biocide
REGISTRATION No 29067
PEST CONTROL PRODUCTS
ACT

READ THE LABEL BEFORE
USING

COMMERCIAL
GUARANTEE:
1-Alkyl*-1,3-Propanediamine
Diacetate...32.0%
(*Alkyl groups as derived
from coconut oil fatty acids)
(7% C₈, 6.5% C₁₀, 53% C₁₂,
19% C₁₄, 8.5% C₁₆, 6% C₁₈)

NET CONTENTS: 208 L
DANGER

POISON FLAMMABLE
CORROSIVE

Chemicals by Sterling Ltd.
PO BOX: 1098
Estevan, Saskatchewan, Canada
S4A 2H7

DIRECTIONS FOR USE

Apply the product using a closed delivery system such as a dry coupling and/or metering pump.

Secondary Oil Production: For the control of algae, slime forming and sulphate reducing bacteria in oilfield waterflood slug, treat at a rate up to 600 ppm for up to 6 hours as needed, to achieve control. Repeat treatment once a week or as needed to maintain control. For continuous treatment, up to 200 ppm can be used initially to achieve control with maintenance levels of up to 100 ppm. Levels for effective control will vary depending on conditions at site.

Well Completions, Workover and Stimulation Fluids: For control of algae, slime forming and sulphate reducing bacteria, dosage levels of up to 1000 ppm in normal situations and up to 2000 ppm for severe contamination is suggested. In packer fluids, doses up to 200 ppm are recommended.

Petroleum Transport, Storage Systems and Surface Equipment:
To control bacteria in crude oil pipelines, slug dose with up to 6.0 litres per centimetre of diameter per kilometre of pipeline. Repeat weekly or as needed to control situation. The appropriate doses will depend on the severity of the problem. Up to 100 ppm can be used in water for hydrostatic testing and in treatment of water and crude oil storage facilities. This water should be used in subsurface injection systems only.

STORAGE
Container should be stored in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Exercise due caution to prevent damage to or leaking from the container. Do not use air pressure to transfer. Do not reuse empty container.

Made in Canada 3ANCL741911296
SF401601

ENVIRONMENTAL HAZARDS: This product is toxic to birds and aquatic organisms. DO NOT discharge effluent containing this product into lakes, streams, sewer systems, oceans, ponds, estuaries or other waters. Not for use in marine or estuarine oilfields. Open dumping is prohibited.

DISPOSAL: 1) Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site. 2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on disposal of unused, unwanted product, contact The manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill, and for cleanup of spills.

SPILLAGE: Clean up spills immediately. For small spills, recover free liquid. Soak up residue with solid absorbent. Larger spills should be flushed to a collection basin for disposal. Clean area well with detergent and water. **DO NOT FLUSH INTO SURFACE STREAMS. INFORM THE REGULATORY AGENCY AS INDICATED ABOVE IN #4.**

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

EMERGENCY TELEPHONE NUMBERS TRANSPORTATION EMERGENCIES ONLY

Canada/Canutec: 16139966666 ALL OTHER
EMERGENCIES Chemicals by Sterling: 1306634-
6549

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.