

(CARTON)  
KILLS RATS & MICE  
**VICTOR**  
**Mouse & Rat Bait Pellets**

Pellet Place Packs with Bitrex  
Kills Rats and Mice with a Single Feeding.  
Kills Warfarin-Resistant Norway Rats.

DOMESTIC

GUARANTEE: bromadiolone.....0.005%  
Warning, contains the allergens peanuts and wheat  
REG.NO. 27704 PCP ACT

KEEP OUT OF REACH OF CHILDREN  
READ THE LABEL BEFORE USING  
WARNING POISON  
NET CONTENTS: 860 g (20 x 43 g)

Woodstream Canada Corporation, Unit 1, 25 Bramtree Court, Brampton, ON L6S 6G2  
Tel: 1-800-800-1819

**DIRECTIONS FOR USE:**

Use Victor Mouse & Rat Bait Pellets for the control of Norway rats, Roof rats and House mice indoors and against the outside walls of homes.

**Use Limitations:**

May be used inside homes in areas where no feed or food is stored. Bait **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that may come in direct contact with food.

Selection of Treatment Areas: Place bait indoors in locations where rats and mice travel and will most likely find and consume the bait. Placement along outside walls of buildings, in corners, by gnawed openings, in and around burrows, and in concealed locations where rats and mice feed is desirable. Maintain a steady supply of fresh bait. Remove any spoiled or contaminated bait promptly.

**Application Directions:**

For Norway rats (*Rattus norvegicus*) and Roof rats (*Rattus rattus*): Norway rats usually inhabit the ground floor of structures and burrow in the ground. They will range approximately 15 to 100 m from their nesting area seeking food and water. Roof rats, however, are excellent climbers and usually infest the upper stories of structures. Hence, special attention must be paid to this species ability to climb by placing baits in the roof rats activity area. For both species, eliminate as much of the naturally occurring food as possible and place 3 to 10 packs of bait (usually at intervals of 5-10 m) within the treatment area. Maintain an uninterrupted supply of fresh bait for at least 10 days, or until signs of rat activity cease.

For House Mice (*Mus musculus*): House mice are excellent climbers and will infest all floors in a structure. Mice will only range approximately 10 m from their nesting area seeking food. Eliminate as much of the naturally occurring food as possible and place 1 pack of bait at intervals of 2-4 m within the treatment area. If a bait placement is not disturbed after several days, move the placement approximately 1 metre. Two (2) packs of bait per placement may be necessary at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

Note: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water and harbourage as much as possible. If reinfestation occurs, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations as necessary.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, AND LIVESTOCK.** May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.** This material may reduce the clotting ability of blood and cause bleeding. This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

**FIRST AID: If in eyes:** flush with water for 15 minutes, If irritation persists, seek medical attention. **If on skin:** wash affected area thoroughly with soap and water. **If swallowed:** Give patient one or two glasses of water and induce vomiting by touching back of throat with a finger or blunt object; repeat until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Vitamin K<sub>1</sub>, in the form of intramuscular or subcutaneous injections, or by oral ingestion, are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

**STORAGE AND DISPOSAL:** Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap and dispose of empty container with household garbage.

Rodent Disposal: Dispose of dead rodents in garbage or by burying.

(PLACE PACK)

**VICTOR**

**Mouse & Rat Bait Pellets**

Kills Rats & Mice

Pellet Place Packs with Bitrex

DOMESTIC

GUARANTEE: bromadiolone..... 0.005%

Warning, contains the allergens peanuts and wheat

REG.NO. 27704 PCP ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND OUTER CARTON BEFORE USING

WARNING POISON

NET CONTENTS: 43 g

Woodstream Canada Corporation, Unit 1, 25 Bramtree Court, Brampton, ON L6S 6G2

Tel: 1-800-800-1819

**DIRECTIONS FOR USE:**

Use Victor Mouse & Rat Bait Pellets for the control of Norway rats, Roof rats and House mice indoors and against the outside walls of homes.

READ THE FULL PRODUCT LABEL ON OUTER CARTON FOR APPROVED USES AND DETAILED APPLICATION INSTRUCTIONS

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, AND**

**LIVESTOCK.** May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED OR FOODSTUFFS.** This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

**FIRST AID: If in eyes:** flush with water for 15 minutes, if irritation persists, seek medical attention. **If on skin:** wash affected area thoroughly with soap and water. **If swallowed:** Give patient one or two glasses of water and induce vomiting by touching back of throat with a finger or blunt object; repeat until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Vitamin K<sub>1</sub>, in the form of intramuscular or subcutaneous injections, or by oral ingestion, are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

**DISPOSAL:** Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap and dispose of empty container with household garbage. Dispose of dead rodents in garbage or by burying.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.