ZYTEC®

Insect Repellent 30% Deet Sport

PRESSURIZED SPRAY

Repels mosquitoes for 6 hours

DOMESTIC

Repels Mosquitoes, Blackflies, Deer Flies, Stable Flies, Ticks, Biting Midges and Chiggers

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

DEET plus related active toluamides......30.0%

REG. NO. 27742 P.C.P. ACT

NET CONTENTS: 225 g

DANGER

EXTREMELY FLAMMABLE EXPLOSIVE

Panita Enterprises 5-501 Rowntree Dairy Road Woodbridge, Ontario L4L 8H1

DIRECTIONS

Repels mosquitoes for 6 hours. Also repels black flies, biting midges, deer flies, stable flies, ticks and chiggers. Apply sparingly not under clothing and only when necessary. Reapply after 6 hours if necessary. Hold container upright and spray clothing and exposed skin except face. TO APPLY TO FACE: Spray hands and apply avoiding eyes and mouth. Do not spray in enclosed spaces.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C. Do not spray near open flame or spark, or while smoking. Do not contaminate food, utensils or any body of water. Avoid contact with eyes and mouth. Do not use on children under 12 years of age. AVOID contact with plastic and fabrics such as acetate, rayon and dynel. May damage furniture finish, plastics and painted surfaces.

FIRST AID

If sprayed in eyes: Remove contact lenses, and flush with water for 15 minutes. If swallowed: DO NOT induce vomiting. DO NOT give person any liquid. Call a poison control centre or doctor for further treatment advice. If inhaled: If person is not breathing, give artificial respiration. Call a poison control centre or doctor for further treatment advice. If on skin: If irritation or other adverse effects develop, wash with soap and water IMMEDIATELY. Seek medical attention if symptoms persist. Take container, label or product name and Pest Control Product RegistrationNumber with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

DISPOSAL

When container is empty, press button to release all pressure then dispose in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.