

2016-02-15

2015-6668

PRO® PM50

PRESSURIZED
RESIDUAL CRACK, CREVICE & SURFACE INSECTICIDE

KILLS: ANTS, BEDBUGS, INDIAN MEAL MOTH, BROWN DOG TICKS, CARPET BEETLES, CLUSTER FLIES, COCKROACHES, CRICKETS, EARWIGS, SILVERFISH, SOWBUGS, SPIDERS.

FOR USE IN: HOMES, HOTELS, MOTELS, NON-FOOD AREAS OF HOSPITALS, TRANSPORTATION EQUIPMENT (BUSES, BOATS, SHIPS, TRAINS, TRUCKS [EMPTY], PLANES) MEAT PACKING AND FOOD PROCESSING PLANTS, STORAGE AREAS, RESTAURANTS AND OTHER FOOD HANDLING AREAS, UTILITIES AND WAREHOUSES.

COMMERCIAL

GUARANTEE: Permethrin 0.50%

REGISTRATION NO. 26627 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 350 g (425 g, 500 g)

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Premier Tech Brighton Ltd.
1 avenue Premier
Riviere-du-Loup QC G5C 6C1

DIRECTIONS FOR USE:

This product is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 2 cm into cracks, crevices, holes and other small openings where insects may be a problem. Release an approximate 1 second spray per spot in serious infestation. If possible, place spots approximately 30 cm apart in light infestation. For preventive treatment, place spots approximately 1 metre apart. See the additional directions below for effective control of specified insects.

CRAWLING INSECTS: Cockroaches, Crickets, Earwigs, Sowbugs, Spiders and Brown Dog Ticks: Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, behind baseboards, meter boxes and manholes. Spray directly on insects in these locations where possible. **Firebrats & Silverfish:** Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. **Ants:** Spray into trails, nests and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. **Stored Product Insects and hibernating stages of Indian Meal Moth and Cluster Flies:** Contact as many insects as possible when treating infested areas such as cracks and crevices, in wall voids, around windows and door frames, under siding, in machinery and in dark secluded areas. **Bed bugs:** Apply spray directly into cracks and crevices where these pests are found or may hide along and behind baseboards, moldings and floors underneath objects (e. g., floors underneath bed and nightstand). Apply directly to the insect if possible. Do not apply to the mattress, headboard, footboard or other furniture.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin, and clothing and avoid inhalation of vapors or spray mist. Applicators must wear protective clothing inclusive of hand, foot and eye covering. A CSA-approved respirator must be used when applying PRO® PM50. In an enclosed space, provide ventilation during treatment and until spray has dried completely. Wash thoroughly after handling and before eating, drinking, etc. Do not apply to plants, animals or humans. Remove pets and fishbowls from area before treatment and do not return them for at least 4 hours after treatment. Do not apply to surfaces that children or pets might contact. Firewood is not to be treated. Do not apply to classrooms when in use. **DO NOT CONTAMINATE FOODSTUFFS.** Do not use in food handling establishments, restaurants or other areas where food is prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Do not use in any areas where food is being stored, handled or served. **Meat Packing Plants and Food Processing Plants:** In meat packing plants and food processing plants treat only when plant is not in operation. No exposed meat or food products, ingredients or packaging materials are to be kept in the room. Cover food handling equipment. All treated surfaces that might contact meat, food products or other food products should be washed and rinsed thoroughly with potable water after treatment and before re-use for food processing. **Hospitals:** Do not apply this product in nurseries, patient rooms or any rooms occupied by elderly or infirm. **CONTENTS UNDER PRESSURE.** Do not puncture or incinerate container. Do not store or use near heat or open flame or while smoking. Exposure

to temperature above 50°C may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

STORAGE: Keep product in cool and dry place, away from open flames and heat sources.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused or unwanted product, contact the Manufacturer or the Provincial Regulatory Agency. Contact the Manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.