

VET-KEM®

OVISPOT™ PLUS

For Dogs Over 14 KG (30 LB)
Solution
DOMESTIC

PERMETHRIN 45%
(S)-METHOPRENE 2.9%

REG. NO. 26495 P.C.P. ACT

READ LABEL BEFORE USING
DO NOT USE ON CATS
Toxic to cats

WELLMARK INTERNATIONAL
100 Stone Road West, Suite 111,
Guelph ON N1G 5L3
1-800-688-7378

2 mL

Blister

VET-KEM®

OVISPOT™ PLUS

Flea & Tick Control for Dogs OVER 14 KG (30 LB)
Solution
With Precor® Insect Growth Regulator (IGR)

DOMESTIC

[Kills] [Adult] [Fleas], [Ticks] [and] [Mosquitoes]
[Kills flea eggs [laid on your pet] [for 4 weeks]
[Easy to use]
[Spreads over complete body through natural motion of animal]
[Once a Month] [Flea], [Tick] [and] [Mosquito] Treatment
[Kills [Adult] [fleas], [ticks], [mosquitoes], [flea eggs] [and] [flea larvae]]
[Kills] mosquitoes
[Contains a Mosquito Adulticide]
[Kills [Adult] [fleas], [ticks], [mosquitoes] [by contact]
[Kills Blacklegged Ticks (Deer Ticks) [which may carry Lyme Disease]
[Kills] [mosquitoes] [and] [Blacklegged Ticks (Deer Ticks)] [which may carry Lyme Disease]

3 Months Supply (Three 2 mL doses included)

1st Dose 2nd Dose 3rd Dose

ACTIVE INGREDIENT: Permethrin 45%
(S)-Methoprene 2.9%

REG.NO. 26495 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

FOR USE ONLY ON DOGS
DO NOT USE ON CATS
Toxic to cats

Wellmark International
100 Stone Road West, Suite 111
Guelph, Ontario N1G 5L3
1-800-668-7378

GENERAL INFORMATION:

Vet-Kem OviSpot Plus Flea and Tick Control for Dogs Over 14 kg (30 lbs) contains a powerful, effective insecticide which kills adult fleas, ticks and mosquitoes by contact, and Precor, a long-lasting insect growth regulator (IGR), which prevents flea eggs and larvae from maturing into adults. This product provides relief from flea infestations by killing fleas, flea eggs and flea larvae, thereby effectively breaking the flea life cycle. This product also kills mosquitoes and Blacklegged Ticks (Deer Ticks) which may carry Lyme Disease.

Adult fleas spend virtually all of their time on the pet and produce vast numbers of eggs which drop off the pet and develop in the environment. Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home.

DIRECTIONS FOR USE: DO NOT USE ON CATS. Do NOT use on nursing animals or dogs or puppies under 6 months of age. Do NOT use on dogs or puppies under 14 kg (30 lbs). Do NOT administer by mouth. Consult a veterinarian before using on sick, aged or pregnant animals or animals receiving drug or other pesticide treatment.

This package contains three monthly 2 mL doses.

1. Remove one applicator tube from package and hold in an upright position. 2. Hold bottom of tube with one hand. 3. With the other hand, snap cap off. Remove cap carefully. 4. Position the tip of the tube on the dog's back between the shoulder blades and squeeze out half the contents of the tube. 5. Invert the applicator tube upright and go to the dog's tail. Position the tip of the tube at the base of the tail and apply the remaining contents of the tube to the top of the dog's rump near the base of the dog's tail.

Do not reapply product for 4 weeks. Reapply every 4 weeks for continual pest control in situations where there is an ongoing risk of pest infestation. Treatment must only be repeated if pest problem reoccurs.

RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.

After application, through its natural movement, your pet's skin and hair oil carry the product over the pet's body for protection against fleas, ticks and mosquitoes. Discontinue use if adverse effects are observed. If condition persists, consult your veterinarian. A veterinarian should be consulted when pest infestation continues to be a problem on the pet. This product is most effective when used as part of a total program aimed at reducing fleas and ticks in the dog's environment. For effective flea and tick control, treatment of the dog should be combined with the sanitation of any area used by the dog. Vacuum floor, carpets and furniture (discard vacuum bag after use) and wash the dog's bedding, living quarters, and surrounding areas. Vet-Kem flea and tick control products are designed to complement each other in an integrated program for flea and tick management. If pest problems persist, an insecticidal premise treatment (e.g. Vet-Kem Siphotrol® products) may be required. This product contains Permethrin and (S)-Methoprene. Do not apply another pest control product such as a shampoo, collar, or powder that contains Permethrin and (S)-Methoprene to the treated animal after applying

VET-KEM OviSpot Plus Flea & Tick Control for DOGS Over 14 kg.

PRECAUTIONS:

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Wear rubber gloves when applying. May cause eye irritation. Avoid contact with skin or eyes. Avoid contact with pets until dry. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. Harmful if swallowed. Avoid contact with dog's mouth, face, eyes and genitals.

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Wellmark International at 1-800-688-7378.

FIRST AID:

HUMANS: IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Store in a cool, dry place.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container with household garbage.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.
For more information, call our flea & tick Hotline at 1-800-688-7378 (9am - 5pm E.S.T.)

® Registered Trademarks of Wellmark International
OviSpot is a trademark of Wellmark International

Container

VET-KEM®

OVISPOT™ PLUS

Flea & Tick Control for DOGS OVER 14 kg (30 lbs)

Solution

With Precor® Insect Growth Regulator (IGR)

DOMESTIC

[Kills] [Adult] [Fleas], [Ticks] [and] [Mosquitoes]

[Kills flea eggs [laid on your pet] [for 4 weeks]

[Easy to use]

[Spreads over complete body through natural motion of animal]

[Once a Month] [Flea], [Tick] [and] [Mosquito] Treatment]

[Kills [Adult] [fleas], [ticks], [mosquitoes], [flea eggs] [and] [flea larvae]]

[Kills] mosquitoes

[Contains a Mosquito Adulticide]

[Kills [Adult] [fleas], [ticks], [mosquitoes] [by contact]

[Kills Blacklegged Ticks (Deer Ticks) [which may carry Lyme Disease]

[Kills] [mosquitoes] [and] [Blacklegged Ticks (Deer Ticks)] [which may carry Lyme Disease]

(picture of dog)

3 Months Supply: Three 2 mL doses included

ACTIVE INGREDIENT: Permethrin 45%
(S)-Methoprene 2.9%

REG.NO. 26495 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

FOR USE ONLY ON DOGS

DO NOT USE ON CATS

Toxic to cats

(graphic circle with slash over picture of cat)

Wellmark International

100 Stone Road West, Suite 111

Guelph, Ontario N1G 5L3

1 800 688-7378

GENERAL INFORMATION:

Vet-Kem OviSpot Plus Flea and Tick Control for Dogs Over 14 kg (30 lbs) contains a powerful, effective insecticide which kills adult fleas, ticks and mosquitoes by contact, and Precor, a long-lasting insect growth regulator (IGR), which prevents flea eggs and larvae from maturing into adults. This product provides relief from flea infestations by killing fleas, flea eggs and flea larvae, thereby effectively breaking the flea life cycle.

This product also kills mosquitoes Blacklegged Ticks (Deer Ticks) which may carry Lyme Disease.

Adult fleas spend virtually all of their time on the pet and produce vast numbers of eggs which drop off the pet and develop in the environment. Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home.

DIRECTIONS FOR USE: DO NOT USE ON CATS. Do NOT use on nursing animals or dogs or puppies under 6 months of age. Do NOT use on dogs or puppies under 14 kg (30 lbs). Do NOT administer by mouth. Consult a veterinarian before using on sick, aged or pregnant animals or animals receiving drug or other pesticide treatment.

This package contains three monthly 2 mL doses.

1. Remove one applicator tube from package and hold in an upright position. 2. Hold bottom of tube with one hand. 3. With the other hand, snap cap off. Remove cap carefully. 4. Position the tip of the tube on the dog's back between the shoulder blades and squeeze out half the contents of the tube. 5. Invert the applicator tube upright and go to the dog's tail. Position the tip of the tube at the base of the tail and apply the remaining contents of the tube to the top of the dog's rump near the base of the dog's tail.

Do not reapply product for 4 weeks. Reapply every 4 weeks for continual pest control in situations where there is an ongoing risk of pest infestation. Treatment must only be repeated if pest problem reoccurs.

RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.

After application, through its natural movement, your pet's skin and hair oil carry the product over the pet's body for protection against fleas, ticks and mosquitoes. Discontinue use if adverse effects are observed. If condition persists, consult your veterinarian. A veterinarian should be consulted when pest infestation continues to be a problem on the pet. This product is most effective when used as part of a total program aimed at reducing fleas and ticks in the dog's environment. For effective flea and tick control, treatment of the dog should be combined with the sanitation of any area used by the dog. Vacuum floor, carpets and furniture (discard vacuum bag after use) and wash the dog's bedding, living quarters, and surrounding areas. Vet Kem flea and tick control products are designed to complement each other in an integrated program for flea and tick management. If pest problems persist, an insecticidal premise treatment (e.g. Vet-Kem Siphotrol® products) may be required. This product contains Permethrin and (S)-Methoprene. Do not apply another pest control product such as a shampoo, collar, or

powder that contains Permethrin and (S)-Methoprene to the treated animal after applying VET-KEM OviSpot Plus Flea & Tick Control for DOGS Over 14 kg.

PRECAUTIONS:

HUMANS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Wear rubber gloves when applying. May cause eye irritation. Avoid contact with skin or eyes. Avoid contact with pets until dry. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. Harmful if swallowed. Avoid contact with dog's mouth, face, eyes and genitals.

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Wellmark International at 1-800-688-7378.

FIRST AID:

HUMANS:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Store in a cool, dry place.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container with household garbage.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

For more information, call our flea & tick Hotline at 1-800-688-7378 (9am - 5pm E.S.T.)

® Registered Trademarks of Wellmark International
OviSpot is a trademark of Wellmark International