

30-MAR-2007

29-JAN-2008 Notification - Change in Registrant

CARTON

500mL: For grubs, covers 119 m² (1280 ft²)
250mL: For grubs, covers 59 m² (640 ft²)

C-I-L[®]
GrubOut[®]
Ant and Grub Killer
CONCENTRATE

DOMESTIC

REG. NO. 26700 P.C.P. ACT

GUARANTEE: Carbaryl (SEVIN[®]) 22.5%
Contains 1,2-benzisothiazolin-3-one at 0.19% as a preservative.

CAUTION



POISON

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

250 mL (500 mL)

Notification Change

~~Spectrum Brands IP Inc.,~~
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

Sure-Gro IP Inc.

For control of grubs, ants, chinch bugs, sod webworms, earwigs and many other lawn insects.

DIRECTIONS FOR USE: SHAKE WELL BEFORE USE. PROTECT FROM FREEZING. Apply GrubOut[®] when insects or their damage appear. Mix only as much spray solution as required on day of mixing. Agitate mixture before and during use.

5 mL = 1 teaspoonful 15 mL = 1 tablespoonful

For control of White Grubs (European Chafer and suppression of Japanese Beetle): Apply 42 to 58 mL of GrubOut[®] in 15-20 litres of water per 10 m² of established lawn. Remove excessive thatch and water before treatment if soil is dry. Repeat as necessary. To optimize control of European Chafer and Japanese Beetle apply GrubOut[®] in late July / early August.

For control of Ants, Chinch Bugs, Climbing Cutworms, Earwigs, Fall Armyworm, Fleas, Leafhoppers, Millipedes, Mosquitoes and Sod Webworms: Apply 37.5 to 52 mL of GrubOut[®] in 15-20 litres of water per 10 m² of established lawn, recreational area, roadway or path borders. For best results mow lawn and apply after watering or rain. Ensure good penetration of turf. Hose-end or pressure applications may be used. Repeat 2 to 3 weeks later if necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of spray. Do not take internally. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Remove and wash contaminated clothing separately after pesticide use. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

AVOID CONTAMINATION OF FOOD, FEED WATER SUPPLIES, STREAMS AND PONDS.

BEE CAUTION: MAY KILL HONEY BEES IN SUBSTANTIAL NUMBERS. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not spray when bees are active. Avoid application on flowers and fruit blossoms.

PLANT RESPONSE AND PRECAUTIONS: To avoid possible injury to tender foliage, do not apply to wet foliage or when rain or high humidity is expected during the next two days. Carbaryl injures Boston ivy, Virginia creeper and maidenhair fern. During early season, it may also injure Virginia and sand pines.

FIRST AID: If contact with eyes or skin occurs, flush with plenty of water. Contact a physician immediately. If swallowed, INDUCE VOMITING at once by giving 1-2 glasses of water and inserting a finger down the throat. Do not try to induce vomiting if patient is unconscious or in a convulsive state. Contact a doctor or poison control centre IMMEDIATELY. Take container label or product name and P.C.P. Reg. No. with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do NOT use 2-PAM, opiates, or cholinesterase inhibiting drugs.

STORAGE AND DISPOSAL: Store unused C-I-L[®] GrubOut[®] Ant & Grub Killer Concentrate in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperature frequently exceeds 38°C. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty pesticide containers. Wrap empty containers in newspaper and dispose of with household garbage.

**For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.
www.cilproducts.ca**

C-I-L Oval[®] ICI Canada Inc./Lic. Spectrum Brands
SEVIN[®] is a registered trademark of the Bayer Group.

BOTTLE:

C-I-L[®]
GrubOut[®] Ant and Grub Killer
CONCENTRATE

For control of grubs, ants,
chinch bugs, sod webworms,
earwigs and many other
lawn insects.

DOMESTIC

REG. NO. 26700 P.C.P. ACT

GUARANTEE: Carbaryl (SEVIN[®]) 22.5%
Contains 1,2-benzisothiazolin-3-one at 0.019% as a preservative.

CAUTION



POISON

READ THE LABEL AND CARTON BEFORE USING
KEEP OUT OF REACH OF CHILDREN

250 mL (500 mL)

Notification Change

~~Spectrum Brands IP Inc.,~~
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

Sure-Gro IP Inc.

REFER TO AND RETAIN CARTON FOR “DIRECTIONS FOR USE”.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of spray. Do not take internally. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Remove and wash contaminated clothing separately after pesticide use. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

AVOID CONTAMINATION OF FOOD, FEED WATER SUPPLIES, STREAMS AND PONDS.

BEE CAUTION: MAY KILL HONEY BEES IN SUBSTANTIAL NUMBERS. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not spray when bees are active. Avoid application on flowers and fruit blossoms.

PLANT RESPONSE AND PRECAUTIONS: To avoid possible injury to tender foliage, do not apply to wet foliage or when rain or high humidity is expected during the next two days. Carbaryl injures Boston ivy, Virginia creeper and maidenhair fern. During early season, it may also injure Virginia and sand pines.

FIRST AID: If contact with eyes or skin occurs, flush with plenty of water. Contact a physician immediately. If swallowed, induce vomiting at once by giving 1-2 glasses of water and inserting a finger down the throat. Do not try to induce vomiting if patient is unconscious or in a convulsive state. Contact a doctor or poison control centre immediately. Take container label or product name and P.C.P. Reg. No. with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Carbaryl insecticide is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do NOT use 2-PAM, opiates, or cholinesterase inhibiting drugs.

STORAGE AND DISPOSAL: Store unused C-I-L[®] GrubOut[®] Ant and Grub Killer Concentrate in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperature frequently exceeds 38° C. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty pesticide containers. Wrap empty containers in newspaper and dispose of with household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

www.cilproducts.ca

C-I-L Oval[®] ICI Canada Inc. /Lic. Spectrum Brands
SEVIN[®] is a registered trademark of the Bayer Group.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.