

<<Principal Display Panel >>

RAID® Mosquito and Fly Killer
PRESSURIZED SPRAY/ DOMESTIC
READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

d-cis/trans allethrin 0.15%
Tetramethrin 0.067%
Piperonyl Butoxide 0.97%
N-Octyl Bicycloheptene Dicarboximide 1.00 %

REG. NO. 29792 P.C.P ACT

350 g

CAUTION



EXPLOSIVE

SC Johnson
A Family Company (logo)

<<Secondary Display Panel

Non-staining, non-flammable. Kills on contact flying insects such as flies, mosquitoes, flying moths, gnats. Insects must be hit by spray to be killed.

DIRECTIONS: Shake before using. **FOR INDOOR USE:** Close all doors and windows. Spray into the air with sweeping motion, keeping about 1 m from interior walls, fabrics and furniture. Keep room closed for 15 minutes. Ventilate sealed areas after treatment. About 12 seconds of spraying clears an average size room (28 cubic metres).

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Cover fish bowls and remove animals for one hour when spraying rooms in the home. Avoid inhalation. Cover food and food utensils. Do not spray directly on skin or animals. Use with caution around young plants. KEEP FROM FREEZING. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stoves, or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When empty, press button to release pressure. Wrap and dispose of in household garbage.

Questions? Comments? Call 800-558-5566 or write Helen Johnson.

®Can. Trade Mark Reg'd to S. C. Johnson & Son, Inc. Auth'd User S. C. JOHNSON & SON, LIMITED, 1 Webster Street, Brantford, ON, Canada N3T 5R1

BugSmart.ca
FOR SALE IN CANADA ONLY

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.