1 2	<u>K9 Advantix™ 10</u> <u>Insert (English)</u>	
3 4	K9 Advantix™ 10	<elanco logo=""></elanco>
5	Tio / lavarilix	
6	Flea, Tick, Mosquito and Lice Adulticide	
7 8	Once-A-Month Topical Flea, Tick, Mosquito and Lice Treat	ment
9	Office 77 World Topical Fleat, Flext, Woodalto and Lice Freat	mont
10	Liquid	
11 12		DED
12 13	FOR USE ONLY ON DOGS & PUPPIES 4.5 KG AND UNI	DER
14	DO NOT USE ON CATS OR KITTENS	
15		
16	DOMESTIC	
17 18	READ THE LABEL AND INSERT BEFORE USING	
19	READ THE EADLE AND INCERT BET ONE COINC	
20	KEEP OUT OF REACH OF CHILDREN	
21		
22		
23	cat glyph in red	
24	oat gryph in roa	
25	WARNING POISON AND EYE IRRITANT	
26	TOVIC TO CATC	
27 28	TOXIC TO CATS	
29	ACTIVE INGREDIENT: Imidacloprid 8.8%	
30	Permethrin 44%	
31		
32	REG. NO. 27658 P.C.P. ACT	
32 33 34 35 36 37	NET CONTENTS: One to six 0.4 mL Tubes	
35	THE POSITIENTS. ONG tO SIX 0.4 THE PUBCS	
36	Elanco Canada Limited	
37	1919 Minnesota Court, Suite 401	
38	Mississauga, Ontario L5N 0C9	
39 40	1-800-265-5475	
40 41		
42		
43		
1.1		

K9 Advantix 10 Flea, Tick, Mosquito and Lice Adulticide will control fleas, ticks and lice on dogs within one day of treatment and will continue to protect the dog from further flea, tick and lice infestation for at least four weeks. K9 Advantix 10 Flea, Tick, Mosquito and Lice Adulticide also kills mosquitoes. Re-infestation from the emergence of new fleas and ticks in the environment may continue to occur for six weeks or longer after treatment is initiated. Re-treatment at monthly intervals is required if re-infestation is continuous or if flea and tick control is desired.

For effective flea, tick and lice control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required. Shampooing of the dog may shorten the duration of protection, therefore, re-application following shampooing is recommended.

 The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with K9 Advantix 10 Flea, Tick, Mosquito and Lice Adulticide rapidly kills fleas and may reduce incidence of this condition. For use on pregnant/lactating animals, consult your veterinarian.

PRECAUTIONS:

HUMANS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, or absorbed through the skin. Causes eye irritation. DO NOT get in eyes. Avoid contact with skin and clothing. Avoid contact with pets until dry. Wear rubber gloves when applying product. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. This product is extremely toxic to fish. Do not contaminate water, feed or food by storage or disposal.

PETS: Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.

Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment.

Do not use on animals under 8 weeks of age.

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

FIRST AID:

- HUMANS: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20
- 86 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue
- rinsing eye. Call a poison control centre or doctor for treatment advice.
- 88 If swallowed: Call a poison control centre or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow. Do not induce vomiting unless told
- 90 to do so by a poison control centre or doctor. Do not give anything by mouth to an
- 91 unconscious person.
- 92 If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty 93 of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
- Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

96 97

PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

98 99 100

TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

101 102

DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household garbage.

103 104 105

106

107

108

109

110111

112

113

114

115

116

117

118119

120

121

122

123124

129

DIRECTIONS FOR USE:

This product contains imidacloprid and permethrin. Do not apply another pest control product such as a shampoo, collar, or powder that contains imidacloprid or permethrin to the treated animal after applying K9 Advantix 10 Flea, Tick, Mosquito and Lice Adulticide.

- Do NOT administer by mouth. Do not use on puppies under 8 weeks of age.
- A veterinarian should be consulted when pest infestation continues to be a problem on the pet.
- Do not use on cats or kittens. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals under drug or other pesticide treatment.
- Use only on dogs 4.5 kg and under. This product is packaged in single dosage tubes. This package contains one to six monthly 0.4 mL dosages. Treat your dog or puppy monthly in the manner described below. Do not apply a dosage greater than one 0.4 mL tube at one time.
- Re-treatment at monthly intervals is required if re-infestation is continuous or if flea, tick and lice control is desired.
- Remove one applicator from the package.
- Hold applicator tube in upright position. Pull cap off tube.
- Turn cap around and place other end of cap back on tube.
 - Twist cap to break seal, then remove cap from tube.
- The dog should be standing for easy application. Part the hair on the dog's back between the shoulder blades until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to completely empty the contents directly on the skin. Do not get this product in your pet's eyes or mouth.
 - Discard the empty tube as described in "DISPOSAL".

2022-0231 2022-01-31

130	
131	Elanco Canada Limited
132	1919 Minnesota Court, Suite 401
133	Mississauga, Ontario L5N 0C9
134	
135	K9 Advantix, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.
136	©2022 Elanco or its affiliates.
137	

138	<u>K9 Advantix™ 10</u>	
139	<u>Carton (English)</u>	
140	IKO A I I II TM 40	<elanco logo:<="" td=""></elanco>
141	K9 Advantix [™] 10	
142 143	Flea, Tick, Mosquito and Lice Adulticide	
143	riea, rick, Mosquito and Lice Additione	
145	Once-A-Month Topical Flea, Tick, Mosquito and Lice Trea	tment
146		
147	Liquid	
148	'	
149	FOR USE ONLY ON DOGS & PUPPIES 4.5 KG AND UN	IDER
150		
151	DO NOT USE ON CATS OR KITTENS	
152		
153	DOMESTIC	
154		
155	READ THE LABEL AND INSERT BEFORE USING	
156	MEED OUT OF DEACH OF OUR DREAM	
157 158	KEEP OUT OF REACH OF CHILDREN	
159 160	Cat glyph in red with	diagonal line
161		
162	WARNING POISON AND EYE IRRITANT	
163	TOXIC TO CATS	
164	ACTIVE INCDEDIENT: Imidealantid 0.00/	
165	ACTIVE INGREDIENT: Imidacloprid 8.8% Permethrin 44%	
166 167	Femilia 44%	
168	REG. NO. 27658 P.C.P. ACT	
169	NEG. NO. 270001 .C.I . ACT	
170	NET CONTENTS: One to six 0.4 mL Tubes	
171	THE POSITIENTS. One to six of the Pasoo	
172	Elanco Canada Limited	
173	1919 Minnesota Court, Suite 401	
174	Mississauga, Ontario L5N 0C9	
175	1-800-265-5475	
176		

K9 Advantix 10 Flea, Tick, Mosquito and Lice Adulticide will control fleas, ticks and lice on dogs within one day of treatment and will continue to protect the dog from further flea, tick and lice infestation for at least four weeks. K9 Advantix 10 Flea, Tick, Mosquito and Lice Adulticide also kills mosquitoes. Re-infestation from the emergence of new fleas ticks in the environment may continue to occur for six weeks or longer after treatment is initiated. Re-treatment at monthly intervals is required if re-infestation is continuous or if flea and tick control is desired.

184 185

186

Shampooing of the dog may shorten the duration of protection, therefore, re-application following shampooing is recommended. For use on pregnant/lactating animals, consult your veterinarian.

187 188 189

PRECAUTIONS:

190 191

192

193

194

195

HUMANS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, or absorbed through the skin. Causes eye irritation. DO NOT get in eyes. Avoid contact with skin and clothing. Avoid contact with pets until dry. Wear rubber gloves when applying product. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. This product is extremely toxic to fish. Do not contaminate water, feed or food by storage or disposal.

196 197

- PETS: Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death.
- Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.
- Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment.
- 204 Do not use on animals under 8 weeks of age.

205

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

206207

FIRST AID:

208

- HUMANS: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
- 212 If swallowed: Call a poison control centre or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow. Do not induce vomiting unless told
- 214 to do so by a poison control centre or doctor. Do not give anything by mouth to an
- 215 unconscious person.
- 216 If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty
- of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

2022-0231 2022-01-31

218	Take container, label or product name and Pest Control Product Registration Numbe
219 220	with you when seeking medical attention.
221	PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large
222	amounts of water. If signs continue, consult a veterinarian immediately.
223	TOVICOL COLOAL INFORMATIONS Treat the mediant as mantanestically
224 225	TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.
226	DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household
227	garbage.
228	

2022-0231 2022-01-31

229	<u>K9 Advantix™ 10</u>	
230	Tube (English)	
231		
232		<elanco logo=""></elanco>
233	K9 Advantix [™] 10	
234		
235	READ THE LABEL AND INSERT BEFORE USING	
236		
237	KEEP OUT OF REACH OF CHILDREN	
238		
	4 - 9 /	
239	V	
240		
241	WARNING POISON AND EYE IRRITANT	
242		
243	TOXIC TO CATS	
244		
245	REG. NO. 27658 P.C.P. ACT	
246		