

Advantage™ II Small Cat / Rabbit / Ferret
Insert (English)

<Elanco Logo>

Advantage™ II Small Cat / Rabbit / Ferret

Flea Adulticide/Larvicide/Ovicide

For cats 8 weeks and older weighing between 2.3 kg and 4 kg
For pet rabbits 4 months and older weighing between 1.5 and 4 kg
For pet ferrets 10 weeks and older weighing between 0.4 and 4 kg

Once-a-month topical flea treatment

Liquid

READ THE LABEL AND INSERT BEFORE USING

FOR USE ONLY ON CATS, PET RABBITS AND PET FERRETS

Do not use on other animals

KEEP OUT OF REACH OF CHILDREN



POISON

WARNING EYE IRRITANT

DOMESTIC

ACTIVE INGREDIENT: Imidacloprid 9.1% and Pyriproxyfen 0.46%

REG. NO. 27585 P.C.P. ACT

Contents: One to Six 0.4 mL Tubes

Elanco Canada Limited
1919 Minnesota Court, Suite 401
Mississauga, Ontario L5N 0C9
1-800-265-5475

42 Advantage II Small Cat / Rabbit / Ferret kills 98-100% of the existing fleas on cats, pet
43 rabbits and pet ferrets within 1 day after treatment. Protection against further flea
44 infestation can last up to 4 weeks on cats and pet ferrets and up to 8 days on pet
45 rabbits.

46 Retreatment at monthly intervals is required if re-infestation is continuous or if flea
47 control is desired. Fleas, eggs, and larvae are killed following contact with skin debris
48 from an Advantage II Small Cat / Rabbit / Ferret treated pet. Advantage II Small Cat /
49 Rabbit / Ferret provides multi-stage flea control effectively breaking all flea life-cycle
50 stages for quick and lasting control of flea populations.

51 Do not shampoo or immerse the animal in water immediately after treatment. The
52 animal can be shampooed, immersed in water or exposed to rain 3 days after
53 treatment. Advantage II Small Cat / Rabbit / Ferret retains its ovicidal and larvicidal
54 efficacy for up to 4 weeks on cats and pet ferrets and up to 8 days on pet rabbits
55 following a shampoo treatment, swimming or exposure to rain. The adulticidal effect
56 may be shortened by repeated shampooing, water immersion or exposure to rain.
57 Reapplication on cats may be required after such activities. Do not reapply before 4
58 weeks on pet ferrets or pet rabbits.

59
60 The successive feeding activity of fleas on pets may elicit a hypersensitivity skin
61 disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage® II
62 Small Cat / Rabbit / Ferret rapidly kills fleas and may reduce the incidence of this
63 condition.

64 For effective flea control, treatment of the pet should be combined with sanitation of any
65 area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after
66 use) and wash the pet's bedding, living quarters and surrounding areas. If pest
67 problems persist, an insecticidal premise treatment may be required. A veterinarian
68 should be consulted when pest infestation continues to be a problem on the pet.

69
70 **PRECAUTIONS:**

71
72 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed. Causes
73 eye irritation. DO NOT get in eyes. Avoid contact with skin or clothing. Wear rubber
74 gloves during application of this product. After handling or applying, wash hands (or any
75 other skin that came in contact with the product), with soap and water. Avoid contact
76 with pets until dry.

77
78 **PETS:** Do not use on cats under 8 weeks of age, on rabbits under 4 months of age, or
79 on ferrets under 10 weeks of age. Care should be taken to prevent exposure of other
80 pets that may be in close physical contact with the treated animal. Sensitivities may
81 occur after using ANY pesticide product for pets. Smaller animals are more likely to
82 experience an adverse reaction. Observe carefully. If signs persist, or become more
83 severe, consult a veterinarian immediately.

84

Side Effects: Monitor your pet after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting or loss of
--

appetite may also occur. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

85

86

87 FIRST AID:

88

89 HUMANS:

90 IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes.

91 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

92 Call a poison control centre or doctor for treatment advice.

93 IF SWALLOWED, call a poison control centre or doctor immediately for treatment

94 advice. Have person sip a glass of water if able to swallow. Do not induce vomiting

95 unless told to do so by a poison control centre or doctor. Do not give anything by mouth

96 to an unconscious person.

97 IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately

98 with plenty of water for 15–20 minutes. Call a poison control centre or doctor for

99 treatment advice.

100

101 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large
102 amounts of water. If signs continue, consult a veterinarian immediately.

103 Take container, label or product name and Pest Control Product Registration Number
104 with you when seeking medical or veterinary attention.

105

106 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

107

108 STORAGE: Store container at room temperature.

109

110 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household
111 garbage.

112

113 DIRECTIONS FOR USE:

114 This product contains imidacloprid and pyriproxyfen. Do not apply another pest control
115 product such as a shampoo, collar, or powder that contains imidacloprid or pyriproxyfen
116 to the treated animal after applying Advantage II Small Cat/Rabbit/Ferret.

117

118 Do NOT administer by mouth.

119

120 This product is packaged in single dosage tubes. This package contains one to six
121 monthly 0.4 mL dosages. Do not apply a dosage higher than one 0.4 mL tube at one
122 time. Treat your cat, pet rabbit or pet ferret monthly in the manner described below. Do
123 not use on other animals.

124

125 Cats

126 Use only on cats 8 weeks of age and older weighing between 2.3 and 4 kg. Do not use
127 on cats under 8 weeks of age. Repeat every 4 weeks for continual pest control in
128 situations where there is an ongoing risk of pest infestation.

129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166

Pet Rabbits

Use only on pet rabbits 4 months of age and older weighing between 1.5 and 4 kg. Do not use on pet rabbits under 4 months of age. Repeat every 4 weeks for continual pest control in situations where there is an ongoing risk of pest infestation. Do not retreat earlier than 4 weeks. Do not use on rabbits intended for human consumption.

Pet Ferrets

Use only on pet ferrets 10 weeks of age and older weighing between 0.4 and 4 kg. Do not use on pet ferrets under 10 weeks of age. Repeat every 4 weeks for continual pest control in situations where there is an ongoing risk of pest infestation. Do not retreat earlier than 4 weeks.

How to Apply

1. Remove one applicator from the package.
2. Hold applicator tube in upright position. Pull cap off tube.
3. Turn cap around and place other end of cap back on tube.
4. Twist cap to break seal, then remove cap from tube.
5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to completely empty the contents directly on the skin as a single spot. Do not get this product in your pet's eyes or mouth. The product is bitter tasting and salivation may occur for a short time if the animal licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the animal to lick the product. Do not allow recently treated animals to groom each other.
6. Discard the empty tube as described in "DISPOSAL".

Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

Until Advantage II Small Cat / Rabbit / Ferret dries, keep pet off furniture and away from hardwood floors.

Retain packaging information for future reference.

Advantage, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.
©2022 Elanco or its affiliates.

2022-0231
2022-01-31

167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189

190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206

Advantage™ II Small Cat / Rabbit / Ferret
Carton (English)

<Elanco Logo>

Advantage™ II Small Cat / Rabbit / Ferret

Flea Adulticide/Larvicide/Ovicide

For cats 8 weeks and older weighing between 2.3 kg and 4 kg
For pet rabbits 4 months and older weighing between 1.5 and 4 kg
For pet ferrets 10 weeks and older weighing between 0.4 and 4 kg

Once-A-Month Topical Flea Treatment

Liquid

READ THE LABEL AND INSERT BEFORE USING

FOR USE ONLY ON CATS, PET RABBITS AND PET FERRETS

Do not use on other animals

KEEP OUT OF REACH OF CHILDREN



POISON

WARNING EYE IRRITANT

DOMESTIC

ACTIVE INGREDIENT: Imidacloprid 9.1% and Pyriproxyfen 0.46%

REG. NO. 27585 P.C.P. ACT

Contents: One to Six 0.4 mL Tubes

Elanco Canada Limited
1919 Minnesota Court, Suite 401
Mississauga, Ontario L5N 0C91-800-265-5475

207 Advantage II Small Cat / Rabbit / Ferret kills 98-100% of the existing fleas on cats, pet
208 rabbits and pet ferrets within 1 day after treatment. Protection against further flea
209 infestation can last up to 4 weeks on cats and pet ferrets and up to 8 days on pet
210 rabbits.

211 Retreatment at monthly intervals is required if re-infestation is continuous or if flea
212 control is desired. Fleas, eggs, and larvae are killed following contact with skin debris
213 from an Advantage II Small Cat / Rabbit / Ferret treated pet. Advantage II Small Cat /
214 Rabbit / Ferret provides multi-stage flea control effectively breaking all flea life-cycle
215 stages for quick and lasting control of flea populations.

216 Do not shampoo or immerse the animal in water immediately after treatment. The
217 animal can be shampooed, immersed in water or exposed to rain 3 days after
218 treatment. Advantage II Small Cat / Rabbit / Ferret retains its ovicidal and larvicidal
219 efficacy up to 4 weeks on cats and pet ferrets and up to 8 days on pet rabbits following
220 a shampoo treatment, swimming or exposure to rain. The adulticidal effect may be
221 shortened by repeated shampooing, water immersion or exposure to rain. Reapplication
222 on cats may be required after such activities. Do not reapply before 4 weeks on pet
223 ferrets or pet rabbits.

224
225 **PRECAUTIONS:**

226 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed. Causes
227 eye irritation. **DO NOT** get in eyes. Avoid contact with skin or clothing. Wear rubber
228 gloves during application of this product. After handling or applying, wash hands (or any
229 other skin that came in contact with the product), with soap and water. Avoid contact
230 with pets until dry.

231
232 **PETS:** Do not use on cats under 8 weeks of age, on rabbits under 4 months of age, or
233 on ferrets under 10 weeks of age. Care should be taken to prevent exposure of other
234 pets who may be in close physical contact with the treated animal. Sensitivities may
235 occur after using ANY pesticide product for pets. Smaller animals are more likely to
236 experience an adverse reaction. Observe carefully. If signs persist, or become more
237 severe, consult a veterinarian immediately.

238

Side Effects: Monitor your pet after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting or loss of appetite may also occur. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
--

239
240 **FIRST AID:**

241 **HUMANS:**
242 **IF IN EYES,** hold eye open and rinse slowly and gently with water for 15–20 minutes.
243 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
244 Call a poison control centre or doctor for treatment advice.
245 **IF SWALLOWED,** call a poison control centre or doctor immediately for treatment
246 advice. Have person sip a glass of water if able to swallow. Do not induce vomiting

2022-0231
2022-01-31

247 unless told to do so by a poison control centre or doctor. Do not give anything by mouth
248 to an unconscious person.

249 IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately
250 with plenty of water for 15–20 minutes. Call a poison control centre or doctor for
251 treatment advice.

252 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large
253 amounts of water. If signs continue, consult a veterinarian immediately.

254 Take container, label or product name and Pest Control Product Registration Number
255 with you when seeking medical or veterinary attention.

256
257 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

258
259 STORAGE: Store container at room temperature.

260
261 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household
262 garbage.

263

2022-0231
2022-01-31

264
265
266
267
268
269
270
271

272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289

<Elanco Logo>

**Advantage™ II Small Cat / Rabbit / Ferret
Tube (English)**

Advantage™ II Small Cat / Rabbit / Ferret

READ THE LABEL AND INSERT BEFORE USING



POISON

WARNING EYE IRRITANT

DOMESTIC

EXTERNAL USE ONLY

ACTIVE INGREDIENT: Imidacloprid 9.1% and Pyriproxyfen 0.46%

REG. NO. 27585 P.C.P. ACT

Elanco Canada Limited
Mississauga, Ontario L5N 0C9

0.4 mL