

2023-1679
23-08-03

XD-8259 Antimicrobial

Controls (or inhibits) the growth of bacteria and yeasts that may deteriorate metalworking fluids containing water.

INDUSTRIAL

DANGER [Corrosive symbol] CORROSIVE

DANGER [Poison symbol] POISON

POTENTIAL SKIN SENSITIZER

ACTIVE INGREDIENT: 2,2-dibromo-3-nitrilopropionamide...10%

REGISTRATION No. 28571

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

LANXESS Corporation
111 RIDC Park West Drive
Pittsburgh, PA 15275-1112
1-800-LANXESS

©2023 LANXESS. [XD-8259 Antimicrobial], LANXESS and the LANXESS Logo are trademarks of LANXESS Deutschland GmbH or its affiliates. All trademarks are registered in many countries in the world.

EMERGENCY TELEPHONE NUMBERS

TRANSPORTATION EMERGENCIES ONLY:

CANUTEC (Canada): 1-613-996-6666
CHEMTREC: 1-800-424-9300 (USA); 1-703-527-3887 (International)

ALL OTHER EMERGENCIES:

LANXESS: 1-800-410-3063 (USA); 1-866-673-6350 (Canada)

NET CONTENTS: 208.1 liters (45.8 gallons)

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

DANGER: CAUSES SEVERE BURNS OF EYES; MAY BURN THE SKIN; MAY BE HARMFUL OR FATAL IF SWALLOWED. POTENTIAL SKIN SENSITIZER. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Wear chemical workers' goggles when handling. Wear long-sleeved shirt, long pants and shoes plus socks when handling. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing. Wash contaminated clothing separate from other laundry prior to reuse. Users should remove protective clothing immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

If In Eyes

- * Hold eye open and rinse slowly and gently with water for 30 minutes
- * Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye
- * Call a poison control center or doctor for treatment advice

If On Skin Or Clothing

- * Take off contaminated clothing
- * Rinse skin immediately with plenty of water for 15-20 minutes
- * Call a poison control center or doctor for treatment advice

If Swallowed

- * Call a poison control center or doctor immediately for treatment advice
- * Have person sip a glass of water if able to swallow
- * Do not induce vomiting unless told to do so by a poison control center or doctor

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority.

DIRECTIONS FOR USE

Note: Add XD-8259 Antimicrobial separately to the system. Do not mix it with other additives in order to avoid decomposition of XD-8259 Antimicrobial due to the high pH of many additive formulations.

Metalworking Fluids Containing Water

This product is effective in metalworking fluid concentrates which have been diluted in water at ratios of 1:100-1:4. For controlling (or inhibiting) the growth of bacteria and yeasts that may deteriorate metalworking fluids containing water, add XD-8259 Antimicrobial to the fluid in the collection tank. Additions should be made with a metering pump.

Initial or Slug Dose: When the system is just noticeably fouled, add 500mL XD-8259 Antimicrobial /1,000L of metalworking fluid to the system. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 200-400 mL XD-8259 Antimicrobial /1,000L of metalworking fluid per day, or as needed to maintain control. Additions can be made continuously or intermittently. Slug the system as required.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

STORAGE

To maintain product quality, store at temperatures below 35°C. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

2023-1679
23-08-03

DISPOSAL

1. Triple or pressure rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

Made in USA