

2016-5616
2017-02-27

Country Vet Metered Flying Insect Spray

COMMERCIAL

Metered pressurized spray for the control of flies, gnats and mosquitoes

USE AREAS: refer to side panels

GUARANTEE

Pyrethrins	0.975%
Piperonyl Butoxide	1.950%
N-Octyl Bicycloheptene Dicarboximide.....	3.210%

Contains an insecticide derived from the Chrysanthemum Flower.

REGISTRATION NO. 28274
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

Net Contents 170-185 g

Acuity Holdings, Inc.
11627 - 178 STREET
EDMONTON AB T5S 1N6
905-669-9876

WARNING



FLAMMABLE



EXPLOSIVE

This insecticide is for use only in an automatic aerosol dispenser (Cam Spring Action Type), which releases 55 mg. of insecticide every 15 minutes. The continuous use of this insecticide will reduce flying insect populations (flies, mosquitoes and gnats) within a few hours. One can protect a room up to 170 cubic meters for up to 30 days. **USE AREAS:** Restaurants, Food Plants, Hospitals, Food Service Establishments, Lodges, Resorts, Dairies, Horse Stables, Cow Barns and Poultry Houses while they are in operation. Also for use in Meat Processing Plants when not in operation. Use area must have at least 170 cubic meters of free flow air space.

DIRECTIONS FOR USE: Dispenser must be located 2-3 meters above the floor at a point where air circulation will carry particles throughout the area. Do not install directly over food or food packaging surfaces. To install can, remove protective cap and insert into dispenser. **PRECAUTION:** In meat packing plants, only spray when plant is not in operation. No exposed meat products, ingredients or packaging materials to be left in the room. Any treated surface that may contact meat food products should be washed and rinsed thoroughly with potable water after spraying and before re-use.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Container may explode if heated. Do not expose to temperatures above 50 degrees C. Do not puncture or incinerate. Do not contaminate food, feed or water. Do not spray over milk or milking equipment. Avoid contact with skin and inhalation of spray mist. Wash after using. Contents toxic to fish and birds. Do not install directly over polished, plastic, or varnished surfaces such as cars or cabinets. Do not use in nurseries or rooms where infants, ill or aged persons are confined.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

FIRST AID INSTRUCTION: In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

TOXICOLOGICAL INFORMATION: Treat symptomatically.