

Sub.# 2007-5336
17-OCT-2007

**WILSON®
ONE SHOT™
ANT KILLER FOAM**

PRESSURIZED CONTACT & RESIDUAL
CRACK, CREVICE INSECTICIDE SPRAY

DOMESTIC

Kills Ants

GUARANTEE:

d-trans Allethrin	0.05%
N-Octyl Bicycloheptene Dicarboximide	0.250%
Permethrin	0.218%

REG. NO. 28794 P.C.P. ACT

150 - 550 g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Spectrum Brands IP Inc.
P.O. Box 21001
Brantford, ON N3R 7W9
1-800-268-2806

For use as a crack and crevice treatment to control insects listed on front panel.

DIRECTIONS: SHAKE CONTAINER WELL. Insert the "applicator wand" into the spray nozzle before using. This product is designed for applying into cracks, crevices, or tight areas that are difficult to reach. Spray directly into cracks and crevices where the insecticide won't be mopped away. The foaming action of this formula completely fills tight crevices leaving an insecticidally active residue. Spray into hard to reach places where these insects hide.

KEEP PETS AND CHILDREN AWAY UNTIL RESIDUE IS DRY.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stove or other sources of heat, or store at temperatures over 50° C. Do not spray near open flame or spark, or while smoking. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, or clothing. DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOODSTUFFS, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. DO NOT USE AS A SPACE SPRAY. DO NOT CONTAMINATE FOODSTUFFS. Do not use in any area where food may be exposed. Do not use in bulk food storage areas. Do not use in cupboards where food or cooking utensils are stored. In homes or dwellings, remove or cover all exposed food and cooking utensils before spraying. Thoroughly wash all surfaces that might contact food before re-use.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, wrap, then dispose of in household garbage. Do not puncture or incinerate.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.wilsonproduct.ca

Wilson® and One Shot™ Registered Trademark of/Trademark of Spectrum Brands Canada, Inc., used under license.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.