

2020-1550

2020-08-04

**DICAMBA TECHNICAL HERBICIDE  
FOR MANUFACTURING USE ONLY**

Solid

**ACTIVE INGREDIENT:** Dicamba ... 86.1%

**REGISTRATION NO.** 28965

**PEST CONTROL PRODUCTS ACT**



**CAUTION POISON  
DANGER – CORROSIVE TO EYES**

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY  
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT  
1-800-334-7577**

**NET CONTENTS: 70 KG**

**READ THE LABEL BEFORE USING.  
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.**

**BAYER CROPSCIENCE INC  
Suite 200, 160 Quarry Park Blvd SE  
Calgary, Alberta T2C 3G3  
1-888-283-6847  
[www.cropscience.bayer.ca](http://www.cropscience.bayer.ca)**

2020-1550

2020-08-04

## **DIRECTIONS FOR USE**

To be used only in the manufacture of a herbicide which is registered under the *Pest Control Products Act*.

## **FIRST AID**

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## **TOXICOLOGICAL INFORMATION**

Technical **BANVEL®**

Acute oral LD<sub>50</sub> (Rats): 1701 mg/kg

Acute dermal LD<sub>50</sub> (Rabbits): > 2000 mg/kg

Acute inhalation LC<sub>50</sub>: > 9.6 mg/L (four-hour exposure)

The physical properties of the test material precluded administration at high atmospheric concentrations. Not a skin irritant (DOT method). Skin irritation may occur when handling finely ground material. Extremely irritating and corrosive to the eye (FHSA).

## **PRECAUTIONS**

2020-1550

2020-08-04

**KEEP OUT OF REACH OF CHILDREN AND/OR PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.**

Harmful if swallowed or absorbed through the skin. It is extremely irritating and corrosive to the eye. Avoid contact with eyes, skin and clothing.

Wear protective goggles when handling.

Store away from seed, fertilizers, insecticides or fungicides.

### **FIRE EXTINGUISHING MEDIA**

Fog or water spray, foam, carbon dioxide.

### **SPECIAL FIRE FIGHTING PROCEDURES**

In case of severe fire, full protective clothing and self-contained breathing apparatus should be worn. Decomposition products are hazardous to health. Use water to keep fire-exposed containers cool. First opportunity, remove from fire.

### **DECONTAMINATION AND DISPOSAL**

Canadian formulators of this technical should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill, and for clean-up of spills.

### **NOTICE TO USER**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.