$\begin{array}{c} WILSON^{\otimes} \\ FRUIT \ GUARD^{^{TM}} \\ INSECT \ KILLER \end{array}$

This product is to be used to kill listed pests outdoors on crops.

For Outdoor Use

FREE Measuring Cup Enclosed Emulsifiable Concentrate

DOMESTIC

REG. NO. 29119 P.C.P. ACT

ACTIVE INGREDIENT: Permethrin 12.5 g/L

KEEP OUT OF REACH OF CHILDREN READ THE LABEL AND BOX BEFORE USING

250 mL (500 mL)

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc. 1 avenue Premier, Rivière-du-Loup, QC G5R 6C1 1-800-268-2806

KEEP BOX FOR USE DIRECTIONS. DIRECTIONS FOR USE

Restrictions: For outdoor use ONLY. DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty. DO NOT apply as a space spray. DO NOT apply to people, pets, livestock or sources of electricity. DO NOT apply when people or pets are present. DO NOT allow people or pets to enter treated areas until sprays have dried. DO NOT allow spray to drip or allow drift onto non-target surfaces. DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed. DO NOT apply undiluted.

Mixing Instructions: Referring to table below, dilute appropriate amount of product in 1 L of clean water in a sprayer. Note: 5 mL = 1 teaspoonful; 15 mL = 1 tablespoonful.

Apply as a coarse spray with a sprayer to give a thorough coverage of plants. Apply when insects or damage are first noticed. Treatment must only be repeated if pest problem persists or reoccurs. Refer to table below for mixing ratio, maximum number of applications allowed per year (MNA), re-treatment interval (RTI) and pre-harvest interval

(PHI) per crop.

Crops	Pests	To mix with 1 L of water	MNA; RTI; PHI
Apples	Winter Moth, Eastern Tent Caterpillar, Eye-spotted Bud Moth, Plum Curculio, White Apple Leafhopper	10 mL	1; N/A; 7 days
	Tentiform leafminer, Green Fruitworm, Apple Maggot, Leafrollers, Tarnished Plant Bug, Mullein Bug, Lesser Appleworm, Codling Moth	20 mL	
Pears	Eastern Canada – Pear Psylla (adults and nymphs) Codling Moth, Green Fruitworm	20 mL	2; 7 days; 14 days
Nectarines Peaches,	Oriental Fruit Moth, Plum Curculio, Plant Bugs	20 mL	2; 14 days; 7 days
Plums	Plum Curculio	20 mL	2; 14 days; 7 days
Grapes	Grape Berry Moth Grape Leafhopper	15 mL 7.5 mL	4; 7 days; 21 days

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Wear protective gloves and long sleeved clothing when handling product. Avoid inhaling spray or contact with eyes, skin or clothing. Wash thoroughly after use and before eating, drinking and smoking.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms, birds, bees and beneficial insects. Do not spray within 15 metres of any body of water. To minimize possible contamination of groundwater, the use of spot treatment applications is recommended in areas where soils are permeable (e.g., sandy soil) and/or the depth to the water table is shallow. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

FIRST AID

If swallowed, Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

DISPOSAL

Triple rinse container into sprayer. Do not reuse empty container or measuring cup. Dispose of empty container and measuring cup with household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.wilsoncontrol.com

OPTIONAL LABEL TEXT:

Controls Listed Insects - Outdoors
Outdoor Control of Listed Insects
Fast Knockdown
Quick Kill!
Kills Fast!
FAST ACTION
Kills Listed Insects on Contact!
Contact and Residual
Long lasting results
Keeps on killing
Residual
Provides residual killing action

GENERAL INFORMATION: Permethrin is a synthetic version of pyrethrins. Pyrethrins have long been known for rapid knockdown of insects. Although permethrin is more stable than pyrethrins, it is still degraded by the ultraviolet rays of the sun. This results in a relatively short residual life in the presence of sunlight. When protected from the sun, permethrin will provide residual/long lasting activity.

Wilson® Fruit Guard^m Insect Killer contains permethrin, a synthetic pyrethroid insecticide of low mammalian toxicity. Kills insects on contact or by ingestion.

WILSON® FRUIT GUARD™ INSECT KILLER

This product is to be used to kill listed pests outdoors on crops.

Emulsifiable Concentrate

DOMESTIC

REG. NO. 29119 P.C.P. ACT

ACTIVE INGREDIENT: Permethrin 12.5 g/L

KEEP OUT OF REACH OF CHILDREN READ THE LABEL AND BOX BEFORE USING

250 mL (500 mL)

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc. 1 avenue Premier, Rivière-du-Loup, QC G5R 6C1 1-800-268-2806

KEEP BOX FOR DIRECTIONS

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Wear protective gloves and long sleeved clothing when handling product. Avoid inhaling spray or contact with eyes, skin or clothing. Wash thoroughly after use and before eating, drinking and smoking.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms, birds, bees and beneficial insects. Do not spray within 15 metres of any body of water. To minimize possible contamination of groundwater, the use of spot treatment applications is recommended in areas where soils are permeable (e.g., sandy soil) and/or the depth to the water table is shallow. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

FIRST AID

If swallowed, Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

DISPOSAL

Triple rinse container into sprayer. Do not reuse empty container or measuring cup. Dispose of empty container and measuring cup with household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.wilsoncontrol.com

OPTIONAL LABEL TEXT:

Controls Listed Insects - Outdoors
Outdoor Control of Listed Insects
Fast Knockdown
Quick Kill!
Kills Fast!
FAST ACTION
Kills Listed Insects on Contact!
Contact and Residual
Long lasting results
Keeps on killing
Provides residual killing action