



Tralkoxydim Technical Wet Paste

FOR USE IN MANUFACTURING AND FORMULATING ONLY

GUARANTEE: Tralkoxydim

88.5%

REGISTRATION NO. 27596 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL



CAUTION

POISON

NET CONTENTS: 500 Kg – 1000 Kg

Corteva Agriscience Canada Company

Suite 240, 115 Quarry Park Rd. SE

Calgary, AB

T2C 5G9

1-800-667-3852

TMTrademark of Corteva Agriscience and its affiliated companies.

PRECAUTIONS

KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL

- Avoid ingestion, contact with skin and eyes and inhalation of airborne dust.
- Wear protective clothing when handling containers (cap, safety spectacles, overalls and work boots).
- Operations with significant exposure to Tralkoxydim Technical Wet Paste will in addition require PVC or nitrile rubber gloves.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

Symptomatic and supportive therapy as indicated: There is no specific antidote. Symptoms are likely to be those of central nervous system depression. Avoid respiratory depressants unless otherwise indicated. Following ingestion, adsorbents such as activated charcoal may be of value.

For larger quantities, gastric lavage may be effective, if performed within 4 hours of ingestion. However, the need for gastric lavage should be considered carefully, in view of the low acute oral toxicity of this material; it may be better to observe the patient and employ general supportive measures only.

This compound has no significant irritation properties, and is not a sensitizer.

STORAGE

Store in sealed containers in a secure, dry, ventilated area away from frost, direct sunlight and other sources of heat and ignition.

DO NOT contaminate water, food or feed by storage.

SPILL CLEANUP

During decontamination, the operator must wear protective clothing as described above under PRECAUTIONS.

Dry spillages should be collected immediately, by suction, and disposed of as toxic waste according to local legislation.

Contaminated areas should be washed down with cold water and the washings prevented from entering surface-water drains.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

**DIRECTIONS FOR USE
TO BE USED IN THE MANUFACTURE OF A HERBICIDE WHICH IS REGISTERED UNDER THE
PEST CONTROL PRODUCTS ACT.**

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

TM Trademark of Corteva Agriscience and its affiliated companies.