

2023-6011
2024-04-17

Deadline[®] M-P's[™]

One last meal for slugs & snails[®]
MOLLUSCICIDE PELLETS
COMMERCIAL

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

Metaldehyde 4.0%

Contains calcium propionate at 3.18% as a preservative

Warning, contains the allergen wheat

REGISTRATION NO. 26650 *PEST CONTROL PRODUCTS ACT*

CAUTION POISON
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 22.68 kg (50 lbs.)

Manufactured by:

AMVAC CHEMICAL CORPORATION
Suite 1200
4695 MacArthur Court
Newport Beach CA 92660
United States
1-888-462-6822

Distributed by:

UNITED AGRI PRODUCTS
789 Donnybrook Drive
Dorchester, Ontario
Canada - N0L 1G5
(519) 268-8001

EFFECTIVE

DEADLINE M-Ps excel at attracting and destroying slugs and snails.

LONG LASTING

Remains effective after rain and watering. DEADLINE M-Ps pellets can withstand repeated wet-dry cycles.

IMPROVED COVERAGE

Five times the number of bait particles compared to regular-size pellets.

DIRECTIONS FOR USE

APPLICATION DIRECTIONS: Apply as a soil surface treatment. Use a band treatment between the rows after formation of edible parts. Avoid applying pellets in piles. Do not over apply. Do not contaminate edible portions of the plant. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. May be applied to the following crops to protect from slugs and snails.

VEGETABLES: cabbage, lettuce, crop subgroup 8-09A (Tomatoes): Apply 14.0 - 27.5 kg per hectare.

Crop subgroup 13-07A (Caneberries): Apply 11.2 - 22.5 kg per hectare.

Highbush blueberries, Crop subgroup 13-07G (Low growing berries) and Ginseng: Apply 11.2 - 27.5 kg per hectare.

ORNAMENTALS: Ornamental greenhouses, ornamental planting: Normally apply 14.0 - 27.5 kg per hectare. Repeat treatment as necessary to maintain control.

Experience has shown most plants to be tolerant to Deadline M-Ps. However, on extremely tender plants, such as orchids, it is suggested the user of this product do a small test to determine any plant sensitivity before making an application over the plants.

For best results, apply in evening. Especially beneficial if applied following rain or watering.

Minimum Application Interval and Maximum Number of Applications per Year

| Use Site | Maximum Number of Applications per Year | Minimum Application Interval (Day) |
|--|---|------------------------------------|
| Cabbage, Lettuce, Ginseng, Highbush blueberries, CSG8-09A ¹ , CSG13-07A ² , CSG13-07G ³ | 3 | 14 |
| Ornamentals | 6 | 21 |

¹ Includes currant tomatoes, garden huckleberries, goji

berries, groundcherries, sunberries, tomatillos, and tomatoes

² Includes blackberries, loganberries, raspberries, and wild raspberries and cultivars, varieties and/or hybrids of these

³ Includes bearberries, bilberries, lowbush blueberries, cloudberry, cranberries, lingonberries, muntries, partridgeberries, and strawberries

THIS PRODUCT MUST NOT BE APPLIED DIRECTLY TO FOOD CROPS. DO NOT APPLY BY AIR. DO NOT APPLY BY GROUND APPLICATION METHODS WHICH RESULT IN DIRECT CONTACT OF PRODUCT WITH THE FOLIAGE OR EDIBLE PORTIONS OF FOOD CROPS. FOOD CROPS MAY NOT BE HARVESTED WITHIN 6 DAYS OF TREATMENT. Observe a 6 day Pre harvest interval (PHI). Cabbage may not be harvested within 21 days of treatment. Observe a 21 day PHI at minimum.

Certain cultural practices may reduce damage from snails and slugs. These practices include:

- Eliminating hiding places by removing leaf litter and debris in the garden.
- Removing slugs and snails during daylight hours from nearby leaf litter, mulch and other protected areas.
- Watering in the morning to reduce humidity during the night when snails and slugs are active.

Note to User:

READ THE FOLLOWING BEFORE USING THIS PRODUCT FOR GINSENG AND Highbush blueberry applications:

The DIRECTIONS FOR USE for the uses described in this section of the label were developed by persons other than AMVAC Chemical Corporation (AMVAC) under the User Requested Minor Use Label Expansion program. For these uses, AMVAC has not fully assessed performance (efficacy) and/or crop tolerance (phytotoxicity) under all environmental conditions or for all crop varieties when used in accordance with the label. The user should test the product on a small area first, under local conditions and using standard practices, to confirm the product is suitable for widespread application.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes or clothing. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair. Follow manufacturer's instructions for cleaning and maintaining personal protective equipment (PPE). If no such instructions

for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.

This product can be harmful to children and fatal to domestic animals when ingested. Children and dogs may be attracted to the product. Application of this product is prohibited unless children and domestic animals can be excluded from the treated area from the start of the application until applied material is no longer visible.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms

Toxic to birds

Toxic to small wild mammals

To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

CLEAN UP OR BURY ANY SPILLED PRODUCT.

STORAGE: Do not contaminate water, food or feed by storage or disposal. Use product only from original container & keep in locked storage area away from children & pets. Keep container tightly closed when not in use. Do not store near food or feed. This product can be harmful to children and fatal to dogs and other domestic animals if ingested. Dogs have been known to ingest Metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool and secure location, and out of reach of children and pets.

DISPOSAL

Thoroughly empty the contents of the bag into the application device. Do not reuse the empty bag, and make it unsuitable for further use. Dispose of the bag in accordance with provincial requirements. For information, on the disposal of

unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Seek medical attention as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control centre or doctor or veterinarian, or when going for treatment.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for lay people. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

HUMANS: Dust inhalation is usual route of accidental exposure; the product is rarely ingested except by children. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have

been reported.

PETS: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

AMVAC, DEADLINE M-Ps, and One Last Meal for Slug and Snails are trademarks owned by AMVAC Chemical Corporation.