(Front panel)

# **CO-OP®**

# PREMIUM LAWN WEED KILLER XP HERBICIDE Solution

Controls: Dandelion, Plantain, Chickweed, Clover, Creeping Charlie and most other lawn weeds.

#### **CAUTION POISON**

### REGISTRATION . NO. 27915 PEST CONTROL PRODUCTS ACT

Net Contents 500 mL

#### **DOMESTIC**

GUARANTEE: 2,4-D (present as dimethylamine salt)............. 95 g.a.e./L Mecoprop-P (present as dimethylamine salt)...... 50 g.a.e./L Dicamba (present as dimethylamine salt)....... 9 g.a.e./L

Warning, contains the allergen soy.

# READ LABEL AND ATTACHED BROCHURE BEFORE USING KEEP OUT OF REACH OF CHILDREN

INTERPROVINCIAL COOPERATIVE LIMITED, P.O. BOX 1050, SASKATOON, SASKATCHEWAN S7K 3M9
1-204-233-3461

RC 842-0710

### CO-OP PREMIUM LAWN WEED KILLER XP HERBICIDE

**PRECAUTIONS**: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes, or clothing. Eye irritation may occur on contact. Protective clothing and equipment; Wear long sleeved shirt, long pants, coveralls, socks, shoes, and chemical-resistant (e.g. rubber) gloves. Operator use precautions: Rinse gloves before removal. Wash hands before eating, drinking, using tobacco, or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before re-use and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Re-use gloves for pesticide application only.

**General Precautions**: Do not apply during hot, dry spells. Do not mow for at least three days before spraying. Do not spray if rain is forecast. Do not allow spray mist or vapours to contact fruit, vegetables, or ornamentals. Do not spray on windy days. Susceptible plants include cabbage, beans, turnips, tomatoes and many other broadleaf fruits, vegetables, or ornamentals. To avoid spray drift, use a low pressure and a coarse spray pattern. Do not use a sprayer that has contained Co-op Premium Lawn Weed Killer XP Herbicide for spraying another pesticide on susceptible crops. Keep in original containers. Do not store near seeds, fertilizers, insecticides, fungicides, feed, or food. This product is only effective when applied to the leaves of actively growing weeds. This product will not prevent new weeds—apply only when weeds are present. DO NOT apply more than two broadcast applications per season. This does not include spot treatments. If weed populations do not warrant a broadcast application (e.g., entire lawn), consider spot treatments that target only weedy areas. DO NOT apply to any body of water. DO NOT contaminate irrigation/drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty.

**Re-entry Interval for Turf:** Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas within 12-hours after application.

**ENVIRONMENTAL HAZARDS:** Toxic to small wild mammals, birds, aquatic organisms, non-target terrestrial plants, and broadleaf terrestrial plants. This product will harm other broadleaved plants in the vicinity of the treatment area. If applying this product using a handheld sprayer, do not directly spray or allow the spray to drift onto ornamentals or gardens. Do not spray exposed roots of trees and ornamentals.

**Leaching:** The use of this chemical may result in contamination of groundwater particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth of the water table is shallow.

To minimize possible contamination of these areas, the use of spot treatment is recommended.

**Run-off:** To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil or clay. Avoid application of this product when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body. To prevent runoff from domestic uses avoid spraying on driveways, sidewalks or other hard surfaces. Do not irrigate within 24 hours after application.

**FIRST AID**: **If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing**, take off contaminated clothing. Rinse skin IMMEDIATELY with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed**, call a poison control centre or doctor IMMEDIATELY for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container label, or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

**DISPOSAL**: Do not reuse empty container. Wrap empty container and discard in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

#### **NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

#### CO-OP PREMIUM LAWN WEED KILLER XP HERBICIDE

Solution

Controls: Dandelion, Plantain, Chickweed, Clover, Creeping Charlie and most other lawn weeds.

#### **DOMESTIC**

GUARANTEE: 2,4-D (present as dimethylamine salt)........... 95 g.a.e./L Mecoprop-P (present as dimethylamine salt).... 50 g.a.e./L Dicamba (present as dimethylamine salt)...... 9 g.a.e./L

Warning, contains the allergen soy.

#### READ THE LABEL AND PAMPHLET BEFORE USING

#### KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 27915 PEST CONTROL PRODUCTS ACT

#### **CAUTION POISON**

Interprovincial Cooperative Limited PO Box 1050 Saskatoon Saskatchewan S7K 3M9 1-204-233-3461

#### CO-OP PREMIUM LAWN WEED KILLER XP HERBICIDE

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes or clothing. Eye irritation may occur on contact. Protective Clothing and Equipment: Wear long-sleeved shirt, long pants, coveralls, socks, shoes and chemical-resistant (e.g., rubber) gloves. Operator-use Precautions: Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Re-use gloves for pesticide application only. General Precautions: To avoid spray drift use a low pressure and a coarse spray pattern. Do not use a sprayer which has contained Co-Op Premium Lawn Weed Killer XP Liquid Herbicide for spraying another pesticide on susceptible crops. Keep in original container. Do not store near seeds, fertilizers, insecticides, fungicides, feed or food. Re-entry Interval for Turf: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas within 12-hours after application.

**DIRECTIONS FOR USE: Weeds Controlled:** Dandelion, Plantain, Black Medick (yellow clover), Buttercup, Chickweed, Clover, English Daisy, Ground Ivy (Creeping Charlie), Knotweed (ironweed), Poison Ivy, Ragweed, Shepherd's Purse, Bedstraw, Heal-All, Devil's Paint Brush.

**Turf:** (Other than Bentgrass). On established turf, apply at the rate of 60 mL in 5 L of water per 50 m<sup>2</sup>. For best results, apply when weeds are growing quickly, May and early June and late August and September. Do not spray if rain is forecast. Do not mow for at least three days before spraying. Do not apply during hot, dry spells. Application during drought or when weeds are under stress will result in poorer control. On irrigated or watered areas where weeds are not under drought stress and hard to kill, apply any time. Do not apply to newly seeded lawns. Wait until after the third mowing. Grass seed can be safely sown 1-2 weeks after application at recommended rate.

This product is only effective when applied to the leaves of actively growing weeds. This product will not prevent new weeds – apply only when weeds are present. DO NOT apply more than two broadcast applications per season. This does not include spot treatments. If weed populations do not warrant a broadcast application (e.g., entire lawn), consider spot treatments that target only weedy areas.

DO NOT apply to any body of water. DO NOT contaminate irrigation/drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty.

**ENVIRONMENTAL HAZARDS**: Toxic to small wild mammals, birds, aquatic organisms, non-target terrestrial plants, and broadleaf terrestrial plants. This product will harm other broadleaved plants in the vicinity of the treatment area. If applying this product using a handheld sprayer, do not directly spray or allow the spray to drift onto ornamentals or gardens. Do not spray exposed roots of trees and ornamentals.

**Leaching:** The use of this chemical may result in contamination of groundwater particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth of the water table is shallow.

To minimize possible contamination of these areas, the use of spot treatment is recommended.

**Run-off:** To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil or clay. Avoid application of this product when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a strip of untreated vegetation between the treated area and the edge of the water body. To prevent runoff from domestic uses avoid spraying on driveways, sidewalks or other hard surfaces. Do not irrigate within 24 hours after application.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin IMMEDIATELY with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor IMMEDIATELY for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container label or product name and Pest Control Product Registration number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**. Treat symptomatically.

**DISPOSAL OF EMPTY CONTAINER:** Do not re-use empty container. Wrap empty container and discard in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

#### NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

RC 865-0710

#### **BASE LABEL**

# **CO-OP®**

# PREMIUM LAWN WEED KILLER XP HERBICIDE Solution

Controls: Dandelion, Plantain, Chickweed, Clover, Creeping Charlie and most other lawn weeds.

#### **CAUTION POISON**

## REGISTRATION . NO. 27915 PEST CONTROL PRODUCTS ACT

Net Contents 500 mL

#### **DOMESTIC**

GUARANTEE: 2,4-D (present as dimethylamine salt)............ 95 g.a.e./L Mecoprop-P (present as dimethylamine salt).... 50 g.a.e./L Dicamba (present as dimethylamine salt)...... 9 g.a.e./L

Warning, contains the allergen soy.

# READ LABEL AND ATTACHED BROCHURE BEFORE USING KEEP OUT OF REACH OF CHILDREN

INTERPROVINCIAL COOPERATIVE LIMITED, P.O. BOX 1050, SASKATOON, SASKATCHEWAN S7K 3M9
1-204-233-3461
RC 865 - 0710

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.