

**K9 Advantix™ 55**  
**Insert (English)**

<Elanco Logo>

K9 Advantix™ 55

Flea, Tick, Mosquito and Lice Adulticide

Once-A-Month Topical Flea, Tick, Mosquito and Lice Treatment

Liquid

FOR USE ONLY ON DOGS 11 - 25 kg

DO NOT USE ON CATS OR KITTENS

DOMESTIC

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



cat glyph in red

WARNING POISON AND EYE IRRITANT

TOXIC TO CATS

ACTIVE INGREDIENT: Imidacloprid 8.8%  
Permethrin 44%

REG. NO. 27660 P.C.P. ACT

NET CONTENTS: One to six 2.5 mL Tubes

Elanco Canada Limited  
1919 Minnesota Court, Suite 401  
Mississauga, Ontario L5N 0C9  
1-800-265-5475

45 K9 Advantix 55 Flea, Tick, Mosquito and Lice Adulticide will control fleas, ticks and lice  
46 on dogs within one day of treatment and will continue to protect the dog from further  
47 flea, tick and lice infestations for at least four weeks. K9 Advantix 55 Flea, Tick,  
48 Mosquito and Lice Adulticide also kills mosquitoes. Re-infestation from the emergence  
49 of new fleas and ticks in the environment may continue to occur for six weeks or longer  
50 after treatment is initiated. Re-treatment at monthly intervals is required if re-infestation  
51 is continuous or if flea and tick control is desired.

52  
53 For effective flea, tick and lice control, treatment of the pet should be combined with the  
54 sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard  
55 vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding  
56 areas. If pest problems persist, an insecticidal premise treatment may be required.  
57 Shampooing of the dog may shorten the duration of protection, therefore, re-application  
58 following shampooing is recommended.

59  
60 The successive feeding activity of fleas on pets may elicit a hypersensitivity skin  
61 disorder known as flea allergy dermatitis (FAD). Treatment of pets with K9 Advantix 55  
62 Flea, Tick, Mosquito and Lice Adulticide rapidly kills fleas and may reduce incidence of  
63 this condition. For use on pregnant/lactating animals, consult your veterinarian.

64  
65 **PRECAUTIONS:**

66  
67 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed, or  
68 absorbed through the skin. Causes eye irritation. DO NOT get in eyes. Avoid contact  
69 with skin and clothing. Avoid contact with pets until dry. Wear rubber gloves when  
70 applying product. After handling or applying, wash hands (or any other skin that came  
71 into contact with the product) with soap and water. This product is extremely toxic to  
72 fish. Do not contaminate water, feed or food by storage or disposal.

73  
74 **PETS: Toxic to cats.** Cats that actively groom or engage in close physical contact with  
75 recently treated dogs may be at risk of serious harm, including death. Sensitivities may  
76 occur after using any pesticide for pets. Smaller animals are more likely to experience  
77 an adverse reaction. Observe carefully.

78 Consult a veterinarian before using on sick, aged, pregnant or nursing animals or  
79 animals receiving drug or other pesticide treatment.

80 Do not use on animals under 8 weeks of age.  
81

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
---

82  
83 **FIRST AID:**  
84

85 HUMANS: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20  
86 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue  
87 rinsing eye. Call a poison control centre or doctor for treatment advice.  
88 If swallowed: Call a poison control centre or doctor immediately for treatment advice.  
89 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told  
90 to do so by a poison control centre or doctor. Do not give anything by mouth to an  
91 unconscious person.  
92 If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty  
93 of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.  
94 Take container, label or product name and Pest Control Product Registration Number  
95 with you when seeking medical attention.

96  
97 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large  
98 amounts of water. If signs continue, consult a veterinarian immediately.

99  
100 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

101  
102 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household  
103 garbage.

104  
105 DIRECTIONS FOR USE:

106 This product contains imidacloprid and permethrin. Do not apply another pest control  
107 product such as a shampoo, collar, or powder that contains imidacloprid or permethrin  
108 to the treated animal after applying K9 Advantix 55 Flea, Tick, Mosquito and Lice  
109 Adulticide.

- 110 • Do NOT administer by mouth. Do not use on dogs under 8 weeks of age.
- 111 • A veterinarian should be consulted when pest infestation continues to be a  
112 problem on the pet.
- 113 • Do not use on cats or kittens. Consult a veterinarian before using on sick, aged,  
114 pregnant or nursing animals or animals under drug or other pesticide treatment.
- 115 • Use only on dogs between 11 and 25 kg. This product is packaged in single  
116 dosage tubes. This package contains one to six monthly 2.5 mL dosages. Treat  
117 your dog monthly in the manner described below. Do not apply a dosage greater  
118 than one 2.5 mL tube at one time.
- 119 • Re-treatment at monthly intervals is required if re-infestation is continuous or if  
120 flea and tick control is desired.
- 121 • Remove one applicator from the package.
- 122 • Hold applicator tube in an upright position. Pull cap off tube.
- 123 • Turn cap around and place other end of cap back on tube.
- 124 • Twist cap to break seal, then remove cap from tube.
- 125 • The dog should be standing for easy application. The entire contents of the K9  
126 Advantix 55 Flea, Tick, Mosquito and Lice Adulticide tube should be applied  
127 evenly to four or five spots on the top of the back from the shoulder to the base of  
128 the tail. At each spot part the hair until the skin is visible. Place the tip of the tube  
129 on the skin and gently squeeze to dispense a portion of the solution on the skin.  
130 Do not apply an excessive amount of solution at one spot that could cause some

2022-0231  
2022-01-31

131 of the solution to run off the side of the dog. Do not get this product in your pet's  
132 eyes or mouth.

- 133 • Discard the empty tube as described in "DISPOSAL".

134

135 Elanco Canada Limited  
136 1919 Minnesota Court, Suite 401  
137 Mississauga, Ontario L5N 0C9

138

139 K9 Advantix, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.  
140 ©2022 Elanco or its affiliates.

141

142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185

**K9 Advantix™ 55**  
**Carton (English)**

<Elanco Logo>

K9 Advantix™ 55

Flea, Tick, Mosquito and Lice Adulticide

Once-A-Month Topical Flea, Tick, Mosquito and Lice Treatment

Liquid

FOR USE ONLY ON DOGS 11 - 25 kg

DO NOT USE ON CATS OR KITTENS

DOMESTIC

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



cat glyph in red with diagonal line

WARNING POISON AND EYE IRRITANT

TOXIC TO CATS

ACTIVE INGREDIENT: Imidacloprid 8.8%  
Permethrin 44%

REG. NO. 27660 P.C.P. ACT

NET CONTENTS: One to six 2.5 mL tubes

Elanco Canada Limited  
1919 Minnesota Court, Suite 401  
Mississauga, Ontario L5N 0C9  
1-800-265-5475

186 K9 Advantix 55 Flea, Tick, Mosquito and Lice Adulticide will control fleas, ticks and lice  
187 on dogs within one day of treatment and will continue to protect the dog from further  
188 flea, tick and lice infestations for at least four weeks. K9 Advantix 55 Flea, Tick,  
189 Mosquito and Lice Adulticide also kills mosquitoes. Re-infestation from the emergence  
190 of new fleas and ticks in the environment may continue to occur for six weeks or longer  
191 after treatment is initiated. Re-treatment at monthly intervals is required if re-infestation  
192 is continuous or if flea and tick control is desired.

193  
194 Shampooing of the dog may shorten the duration of protection, therefore, re-application  
195 following shampooing is recommended. For use on pregnant/lactating animals, consult  
196 your veterinarian.

197  
198 **PRECAUTIONS:**

199  
200 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed, or  
201 absorbed through the skin. Causes eye irritation. **DO NOT** get in eyes. Avoid contact  
202 with skin and clothing. Avoid contact with pets until dry. Wear rubber gloves when  
203 applying product. After handling or applying, wash hands (or any other skin that came  
204 into contact with the product) with soap and water. This product is extremely toxic to  
205 fish. Do not contaminate water, feed or food by storage or disposal.

206  
207 **PETS: Toxic to cats.** Cats that actively groom or engage in close physical contact with  
208 recently treated dogs may be at risk of serious harm, including death. Sensitivities may  
209 occur after using any pesticide for pets. Smaller animals are more likely to experience  
210 an adverse reaction. Observe carefully.  
211 Consult a veterinarian before using on sick, aged, pregnant or nursing animals or  
212 animals receiving drug or other pesticide treatment.  
213 Do not use on animals under 8 weeks of age.

214  

215 Side Effects: Monitor your dog after application. Side effects may include: skin 216 irritation such as redness or scratching; changes in behaviour such as agitation or 217 lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or 218 other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
--

215  
216 **FIRST AID:**

217  
218 **HUMANS:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20  
219 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue  
220 rinsing eye. Call a poison control centre or doctor for treatment advice.  
221 If swallowed: Call a poison control centre or doctor immediately for treatment advice.  
222 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told  
223 to do so by a poison control centre or doctor. Do not give anything by mouth to an  
224 unconscious person.  
225 If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty  
226 of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

2022-0231

2022-01-31

227 Take container, label or product name and Pest Control Product Registration Number  
228 with you when seeking medical attention.

229

230 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large  
231 amounts of water. If signs continue, consult a veterinarian immediately.

232

233 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

234

235 DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household  
236 garbage.

237

2022-0231  
2022-01-31

238  
239  
240  
241  
242  
243  
244  
245  
246  
247

**K9 Advantix™ 55**  
**Tube (English)**

<Elanco Logo>

K9 Advantix™ 55

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN



248  
249  
250  
251  
252  
253  
254

WARNING POISON AND EYE IRRITANT

TOXIC TO CATS

REG. NO. 27660 P.C.P. ACT