

2018-3682
2019-02-26

PROTEX
BED BUG KILLER .20% D-Phenothrin
PRESSURIZED SPACE & CONTACT SPRAY
DOMESTIC

ACTIVE INGREDIENT:

D-Phenothrin..... 0.20%
Tetramethrin..... 0.20%

REG. NO. 30084 P.C.P. ACT

NET CONTENTS: 50-600 g

CAUTION

EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN AND PETS

KUUS INC. *Value added Family products*TM ,
450 TAPSCOTT RD UNIT 5-6A, Toronto, ON M1B 1Y4,
1-800-267-0455

PROUDLY MADE IN CANADA

www.kuu.com, www.knockdownbugs.com, www.mosquitoshield.com,
Manufacturers of Mosquito Shield Insect Repellents
Shake Well

DIRECTIONS: SHAKE WELL BEFORE USING. Hold can upright while spraying.

FOR INDOOR USE: Do not use in food handling, storage or preparation areas while food is present.

BED BUGS: Before treatment, remove all bedding and thoroughly vacuum and air out of mattresses and box springs. Treat mattresses, box springs, bed frames, and headboards, especially tufts, folds and edges of the mattress. Allow treatment to dry before remaking bed with freshly washed bedding. **FLEAS:** Spray animal sleeping quarters and floors around area, but not furniture or carpets that people regularly contact. **DO NOT SPRAY PETS.** For insects listed above spray around doorframes and window frames both indoors and outdoors.

DO NOT apply as a broadcast application. ONLY spot or crack and crevice applications are permitted. A spot treatment is made to a localized surface area not greater than 0.2 m². Spots are not to be adjoining and the total area of spots is not to exceed 10% of the surface area being treated (for example, floors, walls, ceilings). A crack and crevice application is made into narrow openings on the surfaces of the structure. Such openings commonly occur at expansion joints, utility entry points and between different elements of construction (for example, baseboards, moulding).

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS. Remove animals for a minimum of 1 hour when spraying room. Following treatment, ventilate all rooms, do not access for a minimum of 15 minutes and do not re-enter before ventilation is complete. Avoid contact with treated surfaces until dry. Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not breathe vapours or spray mist. Avoid contact with skin or eyes. Wash hands with soap and warm water after use. **DO NOT SPRAY PETS OR OTHER ANIMALS WITH THIS PRODUCT.** Avoid contamination of foodstuffs. Do not use in commercial food processing or preparation areas. In the home, all processing surfaces and utensils should be covered during treatment, or thoroughly washed and rinsed before use. Remove or cover exposed food. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 50°C may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard.

FIRST AID: IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Contains petroleum distillates.

Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not use empty container. When container is empty, press button to release all pressure. Wrap container in several layers of newspaper and discard in household garbage. Do not puncture or incinerate.