Doktor Doom Maximum Strength Residual Barrier Ant Killer

Pressurized residual & contact spray

No CFCs

DOMESTIC

This product is to be use to kill Ants inside buildings and outdoors on the exterior surfaces of buildings and porches, patios and decks.

ACTIVE INGREDIENT: Permethrin 0.25%

REG. NO. 30929 P.C.P. ACT

NET CONTENTS: 75-775 grams

CAUTION EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

753146 AB Ltd. o/a UltraSol Industries Limited 10755-69 Avenue Edmonton, Alberta, Canada T6H 2C9 1-780-432-6535

2019-7157 2020-08-19

DIRECTIONS FOR USE:

GENERAL INFORMATION:

Permethrin is a synthetic version of pyrethrins. Pyrethrins have long been known for rapid knockdown of insects. Although permethrin is more stable than pyrethrins, it is still degraded by the ultraviolet rays of the sun. This results in a relatively short residual life in the presence of sunlight. When protected from the sun, permethrin will provide residual/long lasting activity.

This aerosol product is ready to be used. SHAKE CAN WELL BEFORE USING.

Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible. Hold container approximately 30 cm from surface being sprayed and spray until wet. Unpainted or unsealed concrete surfaces may require repeated application after two weeks if necessary.

Good sanitary practices should be maintained to prevent re-infestation.

RESTRICTIONS:

- DO NOT apply to any body of water.
- DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty.
- DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed.
- DO NOT apply when people, pets or livestock are present.
- DO NOT allow people, pets or livestock to enter treated areas until sprays have dried.
- DO NOT allow spray to drip or allow drift onto non-target surfaces.
- DO NOT apply to people, pets, livestock or sources of electricity.
- DO NOT apply to furniture, mattresses, linens, toys or clothing.
- When applied indoors, DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces).
- When applied indoors, ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air.
- When applied outdoors, DO NOT apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs). When used outdoors on the exterior surfaces of buildings and patios, porches and decks, DO NOT treat soil, turf or other plants adjacent to the structure.
- DO NOT apply as a space spray or broadcast application.
- The application of this product to vinyl and aluminum siding (particularly lightly coloured, aged, weathered or otherwise damaged) may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Before applying, treat a small area of the siding and evaluate 30 minutes later to allow any potential staining to occur. Regardless of the test results, do not apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of day.
- This product may stain or damage certain plastic, rubber and asphalt materials such as tiles, floor covering and carpets. Apply with caution to surfaces and avoid excessive wetting.

2019-7157 2020-08-19

- Do not apply to tapestries, wall paper or similar materials that may stain. Do not apply to draperies, wallpaper or similar materials that may be stained.
- For all other surfaces, test a small inconspicuous area of the surface to be treated for color fastness & staining before full application.

HOW TO APPLY:

DO NOT APPLY AS A SPACE SPRAY OR BROADCAST APPLICATION.

Apply as a crack and crevice or spot treatment only to kill pests listed on this label. <u>Spot</u> <u>treatment</u> is localized to surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room <u>Crack and</u> <u>crevice</u> is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

INSTRUCTIONS FOR USE INSIDE BUILDINGS TO KILL ANTS:

Thoroughly treat inside building surfaces, including cracks, crevices in walls, floors and ceilings; along and behind baseboards; around water pipes and tanks; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., shelves, drawers, cabinets and storage units); around sinks, drains and pipes;, around garbage containers; around interior foundations; localized area around garbage cans; localized areas of floors and floor coverings and points of entry (e.g., around windows and doors). Also, spray trails and nests. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

FOR USE OUTDOORS ON THE EXTERIOR SURFACES OF BUILDINGS AND PATIOS, PORCHES, AND DECKS TO KILL ANTS:

Apply to the outside surfaces of foundations, under eaves troughs, around light fixtures, and places where ants enter (e.g., screens, doors, window frames). This product may also be applied to garbage cans and localized areas of patios, porches and decks.

Also, spray onto ant trails, into ant nests and points of entry. Treatment must only be repeated after 14 days if pest problem persists or reoccurs.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Cover fish bowls when spraying rooms. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash after using. Keep from freezing.

DISPOSAL:

When container is empty, press button to release all pressure then dispose in household garbage. Do not puncture or incinerate.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms. Toxic to birds. Toxic to bees. Toxic to beneficial insects.

2019-7157 2020-08-19

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.