

**HerbaNatur Inc.\***

## **Adios Ambros Domestic WSG**

A Herbicide for the Control of Common Ragweed along Driveways, Walkways and in Vacant Lots

DOMESTIC

READ THE LABEL BEFORE USING  
KEEP OUT OF THE REACH OF CHILDREN

GUARANTEE: Sodium Chloride 99.86%

REGISTRATION NUMBER 28712 PEST CONTROL PRODUCTS ACT

Net Contents: 960 g, 3.84 kg

**HerbaNatur Inc.**  
**212 de la Matamec,**  
**Lachenaie, Québec**  
**J6W-6H3**  
(514) 992-3270

\*Trademark of HerbaNatur Inc.

---

### **USE PRECAUTIONS**

**MAY CAUSE EYE & SKIN IRRITATION**

Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Wash hands after handling, after work and before meals.

### **FIRST AID**

**If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If inhaled,** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**If swallowed,** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

### **TOXICOLOGICAL INFORMATION**

Treat symptomatically.

### **ENVIRONMENTAL HAZARDS**

May be harmful to freshwater aquatic species and to plants that are not saline tolerant. TOXIC to non-target terrestrial plants. Sodium chloride may attract large mammals such as deer. Avoid using this product along roadsides in areas where high densities of deer are known to occur.”

### **STORAGE**

Keep container tightly closed. Keep container in a cool, well-ventilated area.

## **DISPOSAL**

Do not reuse empty container. Dispose of the container in regular household trash or recycling.

## **GENERAL INFORMATION**

Adios Ambros Domestic WSG, mixed with water, may be applied as a post-emergent treatment to provide rapid desiccation of common ragweed (*Ambrosia artemisiifolia*). The application of Adios Ambros Domestic WSG under the conditions outlined in this label results in the loss of turgor pressure in common ragweed plants through the rapid loss of water from cells within plant leaves.

## **DIRECTIONS FOR USE**

Applications of Adios Ambros Domestic WSG are most effective for the control of common ragweed when applied prior to flowering. Flowering may occur in common ragweed plants varying in height from as little as 5 cm to more than 1 metre. Smaller common ragweed plants are less likely to experience regrowth following an application of Adios Ambros Domestic WSG.

Mix 120g of Adios Ambros Domestic WSG per L of water (960 g in 8 L) and apply as a directed spray to common ragweed foliage to the point of leave run-off. Thorough spray coverage of the plant canopy is necessary since Adios Ambros Domestic WSG works as a contact herbicide. Foliage that does not receive the spray application will be unaffected. Apply Adios Ambros Domestic WSG under sunny conditions with an ambient temperature of at least 24°C. Wilting and desiccation of leaves may be observed within 24 hours of the application when applications are made under the conditions described in this label. Some re-growth of common ragweed may occur following applications made under less than favourable conditions such as cloudy or shady conditions, or when temperatures are less than 24°C.

**Do not apply in rainy conditions or if rain is forecast within the next 24 hours.**

Field sprayer application: DO NOT apply during periods of dead calm. Avoid application of this product when winds are gusty.

**DO NOT** apply this product directly to freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs, ditches, and wetlands).

A maximum of one application per season may be made.

A hand-held sprayer with nozzle (e.g., back-pack sprayer, atomizer bottle) that will give a coarse spray is recommended. Provide sufficient agitation during mixing and application to maintain a uniform spray mixture.

Note: Some other species, including grasses and broadleaved plants, may be affected. Do not apply on or near desirable plants such as vegetables or ornamental plants. The effects of Adios Ambros Domestic WSG on turfgrass has not been assessed.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product."

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.