

2016-7456
2017-02-28

Existens Fungicide Rose

Lacto-fermented liquid fungicide

For suppression of powdery mildew and black spot on roses

DOMESTIC

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

GUARANTEE:

Citric Acid..... 10.73 g/L
Lactic Acid..... 21.37 g/L
(present as fermentation products of *Lactobacillus casei* strain *LPT-111*)

WARNING: CONTAINS THE ALLERGEN MILK (whey protein)

REGISTRATION NUMBER: 30933
PEST CONTROL PRODUCTS ACT

CAUTION – SKIN IRRITANT
DANGER – EYE IRRITANT

NET CONTENTS : 200mL - 4 L

Registered by:
AEF GLOBAL Inc.
925 des Calfats
Lévis, QC
G6Y 9E8
(418) 838-4441
Toll free help-line: 1-866-622-3222
www.aefglobal.com

Batch #: 00-000-00
Expiration date: 00/00/00

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DIRECTIONS FOR USE

Shake well before use. Foliar treatment.

Crop	Disease	Rate/ Concentration	Foliar spray volume	Interval of application
Roses	Black spot (<i>Diplocarpon rosae</i>)	1.5 - 2.5% dilution in water solution	Apply until runoff	5 – 10 days
	Powdery mildew (<i>Sphaerotheca pannosa</i>)	1.5 - 2.5% dilution in water solution	Apply until runoff	7 – 10 days

Under conditions of moderate to high disease pressure, use the higher rate and shorter application intervals. For maximum effectiveness, apply Existens Fungicide Rose prior to, or at the early stages of disease development. Apply in sufficient volume to ensure full coverage for effective control. The mix must be applied using an appropriate household sprayer (e.g. hand-held or backpack sprayer). Make sure both leaf sides are treated.

For each litre of foliar spray solution, mix the appropriate volumes of Existens Fungicide Rose and water as follows:

Final spray concentration	Existens Fungicide Rose (mL)	+	Water (mL)
2.5 %	25	+	975
2.4%	24	+	976
1.5%	15	+	985

Begin applications when conditions are conducive to disease development.

Avoid application to reactive metals such as aluminum, tin, iron, or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise interfering with finished metal surfaces.

Note: Follow instructions for mixing and applying this product carefully as this product may cause injury to crops and other plants.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

DO NOT apply by air.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Prolonged skin contact may cause irritation. Direct ocular contact may cause irritation. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically

ENVIRONMENTAL PRECAUTIONS

This product may cause injury to other plants if not mixed and applied properly. Follow instructions for mixing and applying carefully.

To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body

STORAGE

Keep in a cool place, away from the sun rays. After extended storage, shake or stir the product thoroughly to assure a uniform suspension. Keep from freezing. Store in original container out of reach of children.

DISPOSAL/DECONTAMINATION

DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites

PRODUCT USE INFORMATION

1-866-622-3222

WEB SITE

www.aefglobal.com