

2008-1619  
16-Nov-2010



Selective Biological Lawn Weed Killer  
DOMESTIC  
Granular - Live Organisms

4260864 Canada Inc  
104 Rhapsodie, Notre-Dame-de-l'Île-Perrot,  
QC J7V 8P1 Canada  
Consumer Information: 1-800-268-2806

Net Contents: 300g

GUARANTEE: *Sclerotinia minor* strain IMI 344141.....300 colony forming units  
(CFU)/gram. (One product granule is equivalent to one CFU)

REG. NO. 28546 P.C.P. ACT

Date of Manufacture xx-xx-xxxx  
Lot No. xxxxxxxxxxxx

**KEEP OUT OF REACH OF CHILDREN**

**READ THE LABEL BEFORE USING**

**POTENTIAL SENSITIZER**

**WARNING, CONTAINS THE ALLERGEN SOY**

---

**DIRECTIONS FOR USE:** Apply Sarritor Selective Biological Lawn Weed Killer using the attached applicator lid. Remove lid and peel back foil seal before use. For spot application; apply one squeeze of the trigger directly to the crown of each individual weed. Gently shake the can between each use.

Sarritor Selective Biological Lawn Weed Killer is for the top growth suppression of dandelions, white clover, and broadleaf plantain in lawns. Apply when daytime high temperatures are 18-24 °C and rainfall or irrigation occurs within 12 hours of application.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** May cause sensitization. Avoid contact with skin, eyes or clothing. Harmful if inhaled. **DO NOT** breathe dust. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**FIRST AID:**

**IF SWALLOWED:** Rinse mouth and throat with copious amounts of water. Do not induce vomiting.

**IF ON SKIN/CLOTHING:** Take off contaminated clothing. Wash exposed skin with plenty of soap and water.

**IF INHALED:** Move person to fresh air.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water. Remove contact lenses, if present, then continue rinsing eye.

**GENERAL:** Seek medical attention immediately if irritation or signs of toxicity occur and persist or are severe. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**ENVIRONMENTAL HAZARDS:** Harmful to aquatic plants. **DO NOT** apply this product to freshwater habitats (such as lakes, rivers, sloughs, ponds, Prairie potholes, creeks, marshes, streams, reservoirs, ditches and wetlands), estuaries or marine habitats. For the first few weeks after application, direct clippings away from aquatic, estuarine or marine habitats when mowing.

Direct dosing of desirable broadleaf species or aquatic plants should be avoided. Several desirable broadleaf species (ornamentals, vegetables, etc.) and aquatic plants, when brought in direct contact with product, can be damaged. A 3 day post-treatment no mowing period is recommended. In the first few weeks after application, direct clippings away from desirable broadleaf species and ornamental ponds when mowing.

**STORAGE:** This product should be used within 14 days of purchase to ensure effective results. Unused product should be resealed and stored in a cool dark area. Do not store this product near food or feed.

**DISPOSAL:** **DO NOT** reuse the empty container. Dispose of empty container in household garbage. Unused or partially used products should be disposed of at provincially or municipally designated hazardous waste disposal sites.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.