

2021-3764
2022-04-29

This label has been updated according to the re-evaluation decision of lambda-cyhalothrin RVD2021-04. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 29/04/2023 in accordance with the phase out period set out in RVD2021-04. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2021-3764
2022-04-29

Prescription Treatment brand 221L Residual Insecticide Formula 2
Pressurized Product

KILLS:

Ants, Bed Bugs, Bees, Booklice, Centipedes, Cluster Flies, Cockroaches, Crickets, Earwigs, Flies, Flour Beetles, Grain Beetles, Indian Meal Moths, Millipedes, Silverfish, Sow bugs, Spiders, Ticks, Wasps and Yellow Jackets.

FOR USE IN AND AROUND:

Apartments, Daycares, Food storage areas, Food services areas of hospitals, Homes, Hospitals, Laboratories, Meat packing and food processing plants, Nursing Homes, Motels, Resorts, Restaurants and other food handling establishments, Schools, Supermarkets, Transportation equipment (Buses, Boats, Ships, Trains, Trucks, Planes). Utilities, Warehouses, and other Commercial and Industrial Buildings.

COMMERCIAL

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

ACTIVE INGREDIENT:

Lambda Cyhalothrin.....0.05%

KEEP OUT OF REACH OF CHILDREN

**DANGER – EXTREMELY FLAMMABLE
EXPLOSIVE
POISON
SKIN IRRITANT
POTENTIAL SKIN SENSITIZER**

REGISTRATION NUMBER 28485 • PEST CONTROL PRODUCT ACT

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY, INVOLVING THIS PRODUCT,
CALL DAY OR NIGHT 1-800-454-2673.**

Net Contents: 454-595 g (16 – 21 oz.) metal cans

BASF Canada Inc.
5025 Creebank Road,
Building A, 2nd Floor
Mississauga ON L4W 0B6
Tel. No. 1-877-371-2273

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. May irritate skin. Potential skin sensitizer. Avoid contact with skin.

Use in food services areas of schools, daycares, hospitals is permitted only during closed down periods.

Indoor application of the product should be performed when commercial facilities are not in operation.

When applying wear long pants, a long-sleeved shirt, chemical-resistant gloves, socks and chemical resistant boots. During clean-up and repair, also wear safety goggles or a face shield.

DO NOT apply as a space spray.

DO NOT apply as a broadcast or perimeter treatment to indoor residential structures. A residential structure is one where the general public, including children, could be exposed during or after application. Residential structures include, but are not limited to, homes, garages, schools, restaurants, hotels/motels, public buildings or any other structures where the general public, including children may potentially be exposed.

DO NOT apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.

Ventilate treated areas during and after application, either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used."

DO NOT allow spray to drip or allow drift onto non-target surfaces.

Care should be taken to avoid the pesticide exiting the void. Any residue deposits on non-target surfaces must be removed by the applicator.

DO NOT apply to soft surfaces of furniture, mattresses, linens, pet bedding, toys or clothing.

For hard surface furniture, treatments to bed frames, headboards, dressers or other areas (for example, closets) listed on the labels where clothes, toys, towels and other items are stored, apply only to junction points, cracks and crevices and as a spot treatment. Spot treatment is up to 10% of the surface of the treated item. Broadcast and perimeter treatments are not permitted. Remove all objects before treatment. Any residues deposited on non-target surfaces must be removed by the applicator. Treated areas must be dry before replacing stored items.

DO NOT apply when people or pets or livestock are present.

DO NOT allow people or pets or livestock to enter treated areas until sprays have dried.

DO NOT apply when a food/feed processing facility is in operation.

DO NOT apply to surfaces that may come into contact with food/feed.

Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment.

Only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial territorial pesticide regulatory agency where the application occurs.

2021-3764
2022-04-29

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eyes. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention. You may also contact 1-800-225-3320 for emergency medical treatment information.

TOXICOLOGICAL INFORMATION: No specific antidote is available. Treat the patient symptomatically.

Contains petroleum distillates - vomiting may cause aspiration pneumonia.

Skin exposure may cause transient sensations (tingling, burning, itching, numbness).

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms.

This product is toxic to birds and other wildlife. Apply this product only as specified on the label. Spray will damage plant foliage.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 54.4°C may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING SHAKE WELL BEFORE USING

DO NOT apply as a broadcast or perimeter treatment to indoor areas.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

See booklet label for complete Directions for Use.

GENERAL USE RESTRICTIONS

- Use in aircraft cargo areas only. Do not use in aircraft cabins.
- Do not spray on plastic, painted, or varnished surfaces.
- Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.

2021-3764
2022-04-29

- Do not apply to classrooms when in use.
- Do not apply this product in hospital patient rooms while occupied or in any rooms occupied by the elderly or infirm.
- Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.
- Do not apply to institutions (including libraries, sport facilities, etc.) in the immediate area when occupants are present.

How to Apply:

Outdoor Spot	Apply to small areas of exterior surfaces of structures.
Indoor Spot	Spot application is localized to a surface area not more than 0.2 m ² . Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room.
Crack and Crevice (indoor or outdoor)	Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.
Void (outdoors)	Void application applies to inaccessible, enclosed empty spaces of a structure. For example, aerial termite cartridges and subterranean ant nests.
Furniture treatment including but not limited to hard surface furniture such as bed frames, headboards, dressers, cupboards etc.	Spot: Spot application is up to 10% of the surface of the treated item. Crack and crevice: Crack and crevice applications are to junction points on items.

HOW TO USE BASF CRACK AND CREVICE® INJECTION SYSTEM

CRACK & CREVICE TREATMENT: Use Prescription Treatment brand 221L Residual Insecticide Formula 2 with the supplied actuator and injection tubes or System Equipment (Such As System III®). Inject Prescription Treatment Brand 221L Residual Insecticide Formula 2 into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one- second of product. For light infestations move injector tip along cracks while treating at the rate of 0.9 m (3 linear ft)/sec. For heavy infestations move injector tip along at 0.3 m (1 linear ft)/sec. For closed voids calculate the void's cubic area and treat at the rate of 1 – 5 sec/0.085 m³ (3ft³). Several holes may be required in long-running voids. If pest problem persists or reoccurs, treatment must only be repeated after 21 days. Maximum of 4 applications per year.

SPOT TREATMENT: Use Prescription Treatment Brand 221L Residual Insecticide Formula 2 with the supplied actuator and injection tubes or System Equipment (such as System III®.) Hold container upright while spraying. Direct nozzle approximately 30 cm (12 in) from surface to be treated. Apply directly on insects in these locations when possible. However, this product must be used as per the definitions provided in the 'How to Apply' table.

INDOOR TREATMENTS

Apartments, Homes, Hospitals, Hotels, Motels, Nursing Homes, Food storage areas, Food services areas of hospitals, schools, and nursing homes, Meat Packing and Food processing plants, Restaurants, and other food handling establishments, Schools, Supermarkets, Transportation equipment (buses, boats, ships, trains, trucks, planes), Utilities, Warehouses, and other Commercial and Industrial buildings.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store this product away from food or feed.

2021-3764
2022-04-29

Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

DISPOSAL: For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and provincial regulatory agency in case of spill, and for clean up of spills. DO NOT reuse this container for any purpose. This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If there is no container collections site in your area, dispose of empty container in accordance with provincial requirements.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

2021-3764
2022-04-29

**Prescription Treatment brand 221L Residual Insecticide Formula 2
Pressurized Product**

KILLS:

Ants, Bed Bugs, Bees, Booklice, Centipedes, Cluster Flies, Cockroaches, Crickets, Earwigs, Flies, Flour Beetles, Grain Beetles, Indian Meal Moths, Millipedes, Silverfish, Sowbugs, Spiders, Ticks, Wasps and Yellow Jackets.

FOR USE IN AND AROUND:

Apartments, Daycares, Food storage areas, Food services areas of hospitals, Homes, Hospitals, Laboratories, Meat packing and food processing plants, Nursing Homes, Motels, Resorts, Restaurants and other food handling establishments, Schools, Supermarkets, Transportation equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

COMMERCIAL

READ THE LABEL AND THIS BOOKLET BEFORE USING

ACTIVE INGREDIENT:

Lambda-Cyhalothrin.....0.05%

KEEP OUT OF REACH OF CHILDREN

**DANGER – EXTREMELY FLAMMABLE
EXPLOSIVE
POISON
SKIN IRRITANT
POTENTIAL SKIN SENSITIZER**

REGISTRATION NUMBER 28485 • PEST CONTROL PRODUCTS ACT

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY, INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673.

Net Contents: 454-595 g(16-21 oz.) metal cans

BASF Canada Inc.
5025 Creebank Road,
Building A, 2nd Floor
Mississauga ON L4W 0B6
Tel. No. 1-877-371-2273

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. May irritate skin. Potential skin sensitizer. Avoid contact with skin.

Use in food services areas of schools, daycares, hospitals is permitted only during closed down periods.

Indoor application of the product should be performed when commercial facilities are not in operation.

When applying wear long pants, a long-sleeved shirt, chemical-resistant gloves, socks and chemical resistant boots. During clean-up and repair, also wear safety goggles or a face shield.

DO NOT apply as a space spray.

DO NOT apply as a broadcast or perimeter treatment to indoor residential structures. A residential structure is one where the general public, including children, could be exposed during or after application. Residential structures include, but are not limited to, homes, garages, schools, restaurants, hotels/motels, public buildings or any other structures where the general public, including children may potentially be exposed.

DO NOT apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.

Ventilate treated areas during and after application, either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used."

DO NOT allow spray to drip or allow drift onto non-target surfaces.

Care should be taken to avoid the pesticide exiting the void. Any residue deposits on non-target surfaces must be removed by the applicator.

DO NOT apply to soft surfaces of furniture, mattresses, linens, pet bedding, toys or clothing.

For hard surface furniture, treatments to bed frames, headboards, dressers or other areas (for example, closets) listed on the labels where clothes, toys, towels and other items are stored, apply only to junction points, cracks and crevices and as a spot treatment. Spot treatment is up to 10% of the surface of the treated item. Broadcast and perimeter treatments are not permitted. Remove all objects before treatment. Any residues deposited on non-target surfaces must be removed by the applicator. Treated areas must be dry before replacing stored items.

DO NOT apply when people or pets or livestock are present.

DO NOT allow people or pets or livestock to enter treated areas until sprays have dried.

DO NOT apply when a food/feed processing facility is in operation.

DO NOT apply to surfaces that may come into contact with food/feed.

Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment.

Only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial or territorial pesticide regulatory agency where the application occurs.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention. You may also contact 1-800-225-3320 for emergency medical treatment information.

TOXICOLOGICAL INFORMATION: No specific antidote is available. Treat the patient symptomatically.

Contains petroleum distillates - vomiting may cause aspiration pneumonia.

Skin exposure may cause transient sensations (tingling, burning, itching, numbness).

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms.

This product is toxic to birds and other wildlife. Apply this product only as specified on the label. Spray will damage plant foliage.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 54.4°C may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

SHAKE WELL BEFORE USING

DO NOT apply as a broadcast or perimeter treatment to indoor areas.
DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Read entire booklet label before using.

GENERAL USE RESTRICTIONS

- Use in aircraft cargo areas only. Do not use in aircraft cabins.
- Do not spray on plastic, painted, or varnished surfaces.
- Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.
- Do not apply to classrooms when in use.
- Do not apply this product in hospital patient rooms while occupied or in any rooms occupied by the elderly or infirm.
- Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.
- Do not apply to institutions (including libraries, sport facilities, etc.) in the immediate area when occupants are present.

How to Apply:

Outdoor Spot	Apply to small areas of exterior surfaces of structures.
Indoor Spot	Spot application is localized to a surface area not more than 0.2 m ² . Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room.
Crack and Crevice (indoor or outdoor)	Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.
Void (outdoors)	Void application applies to inaccessible, enclosed empty spaces of a structure. For example, aerial termite cartridges and subterranean ant nests.
Furniture treatment including but not limited to hard surface furniture such as bed frames, headboards, dressers, cupboards etc.	Spot: Spot application is up to 10% of the surface of the treated item. Crack and crevice: Crack and crevice applications are to junction points on items.

DIRECTIONS FOR USE

Provides residual control of Ants, Centipedes, Cockroaches, Flies (Cluster, House, Stable), Flour Beetles, Millipedes, Sowbugs, and (on non-porous surfaces) Indian Meal Moth Larvae. If pest problem persists or reoccurs, treatment must only be repeated after 21 days. Maximum of 4 applications per year.

Also kills by direct contact Ants, Bed Bugs, Bees, Booklice, Centipedes, Cockroaches, Crickets, Earwigs, Flies (Cluster, House, Stable), Confused Flour Beetle, Grain Beetles, Indian Meal Moth (Larvae and Adults), Paperwasps, Silverfish, Spiders, Ticks, and Yellowjackets. However, this product must be used as per the definitions provided in the 'How to Apply' table. If pest problem persists or reoccurs, treatment must only be repeated after 21 days. Maximum of 4 applications per year.

CRACK AND CREVICE TREATMENTS

Use Prescription Treatment Brand 221L Residual Insecticide Formula 2 with the supplied actuator and injection tubes or System Equipment (such as System III®). Inject Prescription Treatment Brand 221L Residual Insecticide Formula 2 into cracks and crevices or void spaces where insects may be harbouring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Apply product for one second. For light infestations move injector tip along cracks while treating at the rate of 0.9 m (3 linear ft)/sec. For heavy infestations move injector tip along at 0.3 m (1 linear ft)/ sec. For wall and equipment voids calculate the void's volume and treat at the rate of 1 - 5 sec of spray/0.085 m³ (3 ft³). Several holes may be required in long running voids. . If pest problem persists or reoccurs, treatment must only be repeated after 21 days. Maximum of 4 applications per year. Refer to "How to Apply" table for definition of crack and crevice application.

SPOT TREATMENTS

Use Prescription Treatment Brand 221L Residual Insecticide Formula 2 with the supplied actuator and injection tubes or System Equipment (such as System III®.) Hold container upright while spraying. Direct nozzle approximately 30 cm (12 in) from surface to be treated. Apply a 1 sec spray directly on insects. However, this product must be used as per the definitions provided in the 'How to Apply' table.

COCKROACHES, SPIDERS, EARWIGS, CRICKETS, SOWBUGS, MILLIPEDES,

CENTIPEDES: Apply as a Crack & Crevice treatment using the prescribed dosage into cracks and crevices and void spaces where insects may be harbouring. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewer, floor drains and meter boxes. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

TICKS: Apply as a Crack & Crevice treatment or spot treatment into infested and egg laying sites near pet resting areas including, but not limited to cracks and crevices, behind baseboards, door and window frames. Do not use on pets.

BOOKLICE & SILVERFISH: Apply as a Crack & Crevice treatment into cracks and crevices of baseboards, door frames, bookcases and other harbourage sites. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

BED BUGS: Apply as a Crack & Crevice or spot treatment where evidence of bed bugs occurs. This includes bed frames, inside empty dressers; clothes closets and carpet edges, high and low wall moldings and wallpaper edges. Do not use this product on soft surfaces of furniture, mattresses, box springs, furniture where people will be laying or sitting, pillows, bed linens, clothes, pet bedding, or toys. For hard surface furniture, treatments to bed frames, headboards, dressers or other areas (for example, closets) listed on the labels where clothes, toys, towels and other items are stored, apply only to junction points, cracks and crevices and as a spot treatment. Spot treatment is up to 10% of the surface of the treated item. Broadcast and perimeter treatments are not permitted. Remove all objects before treatment. Any residues deposited on non-target surfaces must be removed by the applicator. Treated areas must be dry before replacing stored items and before contact. **!**

ANTS: Apply as a Crack & Crevice treatment into cracks, crevices and voids where ants may be traveling and/or harbouring, including, but not limited to, around doors, window frames, wall voids and other structural cracks and crevices. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

HIBERNATING STAGES OF FLIES (HOUSE, STABLE, AND CLUSTER): Inject cracks and crevices and/or voids where these insects may be harbouring or hibernating. Infested areas include, but are not limited to, cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

FLOUR BEETLES, GRAIN BEETLES, AND INDIAN MEAL MOTHS: Make Spot and/or Crack and Crevice treatment to localized areas including shelves, cupboards, walls and floors where food products suspected of being infested are stored. Remove or cover food before treatment. This treatment is supplemental to good housekeeping, since it will have no effect on insects within packaging. Infested food packaging should be destroyed.

BEEES, WASPS AND YELLOWJACKETS : Apply directly on insects and their nests from approximately 46 cm (18 in). Contacted insects will fly away. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible. However, this product must be used as per the definitions provided in the 'How to Apply' table.

PERIMETER TREATMENT: For listed crawling insects, apply as a Crack & Crevice Treatment or Spot Treatment into cracks and crevices where insects may enter premises or harbour. Areas to be treated include, but are not limited to, weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors and pipes.

TREATMENT FOR IN-GROUND SERVICE BOXES: Ants, Centipedes, Cockroaches, Crickets, Earwigs, Millipedes, Silverfish, Sowbugs, and Spiders. Use spray actuator to treat open boxes and exposed surfaces. Do not contact any electrical wiring or mechanical parts of meter.

INDOOR TREATMENTS

Apartments, Homes, Hospitals, Hotels, Motels, Nursing Homes, Food storage areas, Food services areas of hospitals, schools, and nursing homes, Meat Packing and Food processing plants, Restaurants, and other food handling establishments, Schools, Supermarkets, Transportation equipment (buses, boats, ships, trains, trucks, planes), Utilities, Warehouses, and other Commercial and Industrial buildings.

For use as a crack and crevice treatment in Residential, Industrial and Commercial Buildings/Structures, and modes of Transport.

Permitted areas of use include, but are not limited to, Residential and Industrial/Commercial Buildings, Homes, Apartments, Hospitals, Daycares, Schools, Nursing Homes, Hotels, Motels, Laboratories, Buses, Greenhouses (Non-Commercial), Stores, Warehouses, Vessels, Railcars, Trucks, Trailers, Aircraft (Cargo and other Non-Cabin areas Only), Restaurants, Livestock/Poultry housing, Pet Kennels, Food Granaries, Food Grain Mills, and Food Manufacturing, Processing and Servicing establishments. Indoor application of the product should be performed when commercial facilities are not in operation.

CRACK AND CREVICE USE RESTRICTIONS:

Use in Food Service Areas of Schools, Daycares, Hospitals, Etc. is permitted only during closed down periods.

For indoor application, . If pest problem persists or reoccurs, treatment must only be repeated after 21 days. Maximum of 4 applications per year

Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room or the treated item.

EXTERIOR TREATMENTS

Use as an Exterior treatment around buildings and other structures such as Houses, Apartments, Laboratories, Greenhouses (Noncommercial), Stores, Warehouses, Schools, Nursing Homes, Hospitals, Restaurants, Hotels, Livestock/Poultry Housing, Pet Kennels, food Granaries, Food Grain Mills, and Food Manufacturing, Processing and Servicing Establishments. See Outdoor Treatments, Perimeter Treatment and 'How to Apply Table' for directions of use.

If pest problem persists or reoccurs, treatment must only be repeated after 21 days.
Maximum of 4 applications per year

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS

Food Handling Establishments are places other than private residences in which food is held, processed, prepared or served.

In Federally inspected meat and poultry plants, the facility must not be in operation when this product is used, regardless of the method of application. In non-Federally inspected facilities, Spot and/or crack and crevice application may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application. Do not apply directly to food. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food, food utensils or food processing surfaces. Food must be covered or removed in areas being treated. Spray should not be applied directly to surfaces or utensils that may come into contact with food. Food contact surfaces and equipment must be cleaned with an effective cleaning compound and rinsed with potable water before using.

For pests listed for residual control and for control by direct contact, this product must be used as per the definitions provided in the 'How to Apply' table. If pest problem persists or reoccurs, treatment must only be repeated after 21 days. Maximum of 4 applications per year.

FOOD AREAS: Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, (boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) is also considered a food area. Apply as a Crack and Crevice Treatment or Spot Treatment directly into cracks, crevices, voids or onto surfaces where insects are resting. Use an injection tube or other BASF equipment capable of delivering a pinstream. Apply to different elements of construction; between equipment and floor; openings leading to hollow spaces in walls, equipment legs and bases; and where insects hide or rest.

FOOD SERVING AREAS (facilities where foods are served, such as dining rooms): Apply as a Crack and Crevice Treatment or Spot Treatment to selective surfaces such as baseboards, under elements of construction, and into crack and crevices. Avoid treating surfaces likely to be contacted by food. Food should be covered or removed in area being treated. Do not apply directly to food or allow applications to contaminate food.

NON-FOOD AREAS: Includes areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling). Apply as a Crack & Crevice Treatment or Spot Treatment to selective surfaces such as baseboards, under elements of construction, into cracks and crevices. Avoid treating surfaces likely to be contacted by food.

OUTDOOR TREATMENTS

FOR ACTIVE AND HIBERNATING STAGES OF BOXELDER BUGS, ELMLEAF BEETLES,

2021-3764
2022-04-29

CLUSTER FLIES AND CLOVER MITES: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas include, but are not limited to, cracks and crevices, behind siding, wall voids, around window and door frames.

SUBTERRANEAN ANTS SUCH AS ARGENTINE ANTS, FIRE ANTS, AND HARVESTER ANTS: To treat nests, inject the nest at 3 - 6 sites at a rate of 5 -10 sec/site. For very large nests [over 30cm(12")dia], increase the number of injection sites. Space injection sites in a circular pattern on the nest surface with one site in the center. To quiet active ants on nest surface, sweep surface with spray from a distance of 30 cm (12"). For best results, apply when temperature is 18 - 29°C, or in early morning or late evening hours. Treat new nests as they appear.

BEEES, WASPS AND YELLOWJACKETS: Apply directly on insects and their nests from approximately 46 cm(18 "). Contacted insects will fly away. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible. However, this product must be used as per the definitions provided in the 'How to Apply' table.

PERIMETER TREATMENT: For crawling insects, apply as a Crack & Crevice Treatment or Spot Treatment into cracks and crevices where insects may enter premises or harbor. Areas to be treated include, but are not limited to, weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors and pipes and landscape timbers. Treatment of infested fences and tree holes is permitted.

TERMITES AND CARPENTER ANTS LIVING INSIDE TREES: Determine the highest and lowest elevation of the colony. Drill holes into colony at highest elevation and inject 5 - 10 sec. Do the same for lowest elevation. Drill intermediate holes every 1.2 m (4 ft) between the upper and lower elevations if required.

AERIAL TERMITE CARTON IN TREES: Drill or punch hole into center of carton. Inject for 5 - 10 sec. If carton is greater than 30 cm (12 in) across, open another injection site. Inject for 5 - 10 sec. Make one additional injection site for each 30 cm (12 in)of carton.

TERMITES AND CARPENTER ANTS IN STUMPS, UTILITY POLES AND FENCES : Treat open holes or drill horizontal holes in a circular pattern where insects are suspected. Inject 2 - 5 sec of product per hole.

TREATMENT FOR IN-GROUND SERVICE BOXES: Ants, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Fire Ants, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders (such as Black Widow and Brown Recluse), and Springtails. Use spray actuator to treat open boxes and exposed surfaces. Do not contact any electrical wiring or mechanical parts of meter.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store this product away from food or feed.

Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

DISPOSAL:

For information on disposal of unused, unwanted product, contact the manufacturer or the

2021-3764
2022-04-29

provincial regulatory agency. Contact the manufacturer and provincial regulatory agency in case of spill, and for clean up of spills. DO NOT reuse this container for any purpose. This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If there is no container collections site in your area, dispose of empty container in accordance with provincial requirements.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

2021-3764
2022-04-29

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.