

2022-0975
2022-03-04

ZAMPRO® Bulk

FOR MANUFACTURING, FORMULATING OR REPACKAGING

SUSPENSION

ACTIVE INGREDIENTS: Ametoctradin..... 300 g/L
Dimethomorph.....225 g/L

Contains 1,2-benzisothiazolin-3-one at 0.0045% and 2-methyl-4-isothiazolin-3-one at 0.0045% as preservatives

Warning, contains the allergen soy

REGISTRATION NO. 31306

PEST CONTROL PRODUCTS ACT

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS
PRODUCT, CALL DAY OR NIGHT 1-800-454-2673**



WARNING

POISON

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

NET CONTENTS: Bulk

BASF Canada Inc.
5025 Creebank Road
Building A, 2nd Floor
Mississauga, Ontario L4W 0B6

(289) 360-1300

ZAMPRO is a registered trade-mark of BASF SE, used with permission by BASF Canada Inc.

DIRECTIONS FOR USE

To be used only in the manufacture of a fungicide which is registered under the *Pest Control Products Act*.

PRECAUTIONS

1. **PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.**
2. Harmful or fatal if swallowed.
3. Avoid contact with eyes, skin and clothing and inhalation of spray mist.
4. Wash exposed areas of skin thoroughly after handling and before eating, drinking or smoking.
5. If clothing becomes contaminated, remove and wash separately from household laundry before reuse.
6. Do not contaminate food, feed or water supplies.
7. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

2022-0975
2022-03-04

TOXICOLOGICAL INFORMATION

There is no specific antidote. Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS

TOXIC to aquatic organisms.

STORAGE

1. Store in original container in a well ventilated, cool, dry and secure area. Protect from freezing.
2. Do not ship or store the product near food, feed, seed and fertilizers.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and cleanup of spills, contact the manufacturer or the provincial regulatory agency.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.