

2018-02-14  
2017-2940

## **S-Metolachlor CS 51 Manufacturing Concentrate**

HERBICIDE

MICROCAPSULE SUSPENSION

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

### **ACTIVE INGREDIENT:**

S-metolachlor\* ..... 51% (nominal)

\* and R-enantiomer

Contains 1,2-benzisothiazolin-3-one at 0.015% as a preservative or contains 5-chloro-2-methyl-4-isothiazolin-3-one at 0.002%, 2-methyl-4-isothiazolin-3-one at 0.0007%, and 2-bromo-2-nitro-1,3-propanediol at 0.039%.

**READ THE LABEL BEFORE USING  
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL**

REGISTRATION NO.: **30452**  
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **1 L - Bulk**

**Syngenta Canada Inc.**  
140 Research Lane, Research Park  
Guelph, Ontario  
N1G 4Z3  
Telephone: (519) 836-5665

## NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

## FIRST AID

**IN CASE OF POISONING**, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**If swallowed**, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**If on skin or clothing**, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

## TOXICOLOGICAL INFORMATION

No specific antidote is available. Apply symptomatic therapy.

## PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

Strictly observe all precautions for handling and using pesticides. Do not contaminate food, feed or water supplies.

## STORAGE

Store in original container in a well-ventilated, cool, dry, and secure area. Ship and store away from food, feed or seed.

## DECONTAMINATION AND DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING,  
CALL 1-800-327-8633 (FASTMED)***

**DIRECTIONS FOR USE**

To be used only in the manufacture of a product which is registered under the *PEST CONTROL PRODUCTS ACT*.