

## SERGEANT'S PRETECT SQUEEZE-ON FLEA CONTROL FOR CATS AND KITTENS

### Kills/Sterilizes Flea Eggs

- Breaks The Flea Life Cycle
- Prevents Flea Reinfestation for up to 3 months.
- Each Application protects for up to 3 months
- Kills/Sterilizes Flea Eggs for Three Months (per application)
- Prevents Flea Eggs from Developing into Biting, Breeding Adults for up to Three Months (per application)
- Prevents Fleas on Treated Cats from Infesting (Reinfesting) Your Home for up to Three Months (per application)
- Easy to Apply Squeeze-On Formulation
- Easy to Apply

A Topical Flea Treatment Protecting for up to Three Months

FOR USE ON CATS AND KITTENS OVER 12 WEEKS OF AGE

FOR USE ONLY ON CATS AND KITTENS

DO NOT USE ON OTHER ANIMALS

DOMESTIC

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DANGER EYE IRRITANT

ACTIVE INGREDIENT: Pyriproxyfen 2.2%

REG. NO. 28610 P.C.P. ACT

NET CONTENTS: (1 to 6) 1.5 mL applicator tubes

Rolf C. Hagen Inc.  
20500 Trans-Canada Hwy  
Baie-d'Urfé, QC H9X 0A2  
CANADA  
514-457-0914

Sergeant's PreTect Squeeze-On Flea Control for Cats and Kittens is an effective easy to use product. This product prevents eggs from fleas on treated cats from developing into biting adults for up to three months. As with all flea control products, Sergeant's PreTect Squeeze-On Flea Control for Cats and Kittens should be used as a part of a program aimed at reducing flea populations in the pet's environment (bedding, carpet). For existing flea infestations, a premise treatment including an adulticide and larvicide should be used prior to treating your pet with Sergeant's PreTect Squeeze-On Flea Control for Cats and Kittens.

**PRECAUTIONS:**

**PHYSICAL AND CHEMICAL HAZARDS:** Flammable liquid. Do not store near heat or open flame.

**HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Severely irritating to the eyes. DO NOT get in eyes. Avoid contact with clothing. Wear rubber gloves when handling. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with pets until dry.

**PETS:** For external use only. Do not use on cats or kittens under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, pregnant, or nursing animals. If signs continue, consult a veterinarian immediately. Care should be taken to prevent exposure of other pets who may be in close physical contact with the treated animal. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.

**Side Effects:** Monitor your cat after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting, or loss of appetite may also occur. If these or other side effects occur, consult your veterinarian or Rolf C. Hagen Inc. at 1-800-554-2436.

**FIRST AID:**

**HUMANS: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or a physician for treatment advice. **If swallowed, DO NOT INDUCE VOMITING.** Have person sip a glass of water if able to swallow. Contact a poison control centre or a physician IMMEDIATELY. **If on skin,** wash off with soap and water. Take container, label or product name and Pest Control Products Registration Number with you when seeking medical attention.

**PETS:** If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Take container, label or product name and Pest Control Products Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**DISPOSAL:** Do not reuse empty tube. Wrap empty tube in newspaper and dispose in household garbage.

**DIRECTIONS FOR USE:** This product contains pyriproxyfen. Do not apply another pest control product such as a shampoo, collar, or powder that contains pyriproxyfen to the treated animal after applying Sergeant's Protect Squeeze-On Flea Control For Cats And Kittens.

Do NOT administer by mouth.

FOR USE ON CATS AND KITTENS OVER 12 WEEKS OF AGE. Do NOT use on cats or kittens under 12 weeks of age. DO NOT USE ON OTHER ANIMALS. Treatment must only be repeated if pest problem reoccurs.

This product is packaged in single dosage tubes. Apply one 1.5 mL tube to cats and kittens over 12 weeks of age. Do not apply at a rate higher than the recommended dosage. For continual pest control in situations where there is an ongoing risk of pest infestation, repeat application in 3 months (90 days) for cats and kittens 4 kg or less in weight, and repeat application in 2.5 months (75 days) for cats over 4 kg in weight. Do not apply at a rate higher than the recommended dosage. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

For effective flea control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required.

RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.

**FOR SARAN TUBES IN BLISTER CARD:** This package contains individual tubes at 1.5 mL dosages. Remove product tube from package. Holding tube with notched end pointing up and away from face and body, cut off narrow end at notches. Invert tube over pet and use open end to part cat's (pet's) hair. Apply contents of one tube of Sergeant's PreTect Squeeze-On Flea Control for Cats and Kittens solution as a spot or stripe, starting high on the back of the cat's neck behind its head. Wrap tube and put in trash. Repeat application in 3 months (90 days) for cats and kittens 4 kg or less in weight, and repeat application in 2.5 months (75 days) for cats over 4 kg in weight Do not apply at a rate higher than the recommended dosage. Treatment must only be repeated if pest problem reoccurs.

**BLISTER CARD WITH TRI-LAYER TUBES:** This package contains individual tubes molded into plastic holder. Remove product tube(s) from package. Fold along perforation between tubes and tear off one tube. Return unused tubes to package. Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches. Invert tube over pet and use open end to part pet's hair. Squeeze tube firmly to apply contents of one tube of Sergeant's PreTect Squeeze-On Flea Control for Cats and Kittens solution as a spot or stripe, starting high on the back of the cat's neck behind its head. Wrap tube and put in trash. Repeat application in 3 months (90 days) for cats and kittens 4 kg or less in weight, and repeat application in 2.5 months (75 days) for cats over 4 kg in weight Do not apply at a rate higher

than the recommended dosage. Treatment must only be repeated if pest problem reoccurs.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

**TUBE LABEL**

Sergeant's PreTect Squeeze-On Flea Control for Cats and Kittens

DOMESTIC

READ THE PACKAGE LABEL BEFORE USING

FOR USE ONLY ON CATS AND KITTENS

KEEP OUT OF THE REACH OF CHILDREN

DANGER – EYE IRRITANT

**ACTIVE INGREDIENT:** Pyriproxyfen 2.2%

REG. NO. 28610 P.C.P. ACT

NET CONTENTS: (1 to 6) 1.5 mL applicator tubes

**Rolf C. Hagen Inc.**