

KNOCK DOWN
Crawling Insect Killer II

PRESSURIZED CONTACT SPRAY
DOMESTIC

Kills Ants, Cockroaches, Earwigs, Spiders, Sowbugs, Silverfish, Dog and Cat Fleas,
Brown Dog Ticks, House Flies,

GUARANTEE:
Permethrin

0.25%

REG. NO 29632 P.C.P. ACT

NET CONTENTS g

CAUTION

EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

KUUS INC. Value added Family products™.
450 TAPSCOTT RD UNIT 5-6A

Toronto, ON M1B 1Y4

1-800-267-0455

Proudly made in Canada

www.knockdownbugs.com , www.mosquitoshield.com

Manufacturers of Mosquito Shield Insect Repellents

Optional Symbols:

-
-
- Shake well - water based
- All angle 360 degree spray action
- Custom cap with holder for extension tube
- Crack and crevice treatment
- Kills when ants crawl on treated surfaces

DIRECTIONS FOR USE:

CONTINUOUS COCKROACH KILLING ACTION FOR 60 DAYS

For use as a spot or crack and crevice treatment to control insects listed on front panel

GENERAL DIRECTIONS: SHAKE CAN WELL BEFORE USING. Test a small inconspicuous area of the surface to be treated for color fastness and staining before full application. Do not apply to draperies, wallpaper or similar materials that may be stained. Hold container approximately 30 cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vaporize into cracks and crevices for insect control. If re-infestation occurs, repeat applications as necessary. Unpainted or unsealed concrete surfaces may require repeated application after two weeks if necessary. Provide adequate ventilation after indoor use
KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.

USE:

Thoroughly treat cracks, crevices and spots along and behind baseboards, underneath furniture and equipment, around garbage containers, localized areas of floors and floor coverings and other places where insects hide or are seen.

Spot treatment for house Flies: Spray spots on surfaces of screen frame, doors, window frames, foundations, patios, light fixtures and other places where insects may alight or congregate and enter. The insect, will be killed when they land and crawl on the treated surfaces. **Crawling insects:** Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. **Spray Ant trails,** around door sills, window frames, or in ant nests. Do not use in food storage areas or on surfaces that may contain food. **To Control Fleas & Brown Dog Ticks:** Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor covering where these pests may be present. Remove old bedding after treatment. Insects must be contacted to be killed.

A light spray kills pests effectively.

Insects must be contacted by spray to be killed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, Do not use as a space spray. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50 °C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying. After use, wash all surfaces that may contact food. Avoid contact with skin, eyes, clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. DO not use on Maiden hair ferns.

DISPOSAL: When container is empty, press button to release all pressure then wrap container and dispose in household garbage. Do not puncture or incinerate.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label, or product name and PCP registration number with you when seeking medical attention

TOXICOLOGICAL INFORMATION: Treat symptomatically.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.