

2023-1182

2023-12-15

This label has been updated according to the re-evaluation decision of Corn Gluten Meal RVD2023-02. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 01-16-2025 in accordance with the phase out period set out in the re-evaluation decision of Corn Gluten Meal RVD2023-02. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-1182

2023-12-15



Prairie Gold™ Corn Gluten Meal C

Granular

(pre-emergent weed seed germinator inhibitor with corn gluten)

For the inhibition of dandelion and large crabgrass seed germination in public areas such as sports fields, parks, golf areas and sod farms where established Kentucky bluegrass is predominant.

COMMERCIAL

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: Corn Gluten Meal 99.7%

Contains calcium propionate at 0.3% as a preservative

REG. NO. 29640 P.C.P. ACT

CAUTION EYE IRRITANT

POTENTIAL SENSITIZER

NET CONTENTS: 20 Kg

Ingredion Canada Corporation

1600 – 90 Burnhamthorpe Road West

Mississauga, ON

L5B 0H9

Warning, contains the allergen sulfites

Prairie Gold™ Corn Gluten Meal C inhibits the germination of large crabgrass and dandelion in public areas where the predominant grass species is established Kentucky bluegrass.

2023-1182

2023-12-15

Application Rate:

SPRING APPLICATION:

Apply to established Kentucky bluegrass turf in early spring application before weed seed germination at a rate of 9.7 kg/100 m² (20lbs. /1000ft²).

SUMMER APPLICATION:

Apply to established Kentucky bluegrass turf in summer before weed seed germination at a rate of 9.7 kg/100 m² (20lbs. /1000ft²).

FALL APPLICATION:

Apply to established Kentucky bluegrass turf in fall before weed seed germination at a rate of 9.7 kg/100 m² (20lbs. /1000ft²).

DIRECTIONS FOR USE:

1. Measure the area to be applied by taking the length multiplied by the width of the total area in metres. One normal step is approximately one metre. Measure the size of any buildings, swimming pool or driveway in the same manner and subtract this amount from the total area. The remaining total will represent the grass area to be treated.
2. Apply Prairie Gold™ Corn Gluten Meal C (pre-emergent weed seed germinator inhibitor) in a criss-cross pattern. Use one half the rate in each direction. Apply when soil is moist and when rain is forecasted within 2 days of treatment. If rainfall does not occur within 2 days of treatment, irrigation is required. Excessive moisture at time of treatment may reduce the effectiveness of the product.
3. Apply Prairie Gold™ Corn Gluten Meal C using a rotary spreader for large areas. For smaller areas, apply Prairie Gold™ Corn Gluten Meal C (pre-emergent weed seed germinator inhibitor) using a small hand spreader.

Prairie Gold™ Corn Gluten Meal C (pre-emergent weed seed germinator inhibitor) must not be applied to newly seeded grass until after the first mowing when the root systems are established, since the product inhibits seeds from germinating. For best results: Apply to established Kentucky bluegrass turf three times a year; once in the early spring, once in summer and once in fall.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May cause sensitization. Prairie Gold™ Corn Gluten Meal C (pre-emergent weed seed germinator inhibitor) should not be applied if a member of the household has a sensitivity or allergy to corn.

Avoid contact with skin, eyes or clothing.

Avoid inhaling dusts.

Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, protective eyewear (goggles or face shield), and a NIOSH-approved N95 (minimum) filtering facepiece respirator (dust mask) when handling, mixing/loading or applying the product, and during all clean-up/repair activities.

Keep pets off the treated area until a thorough watering or rainfall moves the applied product into the thatch layer.

NOTE: Do not apply the product on newly seeded grass as it may inhibit seeds from germinating, wait until after first mowing when root systems are established. Do not apply if allergic to corn. Do not apply the product in any season in which over seeding is being carried out as the grass seed may not germinate.

2023-1182
2023-12-15

FIRST AID:

IF SWALLOWED:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN/CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED:

Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Take the container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically

DISPOSAL:

1. Follow provincial instruction for any required additional cleaning of the container prior to its disposal
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements
4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE:

Store this product away from food or feed

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.