

2014-1141  
2014-04-09

**Doktor Doom  
Maximum Strength  
Bed Bug Killer  
Travel Size**

PRESSURIZED CONTACT & RESIDUAL SPRAY

NO CFC'S

DOMESTIC

Kills Bed Bugs

GUARANTEE:  
Permethrin 0.25%

REG. NO. 30874

P.C.P. ACT

NET CONTENTS: 75-775 grams

CAUTION EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

753146 AB Ltd. o/a UltraSol Industries\*  
10755-69 Avenue  
Edmonton, Alberta, Canada  
T6H 2C9  
1-780-432-6535

\*100% Canadian Owned and Operated

For use as a spot or crack and crevice treatment to control bed bugs.

**DIRECTIONS FOR USE:** SHAKE WELL BEFORE USING. This product has a special valve that sprays in all directions, even upside down, for hard to reach areas during crack and crevice surface.

**GENERAL DIRECTIONS:** Test a small inconspicuous area of the surface to be treated for colour fastness & staining before full application. Do not apply to draperies, wallpaper or similar materials that may be stained. Hold container approximately 30 cm from surface being sprayed and spray until thoroughly wet but not until run-off. Thorough applications produce a coating which will vaporize into cracks and crevices for insect control. If reinfestation occurs, repeat application as necessary. Unpainted or unsealed concrete surfaces may require repeated application after two weeks if necessary. Provide adequate ventilation after indoor use. **KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.** Do not use as a space spray.

**Bed Bugs:** Apply spray directly into cracks and crevices where these pests are found or may hide along and behind baseboards, moldings and floors underneath objects (e.g., floors underneath bed and nightstand). Apply directly to the insect if possible. Do not apply to the mattress, headboard, footboard or other furniture. Do not use in food storage areas or on surfaces that may contain food.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Do not use as a space spray. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying. After use, wash all surfaces that may contact food. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash after using. Keep from freezing.

**DISPOSAL:** When container is empty, press button to release all pressure then dispose in household garbage. Do not puncture or incinerate.

**FIRST AID: IF SWALLOWED,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**IF INHALED,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**IF IN EYES,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.