

2013-0399
2013-08-22

Principal Panel

BROMINE TABS

BROMINATING TABLETS

CONTROLS BACTERIA & ALGAE IN SWIMMING POOL WATERS

DOMESTIC

GUARANTEE:

AVAILABLE BROMINE..... 64%

AVAILABLE CHLORINE..... 28%

Both present as 1-Bromo-3-Chloro-5.5 Dimethyl Hydantoin and Related Hydantoins

REG. NO. 31086 P.C.P. ACT

WARNING

POISON CORROSIVE

DANGER- CORROSIVE TO EYES AND SKIN. POTENTIAL SKIN SENSITIZER.

DANGEROUS GAS FORMED WHEN MIXED WITH ACID.

KEEP OUT OF REACH OF CHILDREN.

READ THE LABEL BEFORE USING

NET CONTENTS: 6 kg

Tablet Weight: 20 g

Capo Industries Ltd., 1200 Corporate Drive, Burlington, Ontario L7L 5R6

1-800-263-8250

Secondary Panel

BROMINE TABLETS

Bromine tablets, when used as directed, are effective as a swimming pool water sanitizer.

DIRECTIONS FOR USE: Weight per tablet - 20 g

WARNING: Direct tablet contact may cause bleaching of vinyl or painted pool surfaces.

Automatic feeding devices employing these tablets must be totally free from traces of other pool sanitizers to avoid the probability of an explosion.

1. Maintain recommended daily levels as determined by testing kit.

Free available bromine: 2.0-4.0 ppm Total Alkalinity: 100-150 ppm

pH: 7.2-7.8

Calcium Hardness: 150-300 ppm

2. If using an automatic feeding device, fill the chamber(s) with tablets and adjust flow rate, according to the manufacturer's recommendations to maintain proper bromine residual. Adding tablets to the pool's skimmer basket is an alternative bromine feed method. Daily usage should approximate 25 g of bromine tablets per 10,000 L of water. **NOTE:** Heavy pool usage, hot weather, and rain may require higher usage rates to maintain proper bromine residuals.

3. Do not swim in the water if the residual is above 5.0 ppm.

4. Periodic superchlorination of pool water is recommended. Follow label instructions of superchlorination product being employed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. IRRITANT. POTENTIAL SKIN SENSITIZER. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Strong oxidizing agent. May cause fire or explosion if contaminated. Corrosive to eyes and skin. Causes eye damage and skin burns. Dust may be harmful or fatal if inhaled. May be harmful or fatal if swallowed. Do not get in eyes, on skin or clothing. It is recommended to wear rubber gloves and goggles when handling the product. Do not swallow. Avoid breathing dust.

FIRST AID: IF swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Keep container closed and store in a cool, dry location.

ENVIRONMENTAL HAZARD: This product is toxic to fish. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposing of wastes.

DISPOSAL: Rinse container thoroughly before discarding. Do not re-use. Offer for recycle if available. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill, and for clean-up of spills.