

2024-0634  
2024-02-22

Onguard BEDBUG KILLER

*PRESSURIZED SPACE, CRACK & CREVICE, SPOT TREATMENT & CONTACT SPRAY*

DOMESTIC

ACTIVE INGREDIENT:

D-Phenothrin..... 0.20%  
Tetramethrin..... 0.20%

REG. NO. 31515 P.C.P. ACT

NET CONTENTS: 100-600 g

CAUTION

EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

UR-CAN INC.

**PO Box 20069 Brant Hills  
Burlington, ON L7P 0A4  
(888)-484-3213**

2024-0634

2024-02-22

**DIRECTIONS FOR USE:** SHAKE WELL BEFORE USING. Do not use in food handling, storage or preparation areas while food is present. [Hold can upright while spraying.] Hold container with nozzle aimed away from you. Depress valve and spray lightly from a distance of 20-25cm (8 to 10 inches) . Use extension tube/wand/applicator for tight to reach places. Always test an area before spraying. Spray in an inconspicuous area to test for possible staining or discoloration. Evaluate test area after drying. **DO NOT** treat bed linens. **DO NOT** treat clothing. **DO NOT** use articles until treatment is dry.

**BED BUGS:**

Before treatment, remove all bedding and thoroughly vacuum and air out mattresses and box springs. Treat mattresses, box springs, bed frames, and headboards, especially tufts, folds and edges of the mattress. Allow treatment to dry before remaking bed with freshly washed bedding.

**DO NOT** apply as a broadcast application. **ONLY** perimeter/spot or crack and crevice is permitted. Perimeter/spot application is defined as an application in a wide band or strip around the perimeter of the room or over a small area (< 2 ft<sup>2</sup>/0.2 m<sup>2</sup>). Crack and crevice applications are defined as an application with the use of a pin stream nozzle, into cracks and crevices in which pests hide or through which they may enter a building. Application to upholstered furniture must be limited to tufts and seams or spot treatment.

**PRECAUTIONS:**

**KEEP OUT OF REACH OF CHILDREN.** Harmful if swallowed or absorbed through skin.

Contains petroleum distillate. Do not breathe vapours or spray mist. Avoid contact with skin or eyes. Wash hands with soap and warm water after use. **DO NOT SPRAY PETS OR OTHER ANIMALS WITH THIS PRODUCT.** Avoid contamination of foodstuffs. Do not use in commercial food processing or preparation areas. In the home, all processing surfaces and utensils should be covered during treatment, or thoroughly washed and rinsed before use. Remove or cover exposed food. Remove all pets and birds and cover fish aquariums before spraying. Vacate room for at least 15 minutes after spraying, and aerate before re-entering. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 50°C may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on MaidenHair Ferns. Do not use on vegetable crops.

**FIRST AID:**

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give a liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove Contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically. Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

2024-0634

2024-02-22

**STORAGE:** Store in a cool dry area away from heat or open flame.

**DISPOSAL:** Do not use empty container. When container is empty, press button to release all pressure. Wrap container in several layers of newspaper and discard in household garbage. Do not puncture or incinerate.

**ENVIRONMENTAL HAZARD:** Toxic to aquatic organisms.