POWERSHOT

TOTAL RELEASE FUMIGATOR

PRESSURIZED SPRAY

FUMIGATOR-EXTERMINATOR INSECTICIDE

DOMESTIC

lock valve down for CONTINUOUS SPRAYING or depress valve down for MANUAL SPRAYING

KILLS: Flies, Mosquitoes, Small Flying Moths, Wasps, Gnats, Cockroaches, Ants, Fleas, Ticks, Crickets, Spiders, Silverfish, Bed Bugs and Two-Spotted Spider Mites.

GUARANTEE: Pyrethrins 0.4%

Piperonyl Butoxide 2.0%

REGISTRATION NO. 31123 PEST CONTROL PRODUCTS ACT

NET CONTENTS 50g, 70g, 150g, 400 g, 450g

DANGER





EXTREMELY FLAMMABLE

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

DCG Vision Marketing & Sales International Ltd. 222 Worthington Street West North Bay, Ontario Canada, P1B 3B4 705-476-8648

(RECYCLING LOGO) (NO CFC LOGO) (ALL ANGLE SPRAY SYMBOL) **DIRECTIONS FOR USE**: Remove pets, birds and fish bowls. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. **Put out all flames and pilot lights**. Do not spray near or over furniture, plastic, painted or varnished surface. Equipment or furniture should be covered. Close doors and windows. Point valve opening away from face and eyes when releasing.

TO OPERATE VALVE: Product can be used manually or valve can be locked in open position for total release. To lock valve in open position for automatic discharge, depress valve lever down firmly until it clicks and stays depressed. For best results, first spray distant rooms manually spraying towards ceiling. Four to six seconds is ample for average room 3mx3mx3m (10ftx10ftx10ft). Also spray into cracks and crevices.

Place can on stand or table in centre of unobstructed area, then lock valve down. Leave area at once and keep closed for 2 hours before airing out. When finished, open all windows and doors and ventilate for 30 minutes.

BED BUGS: To kill bed bugs, spray mattress lightly, particularly around seams and tufts. Take beds apart, spray bed frame and springs including all joints. Also, spray into crack, crevices and other areas where the bed bugs may hide.

Repeat spraying in two weeks or when necessary. This product will kill exposed insects only and has no residual activity.

APPLICATION RATES:

Net Contents	1 can treats
50 grams	37.5 m ³ (1324.2 ft ³)
70 grams	52.5 m ³ (1854.0 ft ³)
150 grams	112.5 m ³ (3972.9 ft ³)
400 grams	300 m ³ (10,594.3 ft ³)
450 grams	337.5 m ³ (11,918.7 ft ³)

CAUTION: Do not use in food storage handling, or service establishment as a total release bomb with valve locked open.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not use in presence of open flame or spark. CONTENTS UNDER PRESSURE. Container may explode if heated. Do not expose to temperature above 50°C (122°F). Do not puncture or incinerate. Harmful if swallowed. Avoid breathing of vapor. Avoid contact with skin or eyes. Do not remain in treated areas. Food should be removed or covered during treatment.

All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

STORAGE: Keep product in cool and dry place, away from open flames and heat sources.

DISPOSAL: When container is empty, press button to release all pressure then dispose in household garbage. This container may be recycled in communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE OR INCINERATE). If recycling is not available, contact your municipality or provincial Ministry of Environment for disposal information.

FIRST AID:

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **IF IN EYES**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains a petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

ENVIRONMENTAL HAZARDS: This product contains a petroleum distillate that is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of the product.