

2022-4753
2023-02-16

Kop-Coat, Inc.

WOODLIFE® 111 WATER REPELLENT WOOD PRESERVATIVE SOLUTION

COMMERCIAL - FOR INDUSTRIAL USE ONLY

**Preserves Wood • Stops Rot and Decay
Prevents Fungi and Molds on Wood • Clear • Paintable**

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

**WARNING- Skin Irritant
See side panel for additional precautionary statements.**

ACTIVE INGREDIENT:

3-Iodo-2-Propynyl Butyl Carbamate.....	0.21%
Tebuconazole.....	0.21%
Propiconazole.....	0.21%

This product contains petroleum distillates (mineral spirits). See side panel for first aid and additional precautionary statements.

REGISTRATION No. 30584 PEST CONTROL PRODUCT ACT

Kop-Coat, Inc.
Protection Products Division
5137 Southwest Avenue,
St. Louis, MO 63110 USA
(314)772-2200

Kop-Coat Inc.
3040 William Pitt Way
Pittsburgh, PA 15238 USA
412-826-3323

NET CONTENTS: _____(LITRES)

2022-4753
2023-02-16

FOR INDUSTRIAL USE ONLY DO NOT DILUTE

DIRECTIONS FOR USE

This preservative is recognized as effective for aboveground use, and not recommended for ground contact. Woodlife 111® Water Repellent Wood Preservative is intended for use on new lumber and plywood to be used for millwork, joinery and similar types of wood products.

This clear oil solution has been developed for the protection of wood against fungus growths which cause rot and stain. It also contains water repellents to aid in the control of shrinking, swelling, end checking, grain raising and warping.

For best results, this product should be applied so as to effect maximum penetration into the wood and heavy absorption especially at joints and wherever end grain exists. A three minute immersion period is recommended for millwork. For other open tank treatments, complete immersion of the wood in the solution is generally recommended for five minutes per inch of thickness. For the control of dimensional changes, shrinkage and swelling, the treatment of the end grain is most important since the moisture pickup there is a hundred to a thousand times greater than at the flat or edge grain surface for many species of wood.

Apply by brush application on the joinery wood end cuts to ensure complete coverage of the product. All wood should be normally dry and the framing or cutting completed before application of this product.

The Woodlife 111® Water Repellent Wood Preservative treated wood should be at least 60% dry when used in contact with adhesives. It is recommended to run tests before using a specific adhesive.

Target retention rate: 0.55 kg of total active ingredients/m³ of wood.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT discharge effluents containing this product into sewer systems, lakes, streams, ponds, estuaries or other waters. As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

ESTIMATED COVERAGE: 19 – 38 L per 305 board metres (5 to 10 gallons per thousand board feet) for open tank treatment. 18.6 m² per 3.78L (200 square feet per gallon) for brush application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store this product in its originally labeled container in a storage area located in a cool place. Keep container and freshly treated articles away from high temperature areas, sparks, fire or open flame. To prevent contamination store this product away from food and feed.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make empty container unsuitable for further use.
4. Dispose of container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

For recyclable containers:

DO NOT reuse this container for any other purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Dispose of the rinsings in accordance with provincial requirements.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

2022-4753
2023-02-16

For information on disposal of unused, unwanted product, or in the case of a spill or spill clean-up, contact the manufacturer or the provincial regulatory agency.

For returnable containers:

DO NOT reuse this container for any other purpose. This empty container may be returned to the point of purchase (distributor/dealer) for disposal.

For information on disposal of unused, unwanted product, or in the case of a spill or spill clean-up, contact the manufacturer or provincial regulatory agency.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Causes skin irritation. Do not get on skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

- Wear chemical-resistant coveralls over long-sleeved shirt and long pants, chemical resistant gloves, goggles or face shield, socks, and chemical-resistant footwear when handling the concentrate or during mixing/loading, clean-up, maintenance and repair activities.
- Use a NIOSH-respirator if the area is not well ventilated or if airborne exposure levels are above the occupational exposure limit(s), as determined by air sampling.
- Use a NIOSH-respirator during clean-up, maintenance and repair activities when working in/on application equipment or if airborne material (e.g. dust, mist/spray) may be generated when working in the treatment area.
- Use a NOISH-respirator when opening pressure treatment cylinder doors.
- When handling freshly treated lumber, handling treated lumber that has not fully dried, or if there is a potential for getting wet by the treating solution during other activities in the sawmill, wear chemical-resistant coveralls or a chemical-resistant apron over long-sleeved shirt and long pants, chemical-resistant gloves, socks and chemical-resistant footwear.
- When working in the application area, wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and boots. Wear goggles or face shield if there is a possibility of splashing.
- Once dry, the treated wood can be handled with cotton or leather gloves.
- Wash hands and face before eating, drinking, smoking and using the toilet. Change clothes daily. Wash contaminated clothing separately from household laundry. Not for use or storage in or around the home. Clean contaminated equipment thoroughly prior to making welding repairs.

Do not use on wood or wood products that may result in prolonged human contact such as decks, railings, etc.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

ENVIORNMENTAL PRECAUTIONS:

- I. This product contains active ingredients and aromatic petroleum distillates which are toxic to aquatic organisms.

II. DIRECTIONS FOR USE:

Do NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

This product is **TOXIC** to aquatic organisms. It is not to be used in circumstances that would cause or allow it to

2022-4753
2023-02-16

enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product.

Dip tanks and drip aprons must be roofed, paved and drained to prevent dilution and loss of treatment solution.

Store treated lumber on a roofed drip pad until dripping has ceased. Slope lumber on the drip pad to expedite and to ensure that no puddles remain on the surface of the wood. Manage drippage and other related wastes to prevent release in the environment.

DO NOT expose treated lumber to rains immediately after treatment.

For further information on storage, handling, and disposal of treated wood, contact the manufacturer of this product or the provincial regulatory agency.

III. STORAGE:

To prevent contamination store this product away from food or feed.

IV. DISPOSAL:

For recyclable containers:

DO NOT reuse this container for any other purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple-or pressure-rinse the empty container. Dispose of the rinsings in accordance with provincial requirements.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, or in the case of a spill or spill clean-up, contact the manufacturer or the provincial regulatory agency.

TOXICOLOGICAL INFORMATION: Contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

MEDICAL EMERGENCIES: 800-548-0489

ENVIRONMENTAL HAZARDS

Toxic to aquatic organisms and non-target terrestrial plants.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use, or store near heat or open flame.

IN CASE OF FIRE: Use dry chemicals, foam, water, fog, or CO₂. Cool closed containers with water.

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks

2022-4753

2023-02-16

of use or handling of this material not in strict accordance with the directions given herewith which are beyond the control of the seller, such as, for example, incompatibility with other products and the manner of its use of application. NO OTHER EXPRESSED OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE. The exclusive remedy of the buyer, and the limit of liability of this company or any other seller for any and all losses, injuries or damages resulting from the use of handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.