

**NORTH 49
MOSQUITO COILS**

DOMESTIC

Each Coil Burns for 6 Hours

GUARANTEE:

d-cis trans Allethrin 0.25 %

Warning, contains the allergen wheat.

REG. NO. 27866 P.C.P. ACT

**KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING**

Net Contents: Package containing 10 coils with 1 metal holder - Each Coil weighs approximately 12 grams.

World Famous Sales of Canada Inc.
333 Confederation Parkway
Concord, ON
L4K 4S1
(905) 738-4777

DIRECTIONS FOR USE: Use stand as a holder for the coil. Pull the center piece to an upright position. Loosen outer rings of coil until ends move freely. Grasp each "comma-shaped" portion in the center between thumb and forefinger of each hand. Separate the comma-shaped portions by gently pressing them in opposite directions 5 millimeters apart. Hold one comma-shaped end and shake lightly or gently pry apart to separate coils. Insert tip of coil stand into slot in comma-shaped end of coil. Light outer end of coil until glowing. Blow out any flame and allow to smolder. Place coils 2-3 m (6-10 ft) apart around area to be protected. Use outdoors.

For best results, do not use in wind. Areas such as backyards, patios, decks, etc. which are protected or sheltered from wind are more easily protected by coils. In light winds, place coils upwind where possible to make use of associated drift. If shorter periods of use are desired, break coil into appropriate lengths and place in notched cut-out of holder. One coil will burn for approximately 6 hours.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Cover exposed food. Avoid prolonged inhalation of smoke. Do not touch lit end. Do not place on flammable surfaces. After using, wash hands with soap and water.

FIRST AID: If contact with coil on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE AND DISPOSAL: Store in a cool, dry place in original container. Do not reuse empty container. Wrap empty container and place in garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.