

2023-2312
2024-02-16

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03/02/2025 in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2312
2024-02-16

EXTENDA SHIELD

RESIDUAL INSECTICIDE & REPELLENT FOR HORSES

FOR USE ON HORSES ONLY. DO NOT use on newborn or nursing foals. Use on Show, Race, Work or Pleasure Horses only. DO NOT use on horses intended for slaughter. DO NOT use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.

DOMESTIC

READY TO USE

Controls and repels the following pests on horses: house flies, stable flies, horn flies, face flies, horse flies, deer flies and mosquitoes. Repels listed flies and mosquitoes for 3-5 days.

Active Ingredient:

Pyrethrin... 0.10%
Piperonyl Butoxide... 1.0%
Permethrin... 0.50%

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Store product in the original container. Keep tightly closed

REGISTRATION NO. 28529

PEST CONTROL PRODUCTS ACT

with

CITRONELLA SCENT

Net Contents: 1L, 4L

Can-Vet Animal Health Supplies Ltd.
4-61 Malcolm Rd.
Guelph, ON
N1K 1A7
519-822-5333

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with directions on the label.

DIRECTION FOR USE:

APPLICATION INSTRUCTIONS FOR HORSES: Shake container well before using. Controls and repels the following pests on horses: house flies, stable flies, horn flies, face flies, horse flies, deer flies and mosquitoes. Repels listed flies and mosquitoes for 3-5 days. Prior to treatment, thoroughly brush horse to remove excess dirt and dust and remove mucous secretions from face of the horse. Extremely dirty horses should be shampooed, rinsed and allowed to dry before treatment. This product is to be applied directly to the horse as a spray or as a wipe-on. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair.

Spray Method:

Apply a light, uniform spray to thoroughly coat the hair of the horse, while brushing lightly against lay of the hair. DO NOT wet horse's skin. Target areas of the horse commonly attacked by listed pests such as the legs, flanks and topline of the horse. DO NOT apply as a spray to the face of horse. When applying to the face of horse, use the Wipe-On Method as described below.

Wipe-On Method: Use this method to apply to the face and other sensitive areas to avoid application to eyes and mucous membranes (e.g., nose, mouth, genitals). To use as a wipe-on, moisten (not to the point of dripping) a clean soft cloth/sponge/mitt with Extenda Shield. Thoroughly rub the moistened cloth/sponge/mitt over the area of hair of the horse to be protected. It is best to apply by rubbing against the hair growth. Give/Pay special attention to the legs, shoulders, shanks, neck and facial areas (where flies most often are seen).

USE LIMITATIONS:

- FOR USE ON HORSES ONLY. DO NOT use on newborn or nursing foals.
- Use on Show, Race, Work or Pleasure Horses only. DO NOT use on horses intended for slaughter.
- DO NOT soak skin. DO NOT apply more than 60ml per animal per treatment.
- DO NOT treat eyes/eyelids and mucous membranes (e.g., nose, mouth, genitals).
- DO NOT cover horses immediately after treating/after treatment.
- DO NOT apply to back of horse prior to saddling.
- Discontinue use if horse develops irritation after treatment with this product.
- DO NOT use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.
- Avoid contact with treated horse until dry.
- DO NOT apply when people are present.
- DO NOT allow spray to drip or allow drift onto non-target surfaces.
- DO NOT apply more than once per day. Treatment must only be repeated after one day if pest problem persist or re-occurs.
- Discontinue use if the horse develops irritation after treatment with this product.
- Use ONLY in a well-ventilated area, preferably outdoors.

2023-2312

2024-02-16

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation of spray. Not for use on humans. Avoid contact with skin and eyes. Harmful if swallowed, inhaled or absorbed through skin. Wash after using. Wear rubber gloves while handling this product. If irritation appears discontinue use. Use ONLY in well-ventilated areas, preferably outdoors” here. Vacate room after treatment and ventilate before reoccupying. Wash contaminated clothing before reuse. Do not contaminate feed, food or litter. Do not contaminate food-handling equipment. Store in original container away from feed and food. Do not use in areas where beekeeping equipment or supplies are stored, or where milk is stored or processed.

This product contains Pyrethrin and Piperonyl Butoxide. Do not apply another pest control product such as a shampoo, spot-on, spray, collar, or powder that contains Pyrethrin or Piperonyl Butoxide to the treated animal after applying Extenda Shield.

ENVIRONMENTAL PRECAUTIONS: Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas. Toxic to aquatic organisms. Toxic to birds. Toxic to beneficial insects. Do not contaminate any body of water. Harmful to wildlife if allowed to contaminate lakes and streams.

DISPOSAL: Do not reuse container. Wrap and dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

STORAGE: Store this product away from food or feed.

FIRST AID: If on skin, wash thoroughly with soap and water. **If in eyes,** flush with clear water for 15 minutes; get medical attention.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth. **If swallowed,** call a poison control centre or doctor immediately for treatment advise. This produce contains a petroleum distillate. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention immediately.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains a petroleum distillate. Vomiting may cause aspiration pneumonia.

2023-2312
2024-02-16