

2023-2760

2024-03-22

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 09-02-2024 in accordance with the phase out period set out in the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2760
2024-03-22

REPEL-X[®]_p
Emulsifiable Fly Spray

FOR USE ON HORSES AND PONIES

Kills and repels horn flies, house flies, stable flies, horse flies, deer flies (tabanids), and mosquitoes.

Also kills ticks, including deer ticks.

DO NOT use on newborn or nursing foals.

DO NOT use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.

Use on show, race, work or pleasure horses only.

DO NOT use on horses intended for slaughter.

DOMESTIC

DANGER



POISON

READ LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS:

Pyrethrins 0.41%
Piperonyl Butoxide, Technical*0.965%

CONTAINS PETROLEUM DISTILLATE

SKIN IRRITANT

POTENTIAL SKIN SENSITIZER

REGISTRATION NO. 29184 PEST CONTROL PRODUCTS ACT

NET CONTENTS: .946 L

Manufactured for:

FARNAM COMPANIES, INC.

711 E. Missouri Ave., Suite 200, Phoenix, AZ 85014

800-234-2269

www.farnam.com

2023-2760

2024-03-22

NOTICE TO USER: This pest control product is to be used in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID:

HUMANS:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by the poison control centre or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control centre or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IN CASE OF MEDICAL EMERGENCIES or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 1-800-548-2828. Take container, label or product name and Pest Control Reg. No. with you when seeking medical attention.

HORSES AND PONIES:

Sensitivities may occur after using any pesticide for animals. If signs of sensitivity occur, bathe the animal with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. If irritation or other adverse effects develop, wash with soap and water immediately. Seek medical attention if symptoms persist.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Fatal or poisonous if swallowed. Causes skin and mucous membrane irritation. **DO NOT** get on skin. Potential skin sensitizer. For animal use only. Not for use on humans. Harmful if swallowed. Avoid contamination of food and feeds.

DIRECTIONS FOR USE:

REPEL-X^{®p} Emulsifiable Fly Spray repels and kills horn flies, house flies, stable flies, horse flies, deer flies (tabanids), and mosquitoes on horses and ponies. Also kills ticks, including deer ticks on horses and ponies.

FOR USE ONLY ON HORSES AND PONIES

Use Limitations

- **DO NOT** use on horses or ponies intended for human consumption.
- **DO NOT** apply undiluted.

2023-2760

2024-03-22

- **DO NOT** use on newborn or nursing foals.
- Use on show, race, work or pleasure horses only. **DO NOT** use on horses/ponies intended for slaughter.
- **DO NOT** soak skin. **DO NOT** exceed 240 mL per animal per treatment.
- **DO NOT** treat eyes/eyelids and mucous membranes (e.g., nose, mouth, genitals).
- **DO NOT** cover horses/ponies immediately after treating/after treatment.
- **DO NOT** apply to back of horse/pony prior to saddling.
- **DO NOT** use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.
- Avoid contact with treated horse/pony until dried.
- Discontinue use if horse/pony develops irritation after treatment with this product.
- Use **ONLY** in a well-ventilated area, preferably outdoors.
- **DO NOT** apply when people are present.
- **DO NOT** allow product to contact non-target surfaces.
- **DO NOT** apply more than once per day. Treatment must only be repeated if pest problem persists or reoccurs. A veterinarian should be consulted when pest infestation continues to be a problem on the horse/pony.

SHAKE WELL BEFORE USING. This product is to be applied directly to the horse/pony as a spray with a pressure sprayer or as a wipe-on with a sponge. Prior to treatment, thoroughly brush horse/pony to remove excess dirt and dust and remove mucous secretions from face of the horse/pony. Extremely dirty horses/ponies should be shampooed, rinsed and allowed to dry before treatment.

IMPORTANT: Mix fresh solution before each use. Mix **REPEL-X®p** Emulsifiable Fly Spray with water to the dilution indicated below. First, put the required amount into sprayer or mixing container. Then, add water according to directions and mix thoroughly before using. Use up to 240 mL of solution for each animal, depending on size of horse or pony.

- **To repel and kill horn flies, house flies and mosquitoes,** dilute 1 part **REPEL-X®p** Emulsifiable Fly Spray to 7 parts water.
- **To repel and kill horse flies, deer flies (tabanids) and stable flies,** dilute 1 part **REPEL-X®p** Emulsifiable Fly Spray to 4 parts water.
- **To kill ticks,** dilute 1 part **REPEL-X®p** Emulsifiable Fly Spray to 4 parts water.

Spray Method: Apply a light, uniform spray to thoroughly coat the hair of the horse/pony, while brushing lightly against the lay of the hair. **DO NOT** wet horse's/pony's skin. Target areas of the horse/pony commonly attacked by listed pests such as the legs, flanks and topline of the horse/pony. If possible, apply directly to ticks. **DO NOT** apply as a spray to the face of the horse/pony. When applying to the face of horse/pony, use the Wipe-On Method as described below.

Wipe-On Method: Use this method to apply to the face and other sensitive areas to avoid application to eyes and mucous membranes (e.g., nose, mouth, genitals). To use as a wipe-on, moisten (not to the point of dripping) a clean, soft sponge with **REPEL-X®p** Emulsifiable Fly Spray. Thoroughly rub the moistened sponge over the area of the hair of the horse/pony to be protected. It is best to apply by rubbing against the hair growth. Pay special attention to the legs, shoulders, shanks, neck and facial areas (where flies and ticks most often are seen on the horse/pony).

2023-2760

2024-03-22

For effective fly and tick control, treatment of the animal should be combined with the cleanup and the sanitation of any area or equipment (e.g., blankets) used by the horse/pony. If pest problems persist, a premise treatment with an insecticide for that use may be required.

STORAGE:

Store in a cool, dry place inaccessible to children and pets. Store this product away from food or feed.

DO NOT use or store near heat or open flame.

DISPOSAL:

IF EMPTY: DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

Never place any unused portion down any indoor or outdoor drain.

Peel back label at upper right corner for more information.

Repel-X, Farnam, Farnam with design and Your Partner in Horse Care are trademarks of Farnam Companies, Inc.

Product No./Code de produit: 100503714