

[FRONT PANEL - ENGLISH]

ORTHO®
KILLEX® READY-TO-SPRAY
LAWN WEED CONTROL

DOMESTIC
HERBICIDE
SOLUTION

CONTROLS OVER 50 VARIETIES OF BROADLEAF WEEDS IN LAWNS

NET CONTENTS: 1 L

COVERS 800 sq. metres (8,800 sq. ft.)

ACTIVE INGREDIENTS:

2,4-D 95 g a.e./L
Mecoprop-P 52.52 g a.e./L
Dicamba 9 g a.e./L
(all present as dimethylamine salt)

REG. NO.: 27809
P.C.P. ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

PROTECT FROM FREEZING

Scotts Canada Ltd.
2000 Argentia Road
Plaza #2, Suite 300
Mississauga, Ontario
L5N 1V8

1-800-668-5669

Made and printed in U.S.A.

Peel back for instructions
Press to reseal

[BACK PANEL - ENGLISH]

ORTHO® KILLEX® READY-TO-SPRAY LAWN WEED CONTROL

Controls over 50 varieties of broadleaf weeds in lawns:

dandelions, fall dandelion (fall hawkbit), plantains, broad-leaved plantain, narrow-leaved plantain, blackseed plantain, chickweed, mouse-ear chickweed, clover, bedstraw, black medick (yellow clover), English daisy, curled dock, heal-all, ground ivy (creeping Charlie), knotweed, ragweed, shepherd's purse, poison ivy, devil's paintbrush, orange hawkweed, buttercup, mustards, wormseed mustard, prickly lettuce, mallow (young stages), burdock, chicory, lamb's-quarters, kochia, peppergrass, pigweed, purslane, sow thistle, grass leaved stitchwort, blueweed, prostrate pigweed, sandwort (thyme-leaved), pineapple weed, daisy fleabane, birdsfoot trefoil, Canada thistle, smartweed (green), stonecrop (mossy), Russian thistle, bindweed (field), henbit, ox-eye daisy, sheep sorrel, speedwell (purslane leaved), spotted spurge, [stitchwort, yellow hawkweed, veronica (thyme-leaved).

APPLICATOR DIRECTIONS:

[ILLUSTRATION] Connect:	<ul style="list-style-type: none">• Connect sprayer to hose.• Turn on water.
[ILLUSTRATION] Spray:	<ul style="list-style-type: none">• To begin spraying, point nozzle in the direction you want to spray.• With thumb slide trigger completely forward to the ON position.• Spray evenly over measured area.
[ILLUSTRATION] Finish:	<ul style="list-style-type: none">• To STOP spraying, slide thumb activation switch backward to OFF position.• Turn off water.• Relieve water pressure by sliding thumb switch to WATER position until water slows to a drip. Then, slide switch back to OFF position.• Disconnect sprayer from hose.

DIRECTIONS FOR USE:

- This product is only effective when applied to the leaves of actively growing weeds. This product will not prevent new weeds - apply only when weeds are present.
- Avoid application during long, dry periods.
- DO NOT water within 24 hours after application. Do not apply when rain is expected.
- Product acts within a few days and weeds gradually die. Grass fills in as weeds disappear.
- DO NOT apply more than two broadcast applications per season. This does not include spot treatments.
- If weed populations DO NOT warrant a broadcast application (e.g., entire lawn), consider spot treatments that target only weedy areas.

- DO NOT apply to any body of water.
- DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Desirable broadleaf terrestrial plants can be harmed by contact with product spray. DO NOT directly spray or allow the spray to drift onto ornamental plants and trees, fruits, vegetables or exposed roots of trees and ornamentals.
- Do not use on bentgrass varieties (golf greens).
- Avoid application of this product when winds are gusty.
- DO NOT apply to driveways, sidewalks or any other hard surface.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid contacting skin, eyes, and clothing. Wash hands after using. Do not apply to newly seeded lawns until after third mowing. Do not store near seeds, fertilizers, insecticides or fungicides. Keep from freezing.

Protective Clothing:

- Wear long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves.

Operator Use Precautions:

- Rinse gloves before removal.
- Wash hands before eating, drinking, using tobacco or using the toilet.
- If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing.
- Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower.
- Re-use gloves for pesticide application only.

Re-entry Interval:

- Do not allow people (other than the applicator) or pets on the treatment area during application. Do not enter treated areas until spray has thoroughly dried.

Maximum Application Frequency To Turf:

- For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

ENVIRONMENTAL HAZARDS:

TOXIC to aquatic organisms and non-target terrestrial plants. Toxic to birds and small wild mammals. This product will harm other broadleaf plants in the vicinity of the treatment area.

SURFACE RUNOFF:

- To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay.
- Avoid application when heavy rain is forecast.
- Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.
- To prevent runoff from domestic uses avoid spraying on driveways, sidewalks or other hard surfaces. Do not irrigate within 24 hours after application.

LEACHING: The use of this chemical may result in contamination of groundwater particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth of water table is shallow.

FIRST AID:

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

DISPOSAL:

DO NOT reuse the empty container. Wrap and dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund cheque promptly.

Questions, Comments or Medical Information
Call 1-800-668-5669 or visit our Website at www.ortho.ca

® used under license by Scotts Canada Ltd.
© 2017 Scotts Canada Ltd. World rights reserved.