

2013-3477
15-SEP-2014

D-Puck

Chlorinating Swimming Pool Tablets

DOMESTIC

SOLID

Pool Sanitizer

CONTROLS BACTERIA AND ALGAE in Swimming pool waters

DANGER

POISON CORROSIVE

CORROSIVE TO EYES and SKIN

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

GUARANTEE: available chlorine present as trichloro-s-triazinetriene and sodium dichloro-s-triazinetriene dihydrate.....78.40%

REGISTRATION NO.: **31474** PEST CONTROL PRODUCTS ACT.

NET CONTENTS XX KG
Weight per tablet: 300 grams

INTRACHEM INDUSTRIES INC.
476 Armadale Avenue,
Toronto, Ontario, Canada, M6S 3X9
Tel: 416 760 0929 Fax: 416 769 1363

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

Dangerous gas formed when mixed with acid.

Do not mix with any other chemical.

Strong oxidizing agent.

May cause fire or explosion if contaminated.

CORROSIVE to the eyes and skin.

DO NOT get in eyes or on skin.

Fatal or poisonous if swallowed.

May be fatal if inhaled.

Avoid inhaling dust.

It is recommended to wear rubber gloves when handling this product.

Keep container closed and store in a cool, dry location.

Rinse container thoroughly before discarding. Do not re-use.

DIRECTIONS FOR USE:

WARNING: Direct tablet contact may cause bleaching of vinyl or painted pool surfaces.

Automatic feeding devices employing these tablets must be totally free from traces of other pool sanitizers to avoid the probability of an explosion.

1. Maintain recommended daily levels as determined by a testing kit:

Free available chlorine: 1.0 - 3.0 ppm

pH: 7.2 - 7.8

Total Alkalinity: 100 - 120 ppm

Calcium Hardness: 200 - 300 ppm

2. For outdoor pools, chlorine residuals can be protected from destruction by the sun's rays by adding 300 grams of cyanuric acid stabilizer per 10 000 litres of pool water to yield the required initial concentration of 30 ppm.

3. If using an automatic chlorinator, fill the chamber[s] with D-Puck Chlorinating Swimming Pool Tablets and adjust the flow rate, according to manufacturer's recommendations, to maintain proper chlorine residual. Adding D-Puck Chlorinating Swimming Pool Tablets to the pool's skimmer basket is an alternative chlorine feed method. Daily usage should approximate 20 grams of D-Puck Chlorinating Swimming Pool Tablets per 10 000 litres of pool water.

Note: Hot weather, heavy pool usage and rain may require higher usage rates to maintain proper chlorine residuals. Use a test kit regularly.

4. Periodic superchlorination of pool water is recommended.

5. D-Puck Chlorinating Swimming Pool Tablets contains stabilizer which can accumulate in pool water. Keep stabilizer level within the range of 30-100 ppm by dilution with fresh water.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DISPOSAL:

Rinse container thoroughly before discarding. Do not reuse. For information on the disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill and for clean-up of spills.